

Table Of Contents

Table Of Contents 1

Task: Stop Apache Web server 2

Task: Start Apache Web server 2

[Home](#) > [Faq](#) > [Mac OS X](#) > [Apache](#)

Mac OS x Restart Apache Web Server

Posted by [Vivek Gite](#) <vivek@nixcraft.com>

How do I restart Apache web server under Mac OS X operating systems?


The apachectl command act as Apache HTTP Server control interface. It can be used to start, stop, and restart the Apache web server from command line.

Open a terminal and type any one of the following command:

```
sudo apachectl restart
```

OR

```
sudo apachectl -k restart
```



```
Terminal — bash — 52x13
vivek-gites-macbook:~ vivek$ sudo apachectl restart
Password:
vivek-gites-macbook:~ vivek$
```

[3]

Fig.01: Restarting Apache under Mac OS X

Task: Stop Apache Web server

```
sudo apachectl -k stop
```

Task: Start Apache Web server

```
sudo apachectl -k start
```

4000+ howtos and counting! Want to read more Linux / UNIX howtos, tips and tricks? Subscribe to our [daily email](#) newsletter or [weekly newsletter](#) to make sure

you don't miss a single tip/tricks. Alternatively, subscribe via [RSS/XML](#) feed.

Article printed from Frequently Asked Questions About Linux / UNIX: <http://www.cyberciti.biz/faq/>

URL to article: <http://www.cyberciti.biz/faq/restarting-apache-under-osx-commandline/>

URLs in this post:

[1] Image: <http://www.cyberciti.biz/faq/category/mac-os-x/>

[2] Image: <http://www.cyberciti.biz/faq/category/apache/>

[3] Image: <http://www.cyberciti.biz/faq/restarting-apache-under-osx-commandline/osx-apachectl-restart-webserver/>

Copyright © 2006-2010 [nixCraft](#). All rights reserved. This print / pdf version is for personal non-commercial use only. More details <http://www.cyberciti.biz/tips/copyright>.