Table Of Contents

Table Of Contents	_1
for loop with spaces example	. 2
while loop with spaces example	
The loop that spaces example	_

nixCraft: Linux Tips, Hacks, Tutorials, And Ideas In Blog Format http://www.cyberciti.biz/

Home > Faq > Unix > Bash shell

Bash For Loop Spaces

Posted by Vivek Gite <vivek@nixcraft.com>

How do I use bash for loop with spaces in a file name?

You can easily read file name with spaces in a for or while loop:

for loop with spaces example



[1]

```
O=$IFS
IFS=$(echo -en "\n\b")
for f in *
do
    echo "$f"
done
IFS=$0
```

To process all files passed as command line ars:

```
#!/bin/bash
O=$IFS
IFS=$(echo -en "\n\b")
for f in $@
do
    echo "File: $f"
done
IFS=$0
```

while loop with spaces example

```
find . | while read file
do
   echo "$file"
done
```

4000+ howtos and counting! Want to read more Linux / UNIX howtos, tips and tricks? Subscribe to our <u>daily email</u> newsletter or <u>weekly newsletter</u> to make sure you don't miss a single tip/tricks. Alternatively, subscribe via <u>RSS/XML</u> feed.

Article printed from Frequently Asked Questions About Linux / UNIX: http://www.cyberciti.biz/faq/

URL to article: http://www.cyberciti.biz/faq/bash-for-loop-spaces/

URLs in this post:

[1] Image: http://www.cyberciti.biz/faq/category/bash-shell/

details http://www.cyberciti.biz/tips/copyright.