Table Of Contents

Fable Of Contents	. 1
Fask: Send ARP request	
Task: Find duplicate IP	
References:	. 2

nixCraft: Linux Tips, Hacks, Tutorials, And Ideas In Blog Format http://www.cyberciti.biz/

Home > Faq > CentOS

How to: Detect Duplicate IP Address With arping command under Linux

Posted by Vivek Gite <vivek@nixcraft.com>

Q. I run quite large network with different subnets. I'd like to know how can I find out duplicate IP address under Linux / UNIX?

A. You can use arpping command. The arping utility performs an action similar to ping command, but at the Ethernet layer. You can send ARP REQUEST to a neighbor host/computers.



Task: Send ARP request

Let us find out reachability of an IP on the local Ethernet with arping i.e send ARP request 192.168.1.1:

```
$ sudo arping -I eth0 -c 3 192.168.1.1
```

Output:

```
ARPING 192.168.1.1 from 192.168.1.106 ra0
Unicast reply from 192.168.1.1 [00:18:39:6A:C6:8B] 2.232ms
Unicast reply from 192.168.1.1 [00:18:39:6A:C6:8B] 1.952ms
Sent 3 probes (1 broadcast(s))
Received 3 response(s)
```

Where,

- -I eth0: Specify network interface i.e. name of network device where to send ARP REQUEST packets. This
 option is required.
- -c 3: Stop after sending 3 ARP REQUEST packets

Task: Find duplicate IP

The -D option specifies duplicate address detection mode (DAD). It returns exit status 0, if DAD succeeded i.e. no replies are received.

```
$ sudo arping -D -I eth0 -c 2 192.168.1.1
```

If 192.168.1.1 duplicated you should see zero exit status:

```
$ echo $?
```

Always use following syntax for duplicate address detection with arping:

```
$ sudo arping -D -I <interface-name> -c 2 <IP-ADDRESS-TO-TEST>
$ echo $?
```

References:

- Ethernet Layer Tools arping [2]
- arping man page

4000+ howtos and counting! Want to read more Linux / UNIX howtos, tips and tricks? Subscribe to our <u>daily email</u> newsletter or <u>weekly newsletter</u> to make sure

you don't miss a single tip/tricks. Alternatively, subscribe via RSS/XML feed.

Article printed from Frequently Asked Questions About Linux / UNIX: http://www.cyberciti.biz/faq/

URL to article: http://www.cyberciti.biz/faq/linux-duplicate-address-detection-with-arping/

URLs in this post:

[1] Image: http://www.cyberciti.biz/faq/faq/category/troubleshooting/

[2] Ethernet Layer Tools - arping: http://linux-ip.net/html/tools-arping.html

Copyright © 2006-2010 <u>nixCraft</u>. All rights reserved. This print / pdf version is for personal non-commercial use only. More details http://www.cyberciti.biz/tips/copyright.