

Table Of Contents

Table Of Contents	1
KSH IF Syntax	2

[Home](#) > [Faq](#) > [AIX](#)

KSH IF Command Conditional Scripting Examples

Posted by [Vivek Gite](#) <vivek@nixcraft.com>

This entry is part 3 of 3 in the series [UNIX Korn Shell Scripting](#) ^[1]

[UNIX Korn Shell Scripting](#) ^[1]

- [How To Write First UNIX Korn Shell Script Program](#) ^[2]
- [Korn Shell Variables](#) ^[3]
- KSH IF Command Conditional Scripting Examples

How do I use if command under KSH to make decisions?

KSH offers program flow control using if conditional command. if command runs a set of command if some condition is true. For example, if directory /backup does not exists, create a new one so that your shell script can make backup to /backup directory.



[4]

KSH IF Syntax

```
if [ condition ] ; then
// Condition satisfied and run this  command
else
// Condition NOT satisfied and run this  command
fi
```

IF the variable \$x is greater to 0, THEN print out a message. Otherwise (else), print out a different message. Following shell script to read 2 numbers and find the greater of the two:

```
#!/bin/ksh
x=5
y=10
if [ $x -ge $y ];
then
echo "x = $x "
else
echo "y = $y"
fi
```

Find out if file /etc/passwd exists or not:

```
#!/bin/ksh
FILE=/etc/passwd
DIR=/tmp/foo
# ! means not
# if file does exists
if [ ! -f $FILE ];
then
echo "Error $FILE does not exists!"
else
echo "$FILE found!"
fi
# if dir does not exists
if [ ! -d $DIR ];
then
echo "Error directory $DIR does not exists!"
else
echo "$DIR directory found!"
fi
```

The -d option check for \$DIR and make sure it is a directory. The -f option check for \$FILE and make sure it is a regular file using conditional if command.

Series Navigation

[«Korn Shell Variables](#) ^[3]

4000+ howtos and counting! Want to read more Linux / UNIX howtos, tips and tricks? Subscribe to our [daily email](#) newsletter or [weekly newsletter](#) to make sure you don't miss a single tip/tricks. Alternatively, subscribe via [RSS/XML](#) feed.

Article printed from Frequently Asked Questions About Linux / UNIX: <http://www.cyberciti.biz/faq/>

URL to article: <http://www.cyberciti.biz/faq/ksh-if-command-examples/>

URLs in this post:

[1] UNIX Korn Shell Scripting: <http://www.cyberciti.biz/faq/series/unix-korn-shell-scripting/>

[2] How To Write First UNIX Korn Shell Script Program: <http://www.cyberciti.biz/faq/how-to-write-first-unix-korn-shell-script-program/>

[3] Korn Shell Variables: <http://www.cyberciti.biz/faq/unix-linux-korn-shell-variables/>

[4] Image: <http://www.cyberciti.biz/faq/category/unix/>

Copyright © 2006-2010 [nixCraft](#). All rights reserved. This print / pdf version is for personal non-commercial use only. More details <http://www.cyberciti.biz/tips/copyright>.