

Table Of Contents

Table Of Contents 1

Restart Apache 2 web server, enter: 2

 If you are using Ubuntu use sudo: 2

To stop Apache 2 web server, enter: 2

To start Apache 2 web server, enter: 2

[Home](#) > [Faq](#) > [FAQ](#)

Star / Stop / Restart Apache 2 Web Server

Posted by [Vivek Gite](#) <vivek@nixcraft.com>

Q. How do I restart Apache 2 Web Server under Debian / Ubuntu Linux?

G. Apache is primarily used to serve both static content and dynamic Web pages on the World Wide Web. Many web applications are designed expecting the environment and features that Apache provides.

First, login to server using ssh, if server is not in local data center:

ssh root@your.server.com

Once logged in type the following commands

Restart Apache 2 web server, enter:

```
# /etc/init.d/apache2 restart
```

If you are using Ubuntu use sudo:

```
$ sudo /etc/init.d/apache2 restart
```

To stop Apache 2 web server, enter:

```
# /etc/init.d/apache2 stop
```

OR

```
$ sudo /etc/init.d/apache2 stop
```

To start Apache 2 web server, enter:

```
# /etc/init.d/apache2 start
```

OR

```
$ sudo /etc/init.d/apache2 start
```

4000+ howtos and counting! Want to read more Linux / UNIX howtos, tips and tricks? Subscribe to our [daily email](#) newsletter or [weekly newsletter](#) to make sure you don't miss a single tip/tricks. Alternatively, subscribe via [RSS/XML](#) feed.


Article printed from Frequently Asked Questions About Linux / UNIX: <http://www.cyberciti.biz/faq/>

URL to article: <http://www.cyberciti.biz/faq/star-stop-restart-apache2-webserver/>

URLs in this post:

[1] Image: <http://www.cyberciti.biz/faq/category/apache/>

[2] Image: <http://www.cyberciti.biz/faq/category/debian-ubuntu/>



[1]



[2]

