Table Of Contents	1/2
Table Of Contents	
Table Of Contents	1

Table Of Contents 2/2

nixCraft: Linux Tips, Hacks, Tutorials, And Ideas In Blog Format http://www.cyberciti.biz/

Home > Faq > BASH Shell

Linux Copy One Hard Disk to Another Using dd Command

Posted by Vivek Gite <vivek@nixcraft.com>

Q. How can I copy one hard disk to another using dd command?

A. dd command can copy disk in raw format. It will copy partition table and bootloader and all partitions within this disk. For example, you can copy /dev/sda to /dev/sdb (same size) using the following dd command. dd should complete with no errors, but output the number of records read and written.



Login as the root user (use sudo or su command)

 Λ

WARNING! These examples may result into data loss, ensure there are good backups before doing this, as

using dd wrong way can be dangerous.

Open terminal or shell prompt and type the following dd command:

dd if=/dev/sda of=/dev/sdb

Where,

• if=/dev/sda : Input disk (source)

• of=/dev/sdb: Output disk (destination)

You can also copy hard disk or partition image to another system using a network and netcat (nc) command [2].

4000+ howtos and counting! Want to read more Linux / UNIX howtos, tips and tricks? Subscribe to our <u>daily email</u> newsletter or <u>weekly newsletter</u> to make sure you don't miss a single tip/tricks. Alternatively, subscribe via <u>RSS/XML</u> feed.

Article printed from Frequently Asked Questions About Linux / UNIX: http://www.cyberciti.biz/faq/

URL to article: http://www.cyberciti.biz/faq/linux-unix-copy-clone-hard-disk/

URLs in this post:

[1] Image: http://www.cyberciti.biz/faq/faq/category/linux/

[2] copy hard disk or partition image to another system using a network and netcat (nc) command:

http://www.cyberciti.biz/tips/howto-copy-compressed-drive-image-over-network.html

Copyright © 2006-2010 <u>nixCraft</u>. All rights reserved. This print / pdf version is for personal non-commercial use only. More details http://www.cyberciti.biz/tips/copyright.