Table Of Contents	1/3
Table Of Contents	
Table Of Contents	1

Table Of Contents 2/3

nixCraft: Linux Tips, Hacks, Tutorials, And Ideas In Blog Format http://www.cyberciti.biz/

Home > Faq > CentOS

Restrict ssh access using tcpd (TCPWrapper)

Posted by Vivek Gite <vivek@nixcraft.com>

tcpd is use to access control facility for internet services. The tcpd program can be set up to monitor incoming requests for telnet, finger, ftp, exec, rsh, rlogin, tftp, sshd and other services that have a one-to-one mapping onto executable files. Your sshd server must be configuring (compiled with) to support tcpd.

You can find out tcpd (tcpwrapper) support easily with following command:



[1]

```
# strings $(which sshd) | grep libwrap
```

```
libwrap.so.0
libwrap refuse returns
```

If you get output libwrap (as above) then you can use tcpd as follows. Open file /etc/hosts.deny in text editor. This file list of hosts/IPs that are not allowed to access the system. In your case you will block sshd (port 22). Let us say you would like to deny access to IPs 202.54.1.20 64.66.44.22 64.66.44.25.

```
# vi /etc/hosts.deny
```

Add/append following line to file:

```
sshd: 202.54.1.20 64.66.44.22 64.66.44.25
```

Save and exit to shell prompt. Next make sure your rules are correct with the following command:

```
# tcpdchk -v
```

Output:

```
Using network configuration file: /etc/inetd.conf

>>> Rule /etc/hosts.deny line 20:
daemons: sshd
clients: 202.54.1.20 64.66.44.22 64.66.44.25
access: denied
```

See also:

• Restrict ssh access using lptable [2]

4000+ howtos and counting! Want to read more Linux / UNIX howtos, tips and tricks? Subscribe to our <u>daily email</u> newsletter or <u>weekly newsletter</u> to make sure you don't miss a single tip/tricks. Alternatively, subscribe via <u>RSS/XML</u> feed.

Article printed from Frequently Asked Questions About Linux / UNIX: http://www.cyberciti.biz/faq/

URL to article: http://www.cyberciti.biz/faq/restrict-ssh-access-using-tcpd-tcpwrapper/

URLs in this post:

[1] Image: http://www.cyberciti.biz/faq/faq/category/linux/

Table Of Contents 3/3

[2] Restrict ssh access using lptable: http://www.cyberciti.biz/faq/restrict-ssh-access-use-iptable/

 $Copyright @ 2006-2010 ~ \underline{nixCraft}. ~ All ~ rights ~ reserved. ~ This ~ print / ~ pdf ~ version ~ is for personal non-commercial use only. ~ More \\ ~ details ~ \underline{http://www.cyberciti.biz/tips/copyright}.$