

Table Of Contents

Table Of Contents .....	1
-------------------------	---

[Home](#) > [Faq](#) > [EMail Servers](#)

## Postfix SASL ERROR: Password not accepted from server: 535 5.7.0 Error: authentication failed: authentication failure

Posted by [Vivek Gite](#) <[vivek@nixcraft.com](mailto:vivek@nixcraft.com)>

**Q.** I've recently changed email user account password using `passwd` command, for one my postfix email server which requires SMTP authentication before sending an email. Now following error is logged into my `/var/log/maillog` file:

ERROR: Password not accepted from server: 535 5.7.0 Error: authentication failed:  
authentication failure



[1]

How do I solve this problem under Red Hat enterprise Linux running Postfix with SASL authentication?

**A.** It appears that you are using Simple Authentication and Security Layer (SASL) framework for authentication and data security in Internet protocols. Cyrus SASL is a free and portable SASL library and it is used for SMTP authentication.

To set or change a user's sasl password use `saslpasswd2` command and not `passwd` command. `saslpasswd2` is used by a server administrator to set a user's sasl password for server programs and SASL mechanisms which use the standard `libsasl` database of user secrets. Type the following command at shell prompt:

```
# saslpasswd2 username
```

Now password should be updated and Postfix should accept the SMTP password.

4000+ howtos and counting! Want to read more Linux / UNIX howtos, tips and tricks? Subscribe to our [daily email](#) newsletter or [weekly newsletter](#) to make sure you don't miss a single tip/tricks. Alternatively, subscribe via [RSS/XML](#) feed.

Article printed from Frequently Asked Questions About Linux / UNIX: <http://www.cyberciti.biz/faq/>

URL to article: <http://www.cyberciti.biz/faq/rhel-linux-postfix-sasl-authentication-error/>

URLs in this post:

[1] Image: <http://www.cyberciti.biz/faq/faq/category/email-servers/>