Table Of Contents	1/2
Table Of Contents	
Table Of Contents	1

Table Of Contents 2/2

nixCraft: Linux Tips, Hacks, Tutorials, And Ideas In Blog Format http://www.cyberciti.biz/

Home > Faq > FreeBSD

Howto: Prevent root user from being able to log in via SSH service

Posted by Vivek Gite <vivek@nixcraft.com>

Securing root account is one of the main tasks. Most systems have a password assigned to the root account. The first thing you do is assume that the password is always compromised. This does not mean that you should remove the password. The password is almost always necessary for console access to the machine. What it does mean is that you should not make it possible to use the password outside of the console. Direct root logins should only be allowed via the system console.

- 1) Login as a root user
- 2) Open /etc/ssh/sshd_config file

vi /etc/ssh/sshd_config

3) Make changes to ssh server configuration find the following line or edit the line from:

PermitRootLogin yes

Change it to:

PermitRootLogin no

- 4) Save the changes
- 5) Restart sshd service

/etc/init.d/sshd restart

The option PermitRootLogin specifies whether root can log in using ssh.

4000+ howtos and counting! Want to read more Linux / UNIX howtos, tips and tricks? Subscribe to our <u>daily email</u> newsletter or <u>weekly newsletter</u> to make sure you don't miss a single tip/tricks. Alternatively, subscribe via <u>RSS/XML</u> feed.

Article printed from Frequently Asked Questions About Linux / UNIX: http://www.cyberciti.biz/faq/

URL to article: http://www.cyberciti.biz/faq/howto-prevent-root-user-from-being-able-to-log-in-via-ssh-service/

Copyright © 2006-2010 <u>nixCraft</u>. All rights reserved. This print / pdf version is for personal non-commercial use only. More details http://www.cyberciti.biz/tips/copyright.