Table Of Contents

nixCraft: Linux Tips, Hacks, Tutorials, And Ideas In Blog Format
http://www.cyberciti.biz/

FreeBSD Disable Bell / Beep (Hardware beep)

Posted by Vivek Gite <vivek@nixcraft.com>

I know how to disable beep sound under Linux [2], but the settings are not working under FreeBSD laptop. How do I disable beep sound under FreeBSD operating system?

To enable or disable bell use MIB hw.syscons.bell under FreeBSD operating systems. Type the following command to disable for current session:

[1]

[3]

```
# sysctl hw.syscons.bell=0
```

Make sure settings remains same after you reboot the laptop, enter:

```
# echo "hw.syscons.bell=0" >> /etc/sysctl.conf
```

4000+ howtos and counting! Want to read more Linux / UNIX howtos, tips and tricks? Subscribe to our daily email newsletter or weekly newsletter to make sure you don't miss a single tip/tricks. Alternatively, subscribe via RSS/XML feed.

Article printed from Frequently Asked Questions About Linux / UNIX: **http://www.cyberciti.biz/faq/**

URL to article: **http://www.cyberciti.biz/faq/turning-off-freebsd-system-hardware-beep-linux/**

URLs in this post:

[1] Image: **http://www.cyberciti.biz/faq/category/freebsd/**
[2] under Linux: **http://www.cyberciti.biz/faq/how-to-linux-disable-or-turn-off-beep-sound-for-terminal/**
[3] Image: **http://www.cyberciti.biz/faq/category/gnome/**