




AARHUS
UNIVERSITY

DEPARTMENT OF ENGINEERING



Synthetic images for convolutional neural networks in autonomous drone racing

Transferring knowledge from a semi-synthetic domain into the real world for trajectory planning

Master's thesis in M.Sc. Computer Engineering

Théo Morales

MASTER'S THESIS 2019:NN

**Synthetic images for
convolutional neural networks
in autonomous drone racing**

Transferring knowledge from a semi-synthetic domain into the real world for
trajectory planning

Théo Morales



Department of Engineering
Control and Automation Laboratory
AARHUS UNIVERSITY
Aarhus, Denmark - 2019

Synthetic images for Convolutional Neural Networks in autonomous drone racing
Transferring knowledge from a semi-synthetic domain into the real world for trajectory planning
Théo Morales

© Théo Morales, 2019.

Supervisor: Erdal Kayacan, Department of Engineering
Co-Supervisor: Andriy Sarabakha, Department of Engineering
External Examiner: Name, Department

Master's Thesis 2019:NN
Department of Engineering
Control and Automation Laboratory
Aarhus University
DK-8000 Aarhus
Telephone +4541893252

Cover: Vision-based gate detection for autonomous drone racing.

Typeset in L^AT_EX
Aarhus, Denmark 2019

Synthetic images for convolutional neural networks in autonomous drone racing
Transferring knowledge from a semi-synthetic domain into the real world for trajectory planning
Théo Morales
Department of Engineering
Aarhus University

Abstract

The focus of this research will be on developing a robust and generalized vision algorithm for detecting obstacles in a configurable manner and regardless of their shape and color, such that the race gates can be specified prior to the training of the algorithm, and thus tailored to the challenge itself. The end goal is to greatly facilitate the learning of the vision-based detection model, by automating the tedious and long process of collecting and annotating a large dataset required to train the object detection algorithm using Deep Learning.

Indeed, this task is often the most time-consuming part of training convolutional neural networks, mostly because each image must be annotated to be used in supervised learning. By removing this weight off researchers' shoulders, much more time is left to focus and experiment on the *planning* and *acting* problems of the robotic paradigm .

In this work, the efficiency and robustness of tailored dataset generation for Deep Learning-based computer vision algorithms, for the specific case of autonomous drone racing, is analysed and discussed. A simple approach to solving the *planning* challenge is also undertaken, which supports the praises of the proposed solution.

reference to the diagram above

Keywords: drones, autonomous, dataset, deep learning, cnn.

Acknowledgements

 Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

Théo Morales, Aarhus, June 2019

Contents

List of Figures	VII
List of Tables	IX
1 Introduction	1
1.1 Motivation	1
Beyond the hype and into reality	1
1.2 What is drone racing?	2
1.2.1 Challenges	3
1.3 Litterature review	3
1.3.1 The modern approach	3
1.4 The chosen approach	4
1.5 Contributions	4
2 Perception	5
2.1 Convolutional neural networks theory	5
2.1.1 Advantages and applications	5
2.1.2 Architecture	5
Typical inputs and ouptputs	5
Layer types	5
2.1.3 Training and evaluation	5
Dataset choice	5
Hyperparameter tuning	5
Regularization	5
2.1.4 Common pitfalls	5
Underfitting	5
Overfitting	5
2.2 Choice of network topology	5
2.2.1 Pretrained models	5
2.2.2 DroNet: bakdwjwkdkw	5
2.2.3 Modifying DroNet	5
2.3 Dataset generation	5
2.3.1 Problem statement	5
2.3.2 Proposed solution	6
Advantages	6
Limitations	6
2.3.3 Synthetic gates generation	6
OpenGL scene	6
Modelling the camera	6
Mapping a virtual space	6

2.3.4	Foreground blending	6
2.4	Network training	6
2.4.1	Choice of hyperparameters	6
	Dataset size and network capacity	6
2.4.2	Achieving generalization	6
2.5	Evaluating on real world data	6
3	Control and trajectory planning	7
3.1	Problem statement	7
3.2	Proportional-Integral-Derivative controllers	7
3.3	Putting things together	7
3.3.1	Supervision state machine	7
4	Experiments and Discussion of results	8
4.1	Gate detection	8
4.2	Trajectory planning	8
5	Conclusion	9
Bibliography		XI
A Appendix 1		XII

List of Figures

1.1	Autonomous drone racing "arena" at IROS 2016.	1
1.2	Drone market by sector: estimates for 2016-2020 [5].	2
1.3	Drone Racing League arena in London (Steven Paston/PA) [7]	2
1.4	The AiR Lab and the custom built obstacles around the author in Skejby	3
1.5	The Sense, Plan, Act robotic paradigm.	3

List of Tables

List of Tables

1

Introduction

1.1 Motivation

Each year, the robotic community gathers at conferences such as IROS (International Conference on Intelligent Robots and Systems), where they exhibit their discoveries and achievements in the field. For the year 2019, the Drone Racing League will be hosting a series of races in which autonomous drones will compete and attempt to outperform a professional FPV (First Person View) drone pilot.



Figure 1.1: Autonomous drone racing "arena" at IROS 2016.

The company *Lockheed Martin* is sponsoring the event and offering a prize of 2 million USD for the winning team [1]. Teams of university students and other drone enthusiasts shall present innovative approaches on vision-based systems for unmanned aerial vehicles: hence, they showcase their progress through racing.


Beyond the hype and into reality

The rise of consumer drones during the recent years indicates a craze for UAVs (Unmanned Aerial Vehicle) from the average citizen. First seen as nothing more but toys, the now well-known quadcopters are revealing their full potential, thanks to the breakthroughs of robotics engineers and large businesses combining their expertise to offer futuristic services.

Be it Amazon's yet to come *Prime Air* service [2], promising 30 minutes deliveries by autonomous drones in a short radius of their facilities, or even Ehang's electric sky-taxis driving a human passenger for up to 10 miles [3], more and more innovative companies are demonstrating the possible applications of those agile fliers. Indeed, it seems this fantasmic future is not far from our reach. *Amazon Prime Air* successfully delivered a package to its first customer in December 2016 [4], which took only 13 minutes and did not involve a human pilot.

Moreover, reports from *Goldman Sachs* [5] estimated that the drone market would reach 100 billion USD between 2016 and 2020, referring to the military, consumer and commercial sectors, as shown on Figure 1.2.

Chart 1: Drone Market by Sector



Source: Goldman Sachs

toptal

Figure 1.2: Drone market by sector: estimates for 2016-2020 [5].

Based on those figures, it is safe to assume that autonomous drones hold a promising future, and that active research in the field will not go to waste. After all, autonomous drone racing might be a recreational segway to faster and more precise self-flying vehicles for all industries.

1.2 What is drone racing?

As in any race, competitors measure their skills at maneuvering their vehicle, from within or at distance, against the clock or against themselves, in an attempt to complete a circuit before everyone else.

In drone racing, the circuit is comprised of a set of obstacles, static or dynamic, usually arranged in a loop. For the case of classic drone racing, huge futuristic-looking arenas are used as a playground for extremely skilled pilots, who make the race look impressive and dynamic by the use of FPV goggles to fly the drones at very high speed, reaching 120mph [6].




Figure 1.3: Drone Racing League arena in London (Steven Paston/PA) [7]

For the case of autonomous drone racing, up until the *Drone Racing League* announced their autonomous competition of 2019, arenas looked much more like a laboratory than a glowing circuit, as it can be seen on Figure 1.4 showing the AiR Lab in Skejby (Aarhus, DK), with its gates built and painted for this work. These obstacles were inspired of the previous competitions organized by IROS, as seen on Figure 1.1 which also shows the typical type of drones used in this research area: consumer drones for the larger audience. This kind of drones is not made for sportive flight, but mostly for an easy hands-on experience, providing a relatively slow but stable flight.



Figure 1.4: The AiR Lab and the custom built obstacles around the author in Skejby

The goal is to complete a given amount of turns as fast as possible, but since it is still the early days of drone racing and the costs of a potential crash would be too high, each drone races against the clock, one after an other. Ultimately, autonomous drones will be racing against skilled pilots, as the *Drone Racing League* seems to encourage it by giving a total prize of 2 millions USD for the race of 2019 [1].

1.2.1 Challenges

1.3 Litterature review

1.3.1 The modern approach

Most robotic system's operation can be modeled by the commonly known *Sense, Plan, Act* paradigm:

Add custom act, sense, plan paradigm pic




Figure 1.5: The Sense, Plan, Act robotic paradigm.

- **Sense:** gather information using sensors (camera, IMU, sonar...).
- **Plan:** create a world model using all the information, and plan the nextmove.

- **Act:** carry out the actions that the plan calls for.

This thesis will be focused mainly on the sensing of the drone control, and more precisely using computer vision algorithms along with machine learning concepts. However, an important part of the trajectory planning directly follows the sensing phase, therefore those two first phases of the control loop can be included in the scope of the project.

To this day, most drones in the robotic research field are running *Robot Operating System* (ROS) , which is a set of "libraries and tools to help software developers create robot applications".

Add citation

The implementation of the computer vision algorithms will be constrained within ROS, and cooperate with the different control components provided by the project team.

Talk about why CNNs are used more and more in drone racing and basically it is the chosen approach, which leads to tackle the dataset generation problem.

As Deep Learning has known an exponential growth during the past decade, computer vision applications tend to exploit the power of convolutional neural networks more and more. Thanks to their impressive accuracy in specific problem solving, CNNs are becoming the main choice for tasks such as: object detection, object segmentation, object recognition, etc...

In drone racing, the latest works, which are often the best performing, tend to employ CNNs for the sensing part, or even as an all-in-one solution.

1.4 The chosen approach

The solution will be implemented iteratively, by gradually increasing the complexity of the vision algorithms, such that progress can be made even if the end goal is too difficult to achieve.

The project should attempt to fulfill the following goals:

- Recognize gates in the input image
- Detect and localize the closest gate's center
- Evaluate the closest gate's orientation and distance
- Plan a trajectory for the drone to fly across the gate center
- Refine the trajectory in real time, for an optimal flight time
- Make the drone follow that trajectory while adjusting in real time

However, the following functionalities are out of the scope and will be discarded:

- Detect any other obstacles in the input image
- Avoid obstacles that are on the drone's trajectory
- Map and localize the detected gates in world frame
- Plan a trajectory of a sequence of gates
- Apply online learning for adaptive racing

System diagram of the framework, RNN and all the stuff

1.5 Contributions

2

Perception

2.1 Convolutional neural networks theory

2.1.1 Advantages and applications

2.1.2 Architecture

Typical inputs and ouptputs

Layer types

2.1.3 Training and evaluation

Dataset choice

Hyperparameter tuning

Regularization

2.1.4 Common pitfalls

Underfitting

Overfitting

2.2 Choice of network topology

2.2.1 Pretrained models

2.2.2 DroNet: bakdwjwkdkw

2.2.3 Modifying DroNet

2.3 Dataset generation

2.3.1 Problem statement

Talk about synthetic data in learning

2.3.2 Proposed solution

Advantages

Limitations

2.3.3 Synthetic gates generation

OpenGL scene

Modelling the camera

Mapping a virtual space

2.3.4 Foreground blending

2.4 Network training

2.4.1 Choice of hyperparameters

Dataset size and network capacity

2.4.2 Achieving generalization

2.5 Evaluating on real world data

3

Control and trajectory planning

3.1 Problem statement

3.2 Proportional-Integral-Derivative controllers

3.3 Putting things together

3.3.1 Supervision state machine

4

Experiments and Discussion of results

4.1 Gate detection

4.2 Trajectory planning

5

Conclusion

Bibliography

- [1] Danny Paez. *The Future of Autonomous Drones Could Be Built on a Neon Race Track*. 2018. URL: <https://www.inverse.com/article/48652-drl-lockheed-martin-autonomous-drone-challenge>.
- [2] Amazon. *Amazon Prime Air*. 2019. URL: <https://www.amazon.com/b?node=8037720011>.
- [3] Marco Margaritoff. *Watch the Ehang 184 Passenger Drone Successfully Taxi Someone Around*. 2018. URL: <https://www.thedrive.com/aerial/18261/watch-the-ehang-184-passenger-drone-successfully-taxi-someone-around>.
- [4] Berkeley Lovelace Jr. *The future arrives? Amazon's Prime Air completes its first drone delivery*. 2016. URL: <https://www.cnbc.com/2016/12/14/the-future-arrives-amazons-prime-air-completes-its-first-drone-delivery.html>.
- [5] Francesco Castellano. *Commercial Drones Are Revolutionizing Business Operations*. 2019. URL: <https://www.toptal.com/finance/market-research-analysts/drone-market>.
- [6] Drone Racing League. *Drone Racing League - Learn more*. 2019. URL: <https://thedroneracingleague.com/learn-more/>.
- [7] BT. *The Drone Racing League has set a new world record for the fastest drone around*. 2017. URL: <https://home.bt.com/tech-gadgets/tech-news/the-drone-racing-league-has-set-a-new-world-record-for-the-fastest-drone-around-11364196881110>.

A

Appendix 1