

# API Specification Event Booking App

# Event Booking App - API Spec (REST Endpoint)

### 1/Đăng nhập

- Endpoint: POST /api/auth/login
- Mô tả: Xác thực người dùng bằng email và mật khẩu, trả về JWT token.
- Validation Rules & Messages

Field	Rule	Message
email	Required, valid email	Email is required Invalid email format
password	Required	Password is required

### Ghi chú:

- Nếu chỉ 1 lỗi, errors chỉ chứa 1 phần tử.
- Nếu nhiều lỗi, trả về danh sách chi tiết.

```
Tất cả lỗi validation trả về dạng:
       "success": false,
       "message": "Validation failed",
       "errors": [
         { "field": "FIELD NAME", "message": "VALIDATION MESSAGE" }
       ]
- Request Body
 "email": "user@example.com",
 "password": "password123"
- Response - Thành công – 200 OK
 "success": true,
 "message": "Login successful",
 "data": {
  "accessToken": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9...",
  "expire": "2025-07-31T23:59:59Z"
```

```
}

Response — Validation Failed 422

{

"success": false,

"message": "Validation failed",

"errors": [

{ "field": "email", "message": "Invalid email format" },

{ "field": "password", "message": "Password is required" }

}

Response - Thất bại – 401 Unauthorized

{

"success": false,

"message": "Invalid email or password"
}
```

# 2. Đăng ký

- Endpoint: POST /api/auth/register

- Mô tả: Tạo tài khoản mới.

Field	Rule	Message
fullName	Required	Full name is required
		Email is required
email	Required, valid email, unique	Invalid email format
		Email is already registered
D 1 0 -1 1-44 0-		Password is required
password	Required, min 8 chars, letters & numbers	Password must be at least 8 characters and
		contain letters and numbers

```
- Request Body
{
  "fullName": "Jane Doe",
  "email": "jane@example.com",
  "password": "password123"
```

```
}
- Response — Validation Failed 422
 "success": false,
 "message": "Validation failed",
 "errors": [
  { "field": "fullName", "message": "Full name is required" },
  { "field": "email", "message": "Invalid email format" },
  { "field": "password", "message": "Password must be at least 8 characters and contain
letters and numbers" }
 ]
- Response - Thành công – 201 Created
 "success": true,
 "message": "Registration successful",
 "data": {
  "userId": 1,
  "fullName": "Jane Doe",
  "email": "jane@example.com"
```

### 3. Quản lý sự kiện

### a. Thêm sự kiện

- Endpoint: POST /api/events

- Mô tả: Tạo một sự kiện mới

Field	Rule	Message
title	Required	Title is required
dateTime	Required, ISO datetime, future	Date & Time is required Date & Time must be in the future
location	Required	Location is required
price	Required, number $\geq 0$	Price is required Price must be >= 0
description	Optional, max 1000 chars	Description must be less than 1000 characters
imageUrl	Optional, valid URL	Invalid image URL

```
- Request Body
 "title": "Art Exhibition",
 "dateTime": "2025-05-12T10:00:00",
 "location": "Modern Art Gallery, New York",
 "price": 25.00,
 "description": "Lorem ipsum dolor sit amet...",
 "imageUrl": "https://cdn.example.com/events/art_exhibition.jpg"
- Response - Failed – 422
 "success": false,
 "message": "Validation failed",
 "errors": [
  { "field": "title", "message": "Title is required" },
  { "field": "price", "message": "Price must be >= 0" }
 1
- Response – 201 Created
```

```
"success": true,

"message": "Event created successfully",

"data": {

"id": 123,

"title": "Art Exhibition",

"dateTime": "2025-05-12T10:00:00",

"location": "Modern Art Gallery, New York",

"price": 25.00,

"description": "Lorem ipsum dolor sit amet...",

"imageUrl": "https://cdn.example.com/events/art_exhibition.jpg"

}
```

### b. Cập nhật sự kiện

- Endpoint: PUT /api/events/{id}
- Mô tả: Cập nhật thông tin sự kiện theo id
- Validation Rules & Messages: Giống với Thêm sự kiện, bổ sung

Field	Rule	Message
id (path)	Required, integer >0, exists	Event not found

```
- Request body
{
  "title": "Art Exhibition (Updated)",
  "dateTime": "2025-05-12T11:00:00",
  "location": "Modern Art Gallery, New York",
  "price": 30.00,
  "description": "Updated description",
  "imageUrl": "https://cdn.example.com/events/art_exhibition_updated.jpg"
}
- Response - Validation Failed – 422
{
  "success": false,
  "message": "Validation failed",
  "errors": [
  { "field": "dateTime", "message": "Date & Time must be in the future" }
```

```
1
- Response - Not Found – 404
 "success": false,
 "message": "Event not found"
- Response – 200 OK
 "success": true,
 "message": "Event updated successfully",
 "data": {
  "id": 123,
  "title": "Art Exhibition (Updated)",
  "dateTime": "2025-05-12T11:00:00",
  "location": "Modern Art Gallery, New York",
  "price": 30.00,
  "description": "Updated description",
  "imageUrl": "https://cdn.example.com/events/art_exhibition_updated.jpg"
}
c. Xoá sự kiện
```

- Endpoint: DELETE /api/events/{id}
- Mô tả:Xoá sự kiện theo id.
- Validation Rules & Messages

Field	Rule	Message
id (path)	Required, integer >0, exists	Event not found

```
- Response - Not Found – 404
 "success": false,
 "message": "Event not found"
```

- Response - 204 No Content

(no body)

# Lưu ý bảo mật:

```
• Cå 3 endpoint yêu cầu JWT Token với quyền ADMIN.
```

```
Response - Unauthorized – 401
"success": false,
"message": "Unauthorized – Please login"
Response - Forbidden – 403
"success": false,
"message": "Forbidden – You do not have permission to perform this action"
```

# d. Lấy danh sách sự kiện

- Endpoint: GET /api/events
- Mô tả: Lấy danh sách các sự kiện phổ biến, sắp diễn ra, hoặc theo địa điểm.
- Query Params

Param	Kiểu	Mô tả
type	string	popular / upcoming / nearby
search	string	Từ khoá tìm kiếm
page	int	Trang (mặc định: 1)
size	int	Số lượng trên trang (mặc định: 10)

Field	Rule	Message
type	Optional, in [popular, upcoming, nearby]	Invalid type value (nếu gửi sai)
page	Optional, integer ≥1	Page must be a positive integer
size	Optional, integer ≥1	Size must be a positive integer

```
Response — Validation Failed 422
"success": false,
"message": "Validation failed",
"errors": [
```

```
{ "field": "type", "message": "Invalid type value" },
  { "field": "page", "message": "Page must be a positive integer" },
  { "field": "size", "message": "Size must be a positive integer" }
- Response – 200 OK
 "success": true,
 "message": "Events fetched successfully",
 "data": [
   "id": 101,
   "title": "Art Exhibition",
   "dateTime": "2025-05-12T10:00:00",
   "location": "Modern Art Gallery, New York",
   "price": 25.00,
   "description": "Lorem ipsum dolor sit amet...",
   "imageUrl": "https://cdn.example.com/events/art_exhibition.jpg"
 ]
```

# e. Chi tiết sự kiện

- Endpoint: GET /api/events/{id}
- Mô tả: Xem chi tiết sự kiện theo id.
- Validation Rules & Messages

Field	Rule	Message
id	Required, integer >0, exists	Event not found

```
Response — Not Found 404
"success": false,
"message": "Event not found"
Response – 200 OK
```

```
"success": true,
 "message": "Event detail fetched successfully",
 "data": {
  "id": 101,
  "title": "Art Exhibition",
  "dateTime": "2025-05-12T10:00:00",
  "location": "Modern Art Gallery, New York",
  "price": 25.00,
  "description": "Lorem ipsum dolor sit amet...",
  "imageUrl": "https://cdn.example.com/events/art_exhibition.jpg"
4. Đặt vé
- Endpoint: POST /api/bookings
```

- Mô tả: Đặt vé cho sự kiện.
- Validation Rules & Messages

Field	Rule	Message
eventId	Required, integer >0, exists	Event is requiredEvent not found
quantity	Required, integer ≥1	Quantity must be at least 1

```
- Request Body
 "eventId": 101,
 "quantity": 2
- Response — Validation Failed 422
 "success": false,
 "message": "Validation failed",
 "errors": [
  { "field": "eventId", "message": "Event not found" },
  { "field": "quantity", "message": "Quantity must be at least 1" }
```

```
- Response – 201 Created
 "success": true,
 "message": "Booking successful",
 "data": {
  "bookingId": 501,
  "event": {
   "id": 101,
   "title": "Art Exhibition",
   "dateTime": "2025-05-12T10:00:00",
   "location": "Modern Art Gallery, New York"
  "quantity": 2,
  "totalPrice": 50.00
5. Xem vé của tôi
- Endpoint: GET /api/tickets
- Mô tả: Lấy danh sách vé đã mua của người dùng.
- Validation Rules & Messages: Không có tham số → chỉ yêu cầu JWT Token hợp lệ
- Response — Unauthorized 401
 "success": false,
 "message": "Unauthorized – Please login to access this resource"
- Response – 200 OK
 "success": true,
 "message": "Tickets fetched successfully",
 "data": [
  {
   "ticketId": 1001,
```

```
"event": {
    "id": 101,
    "title": "Art Exhibition",
    "dateTime": "2025-05-12T10:00:00",
    "location": "Modern Art Gallery, New York"
    },
    "quantity": 1,
    "status": "PAID"
    }
}
```

### 6. Thanh toán

- Endpoint: POST /api/payments

- Mô tả: Thanh toán cho booking.

Field	Rule	Message
bookingId	Required, integer >0, exists, unpaid	Booking is required Booking not found Booking is already paid
cardNumber	Required, valid format (16 digits)	Card number is required Invalid card number
expiry	Required, valid MM/YY	Expiry date is required Invalid expiry format
cvv	Required, 3–4 digits	CVV is required Invalid CVV

```
Request Body
"bookingId": 501,
"cardNumber": "1234 5678 9012 3456",
"expiry": "12/25",
"cvv": "123"
Response — Validation Failed 422
"success": false,
```

```
"message": "Validation failed",

"errors": [

{ "field": "bookingId", "message": "Booking not found or already paid" },

{ "field": "cardNumber", "message": "Invalid card number" },

{ "field": "expiry", "message": "Invalid expiry format" },

{ "field": "cvv", "message": "Invalid CVV" }

]

- Response – 200 OK

{

"success": true,

"message": "Payment successful",

"data": {

"paymentId": 1001,

"bookingId": 501,

"amount": 50.00,

"status": "PAID"

}

}
```

# 7. Cài đặt nhắc nhở

- Endpoint: PUT /api/users/reminders
- Mô tả: Cập nhật tuỳ chọn nhắc nhở sự kiện.
- Validation Rules & Messages

Field	Rule	Message
eventReminder	Required, boolean	Event reminder must be true or false

```
Request Body
"eventReminder": true
Response — Validation Failed 422
"success": false,
"message": "Validation failed",
```

# 8. Hồ sơ cá nhân

- Endpoint: PUT /api/users/profile
- Mô tả: Cập nhật thông tin cá nhân.
- Validation Rules & Messages

Field	Rule	Message
fullName	Required	Full name is required
avatar	Optional, valid URL	Invalid avatar URL (nếu có)

```
- Request Body

{
    "fullName": "Jane Doe",
    "avatar": "https://cdn.example.com/avatars/user123.jpg"
}
- Response — Validation Failed 422

{
    "success": false,
    "message": "Validation failed",
    "errors": [
        { "field": "fullName", "message": "Full name is required" },
        { "field": "avatar", "message": "Invalid avatar URL" }

]
```

```
- Response – 200 OK

{
    "success": true,
    "message": "Profile updated successfully",
    "data": {
        "userId": 1,
        "fullName": "Jane Doe",
        "email": "jane@example.com",
        "avatar": "https://cdn.example.com/avatars/user123.jpg"
    }
}
```

## Bảo mật

- Tất cả các endpoint (trừ /api/auth/login và /api/auth/register) yêu cầu Authorization: Bearer <token>
- Validation JWT:

```
Response: Token hết hạn – 401
{
    "success": false,
    "message": "Token has expired"
}
Response: Token sai/giả mạo – 401
{
    "success": false,
    "message": "Invalid token"
}
Response: Không gửi token – 401
{
    "success": false,
    "message": "Missing access token"
}
```

- JWT token được trả về sau đăng nhập.
- Mật khẩu băm (BCrypt) trước khi lưu.

# **Database Schema**

# 1. Bång users

Column	Туре	Constraints
id	BIGINT	PK, AUTO_INCREMENT
full_name	VARCHAR(255)	NOT NULL
email	VARCHAR(255)	NOT NULL, UNIQUE
password	VARCHAR(255)	NOT NULL (bcrypt hashed)
avatar	VARCHAR(512)	NULL (URL)
role	ENUM(USER,ADMIN)	DEFAULT USER
created_at	TIMESTAMP	DEFAULT CURRENT_TIMESTAMP

# 2. Bång events

Column	Type	Constraints
id	BIGINT	PK, AUTO_INCREMENT
title	VARCHAR(255)	NOT NULL
date_time	DATETIME	NOT NULL
location	VARCHAR(255)	NOT NULL
price	DECIMAL(10,2)	DEFAULT 0
description	TEXT	NULL
image_url	VARCHAR(512)	NULL
created_at	TIMESTAMP	DEFAULT CURRENT_TIMESTAMP
updated_at	TIMESTAMP	DEFAULT CURRENT_TIMESTAMP ON UPDATE CURRENT_TIMESTAMP

# 3. Bång bookings

Column	Type	Constraints
id	BIGINT	PK, AUTO_INCREMENT
user_id	BIGINT	$FK \rightarrow users.id$ , NOT NULL
event_id	BIGINT	$FK \rightarrow events.id$ , NOT NULL
quantity	INT	NOT NULL
total_price	DECIMAL(10,2)	NOT NULL
status	ENUM(PENDING, PAID, CANCELLED)	DEFAULT PENDING
created_at	TIMESTAMP	DEFAULT CURRENT_TIMESTAMP

# 4. Bång payments

Column	Туре	Constraints
id	BIGINT	PK, AUTO_INCREMENT
booking_id	BIGINT	FK → bookings.id, UNIQUE, NOT NULL
amount	DECIMAL(10,2)	NOT NULL
status	ENUM(PAID, FAILED)	DEFAULT PAID
created_at	TIMESTAMP	DEFAULT CURRENT_TIMESTAMP

# 5. Bång reminders

Column	Type	Constraints
id	BIGINT	PK, AUTO_INCREMENT
user_id	BIGINT	FK → users.id, UNIQUE, NOT NULL
event_reminder	BOOLEAN	DEFAULT TRUE
created_at	TIMESTAM P	DEFAULT CURRENT_TIMESTAMP

# Quan hệ

- users (1) (N) bookings
- users (1) (1) reminders
- users (1) (N) payments (thông qua bookings)
- events (1) (N) bookings
- bookings (1) (1) payments