Name:

Points: /20

Databasutveckling och lagring Final Exam: RETAKE II

2025-03-06

Instructions

1. **No computers, no phones, no notes**
2. **No talking with other people in the room**
3. In case point 1 or 2 are broken, you get automatically **0 points** on the test.
4. Write your name on top of the page (do not fill in the *Points* box!)
5. For each question, you'll need to answer the question by crossing with an **X** the right answer (multiple choice questions) or write your answer in the empty lines below the question (open questions).
6. Once you're done:
   - Double-check your answers
   - Hand over your test to me
   - Leave the room

NB: While inside the classroom, rule 1 and 2 are still valid, even if you've already handed over your answers to me. If you want to discuss your answers with a classmate, or to check an answer on your phone, do that **outside the classroom**.

NB: Make sure to use the restroom, fill our water bottle, grab a coffee, etc... **before** we begin the exam, as you're not allowed to leave the classroom without handing over your answers.

Point system

There are **10 questions**, worth **2 points** each, for a total of maximum **20 points**.

There are no partial points

You either give the **complete, correct answer**, and get 2 points, or get 0 points.

Grading

Points	Grade
0 - 12	IG
13 - 19	G
20	VG

me:

2

READ EVERYTHING CAREFULLY!

1 Normalization

Given the following schema of a SQLite database:

Listing 1: The complete schema for the DB

```
PRAGMA foreign_keys = ON;

CREATE TABLE IF NOT EXISTS customer (
        customer_id INTEGER PRIMARY KEY,
        full_name VARCHAR(100) NOT NULL,
        email VARCHAR(100) UNIQUE NOT NULL,
        postal_code VARCHAR(5) NOT NULL,
        city VARCHAR(50) NOT NULL
);

CREATE TABLE IF NOT EXISTS orders (
        order_id INTEGER PRIMARY KEY,
        order_date TEXT NOT NULL,
        customer_id INTEGER NOT NULL,
        FOREIGN KEY (customer_id) REFERENCES customer(customer_id)
);

CREATE TABLE IF NOT EXISTS products (
        product_id INTEGER PRIMARY KEY,
        product_name TEXT NOT NULL,
        category TEXT,
        unit_price FLOAT NOT NULL
);

CREATE TABLE IF NOT EXISTS order_items (
        order_id INTEGER NOT NULL,
        product_id INTEGER NOT NULL,
        quantity INTEGER NOT NULL,
        product_name TEXT NOT NULL,
        PRIMARY KEY (order_id, product_id),
        FOREIGN KEY (order_id) REFERENCES orders(order_id),
        FOREIGN KEY (product_id) REFERENCES products(product_id)
);
```

Point out and explain **one** normalization problem present in the schema.

on the table customer ~~är city~~
så bryter det mot normalformen
då postalcode och city är beroende av
varandra, den bryter mot 2NF

2 **Explain how you would solve the normalization problem you described above.**

You don't need to write a SQL query, just explain how you would fix it.

gag hade gett city, och postalcode en egen tabbell med en pk de är beroende av

3 **In this course we've labbed with a database that contained the data for a music store. What was the name of the database, and which RDBMS did it use?**

Name: ~~Sqlite~~ Chinook

RDBMS: ~~Relationell databas~~ Sqlite

4 **In this course, we've labbed with a database that contained the data for a movie rental store. What was the name of the database, and which RDBMS did it use?**

Name: AlPine

RDBMS: Mariadb

5 Fill the blanks



1: FROM

2: ~~Where~~ JOIN

3: ~~Having~~ where

4: group

5: Having

6: order by

6 **What's the difference between `WHERE` and `HAVING` in a `SELECT` query?**

båda är typer av filteringar dock
du kan endasst använda Having efter
group by och where kommer alltid
före Having i en select querey

7 **What's the difference between '`JOIN...USING`' and '`JOIN...ON`'?**

8 **We can always replace '`JOIN...ON`' with '`JOIN...USING`'**

1. True
2. False

9 **We can always replace '`JOIN...USING`' with '`JOIN...ON`'**

1. True
2. False

10 **What is a subquery?**

en subquery är en query
i en query