Model Report

Modelos Secuencia UML

Version 1.0 • Proposed



02/04/2017 03:57:31 a.m.

Luis Fernando Gomez Alejandre

EA Repository : C:\Users\DARKENSES\Documents\ds_piedra_azul\Ared_Espacio.EAP



Table of Contents

Modelos Secuencia UML	4
CRUDAlumnos	
CRUDAlumnos diagram	4
<anonymous></anonymous>	4
<anonymous></anonymous>	6
<anonymous></anonymous>	6
<anonymous></anonymous>	6
<anonymous></anonymous>	
<anonymous></anonymous>	7
CRUDColaboradores	8
CRUColaboradores diagram	δ
<anonymous></anonymous>	8
<anonymous></anonymous>	10
<anonymous></anonymous>	11
CRUDGrupos	12
CRUDGrupos diagram	12
<anonymous></anonymous>	12
<anonymous></anonymous>	15
<anonymous></anonymous>	
<anonymous></anonymous>	
<anonymous></anonymous>	15
<anonymous></anonymous>	16
<anonymous></anonymous>	
CRUDPromociones	17
CRUDPromociones diagram	17

<anonymous></anonymous>	17
<anonymous></anonymous>	18
<anonymous></anonymous>	18
<anonymous></anonymous>	19
<anonymous></anonymous>	19

Modelos Secuencia UML

Package in package 'Ared Espacio'

Modelos Secuencia UML Version 1.0 Phase 1.0 Proposed

Luis Fernando Gomez Alejandre created on 02/04/2017. Last modified 02/04/2017

CRUDAlumnos

Package in package 'Modelos Secuencia UML'

CRUDAlumnos Version 1.0 Phase 1.0 Proposed

Luis Fernando Gomez Alejandre created on 02/04/2017. Last modified 02/04/2017

CRUDAlumnos diagram

Business Interaction diagram in package 'CRUDAlumnos'

CRUDAlumnos Version 1.0 Luis Fernando Gomez Alejandre created on 02/04/2017. Last modified 02/04/2017






Figure 1: CRUDAlumnos

<anonymous>

Note in package 'CRUDAlumnos'

Flujo Normal:

- 1. El Usuario selecciona la opción de Administrar Alumnos
- 2. El sistema muestra las 3 opciones del CRUD Alumnos
- 3. El Usuario selecciona Agregar Alumno

Alterno: 3a. Editar Alumno

Alterno: 3b. Dar de baja Usuario

- 4. El sistema muestra Agregar Alumno
- 5. El Usuario rellena el formulario
- 6. El sistema muestra la pantalla de confirmación
- 7. El Usuario guarda el registro del Alumno

Excepción: 7a. El sistema no puede hacer conexión a base de datos

8. El sistema muestra detalles de la operación realizada

Dar de baja Usuario

- 1. El Usuario selecciona Dar de baja a Usuarios
- 2. El sistema muestra Dar Baja Alumno
- 3. El Usuario busca al Alumno que será dado de baja
- 4. Regreso al Flujo Normal Punto 6

Editar Alumno

- 1. El Usuario selecciona Editar Alumno
- 2. El sistema muestra Editar Alumno
- 3. El Usuario busca al Alumno
- 4. El sistema muestra información acerca del Alumno
- 5. El Usuario modifica la información existente del Alumno
- 6. Regreso al Flujo Normal Punto 6

Excepción. El sistema no puede hacer conexión a base de datos

- 1. El sistema muestra un mensaje de error donde dice que no se puedo conectar a la base de datos
- 2. Regreso al Flujo Normal Punto 8

INTERACTION MESSAGES

I.0 'agregarAlumno()' from ':Usuario' sent to ':SistemaAleMC'.

Synchronous Call. Returns boolean.

[Return is False. Iteration is False. New group is False.]

I.1 'generarMatricula()' from ':SistemaAleMC' sent to ':Util'.

Synchronous Call. Returns String.

[Return is False. Iteration is False. New group is False.]

I.2 " from ':Util' sent to ':SistemaAleMC'.

Synchronous Call. Returns void.

[Return is True. Iteration is False. New group is False.]

I.3 'agregarAlumno()' from ':SistemaAleMC' sent to ':Alumno'.

Synchronous Call. Returns boolean.

[Return is False. Iteration is False. New group is False.]

I.4 'create(Alumno)' from ':Alumno' sent to ':AlumnoJpaController'.

Synchronous Call. Returns void.

<anonymous>

Version 1.0 Phase 1.0 Proposed

Luis Fernando Gomez Alejandre created on 02/03/2017. Last modified 02/03/2017

[Return is False. Iteration is False. New group is False.]

≥ 1.5 'editarAlumno()' from ':Usuario' sent to ':SistemaAleMC'.		
Synchronous Call. Returns boolean.	[Return is False. Iteration is False. New group is False.]	
≥ 1.6 'editarAlumno()' from ':SistemaAleMC' sent to ':Alumno'.		
Synchronous Call. Returns boolean.	[Return is False. Iteration is False. New group is False.]	
≥ 1.7 'edit(Alumno)' from ':Alumno' sent to ':AlumnoJpaController'.		
Synchronous Call. Returns void.	[Return is False. Iteration is False. New group is False.]	
≥ 1.8 'desabilitarAlumno(Alumno)' from ':Usuario' sent to ':SistemaAleMC'.		
Synchronous Call. Returns boolean.	[Return is False. Iteration is False. New group is False.]	
≥ 1.9 'desabilitarAlumno(Alumno)' from ':SistemaAleMC' sent to ':Alumno'.		
Synchronous Call. Returns boolean.	[Return is False. Iteration is False. New group is False.]	
≥ 1.10 'edit(Alumno)' from ':Alumno' sent to ':AlumnoJpaController'.		
Synchronous Call. Returns void.	[Return is False. Iteration is False. New group is False.]	

<anonymous>

Object in package 'CRUDAlumnos'

<anonymous>

Version 1.0 Phase 1.0 Proposed

Luis Fernando Gomez Alejandre created on 02/04/2017. Last modified 02/04/2017

<anonymous>

Object in package 'CRUDAlumnos'

<anonymous>

Version 1.0 Phase 1.0 Proposed

Luis Fernando Gomez Alejandre created on 02/04/2017. Last modified 02/04/2017

<anonymous>

Object in package 'CRUDAlumnos'

<anonymous> Version 1.0 Phase 1.0 Proposed

Luis Fernando Gomez Alejandre created on 02/04/2017. Last modified 02/04/2017

<anonymous>

Object in package 'CRUDAlumnos'

<anonymous>

Version 1.0 Phase 1.0 Proposed

Luis Fernando Gomez Alejandre created on 02/04/2017. Last modified 02/04/2017

<anonymous>

Sequence in package 'CRUDAlumnos'

<anonymous>

Version 1.0 Phase 1.0 Proposed

Luis Fernando Gomez Alejandre created on 02/04/2017. Last modified 02/04/2017

OUTGOING BEHAVIORAL RELATIONSHIPS

Name: agregarAlumno()

* Sequence from <anonymous> to <anonymous>

Name: editarAlumno()

Sequence from <anonymous> to <anonymous>

Name: desabilitarAlumno(Alumno)

Sequence from <anonymous> to <anonymous>

CRUDColaboradores

Package in package 'Modelos Secuencia UML'


CRUDColaboradores Version 1.0 Phase 1.0 Proposed

Luis Fernando Gomez Alejandre created on 02/04/2017. Last modified 02/04/2017

CRUColaboradores diagram

Business Interaction diagram in package 'CRUDColaboradores'

CRUColaboradores
Version 1.0
Luis Fernando Gomez Alejandre created on 02/04/2017. Last modified 02/04/2017






Figure 2: CRUColaboradores

<anonymous>

Note in package 'CRUD Colaboradores'

- 1. El Usuario Selecciona la opción de Administrar Colaborador
- 2. El sistema muestra las 3 opciones del CRUD Colaboradores
- 3. El Usuario selecciona Agregar Colaborador

Alterno: 3a. Editar Colaborador

Alterno: 3b. Dar de baja Colaborador

- 4. El sistema muestra Agregar Colaborador
- 5. El Usuario rellena el formulario
- 6. El sistema muestra la pantalla de confirmación
- 7. El Usuario guarda el registro del Colaborador

Excepción: 7a. El sistema no puede hacer conexión a base de datos

8. El sistema muestra detalles de la operación realizada

Dar de baja Usuario

- 1. El Usuario selecciona Dar de baja a Usuarios
- 2. El sistema muestra Dar Baja Colaborador
- 3. El Usuario busca al Colaborador que será dado de baja
- 4. Regreso al Flujo Normal Punto 6

Editar Colaborador

1. El Usuario selecciona Editar Colaborador

- 2. El sistema muestra Editar Colaborador
- 3. El Usuario busca al Colaborador
- 4. El sistema muestra información acerca del Colaborador
- 5. El Usuario modifica la información existente del Colaborador
- 6. Regreso al Flujo Normal Punto 6

Excepción. El sistema no puede hacer conexión a base de datos

- 1. El sistema muestra un mensaje de error donde dice que no se puedo conectar a la base de datos
- 2. Regreso al Flujo Normal Punto 8

<anonymous> Version 1.0 Phase 1.0 Proposed Luis Fernando Gomez Alejandre created on 05/03/2017. Last modified 05/03/2017 Extends

INTERACTION MESSAGES		
≥ 1.0 'agregarColabordor()' from ':Usuario' sent to ':SistemaAleMC'.		
Asynchronous Call. Returns boolean.	[Return is False. Iteration is False. New group is False.]	
■ 1.1 'generarMatricula()' from ':SistemaAleMC' sent to ':Util'.		
Synchronous Call. Returns String.	[Return is False. Iteration is False. New group is False.]	
■ 1.2 " from ':Util' sent to ':SistemaAleMC'.		
Synchronous Call. Returns void.	[Return is True. Iteration is False. New group is False.]	
≥ 1.3 'agregarColaborador()' from ':SistemaAleMC' sent to ':Colaborador'.		
Synchronous Call. Returns boolean.	[Return is False. Iteration is False. New group is False.]	
≥ 1.4 'create(Colaborador)' from ':Colaborador' sent to ':ColaboradorJpaController'.		
Synchronous Call. Returns void.	[Return is False. Iteration is False. New group is False.]	
≥ 1.5 'editarColaboradorGrupo()' from ':Usuario' sent to ':SistemaAleMC'.		
Asynchronous Call. Returns boolean.	[Return is False. Iteration is False. New group is False.]	
≥ 1.6 'editarColaborador()' from ':SistemaAleMC' sent to ':Colaborador'.		
Synchronous Call. Returns boolean.	[Return is False. Iteration is False. New group is False.]	

■ 1.7 'edit(Colaborador)' from ':Colaborador' sent to ':ColaboradorJpaController'.

Synchronous Call. Returns void.

[Return is False. Iteration is False. New group is False.]

1.8 'desabilitarColaborador()' from ':Usuario' sent to ':SistemaAleMC'.

Asynchronous Call. Returns boolean.

[Return is False. Iteration is False. New group is False.]

1.9 'desabilitarColaborador()' from ':SistemaAleMC' sent to ':Colaborador'.

Synchronous Call. Returns boolean.

[Return is False. Iteration is False. New group is False.]

1.10 'edit(Colaborador)' from ':Colaborador' sent to ':ColaboradorJpaController'.

<anonymous>

Object in package 'CRUDColaboradores'

Synchronous Call. Returns void.

<anonymous>

Version 1.0 Phase 1.0 Proposed

[Return is False. Iteration is False. New group is False.]

Luis Fernando Gomez Alejandre created on 02/04/2017. Last modified 02/04/2017

<anonymous>

Object in package 'CRUDColaboradores'

<anonymous>

Version 1.0 Phase 1.0 Proposed

Luis Fernando Gomez Alejandre created on 02/04/2017. Last modified 02/04/2017

<anonymous>

Object in package 'CRUDColaboradores'

<anonymous>

Version 1.0 Phase 1.0 Proposed

Luis Fernando Gomez Alejandre created on 02/04/2017. Last modified 02/04/2017

<anonymous>

Object in package 'CRUDColaboradores'

<anonymous>

Version 1.0 Phase 1.0 Proposed

Luis Fernando Gomez Alejandre created on 02/04/2017. Last modified 02/04/2017

<anonymous>

Sequence in package 'CRUDColaboradores'

<anonymous> Version 1.0 Phase 1.0 Proposed Luis Fernando Gomez Alejandre created on 02/04/2017. Last modified 02/04/2017

OUTGOING BEHAVIORAL RELATIONSHIPS

Name: editarColaboradorGrupo()

♣ Sequence from <anonymous> to <anonymous>

Name: desabilitarColaborador()

♣ Sequence from <anonymous> to <anonymous>

Name: agregarColabordor()

← Sequence from <anonymous> to <anonymous>

CRUDGrupos

Package in package 'Modelos Secuencia UML'

CRUDGrupos

Version 1.0 Phase 1.0 Proposed

Luis Fernando Gomez Alejandre created on 02/04/2017. Last modified 02/04/2017

CRUDGrupos diagram

Business Interaction diagram in package 'CRUDGrupos'

CRUDGrupos Version 1.0 Luis Fernando Gomez Alejandre created on 02/04/2017. Last modified 02/04/2017




Figure 3: CRUDGrupos

<anonymous>

Note in package 'CRUD Grupos'

- 1. El Usuario ingresa al apartado de control de grupos
- 2. El sistema muestra los grupos disponibles
- 3. El Usuario ingresa a uno de los grupos

Alterno: 3a. Eliminar Grupo

Alterno: 3b. Nuevo Grupo

- 4. El sistema muestra los alumnos registrados en el grupo
- 5. El Usuario agrega al nuevo alumno al curso
- 6. El sistema pide confirmación de las acciones

Excepción: 6a. No hay conexión en la base de datos

7. El Usuario confirma las respuestas

Nuevo Grupo

1. El Usuario ingresa a nuevo grupo

- 2. El sistema despliega una ventana
- 3. El Usuario ingresa los datos del nuevo curso
- 4. Retorno a Punto 6 del Flujo Normal

Eliminar Grupo

- 1. El Usuario ingresa al curso que desea eliminar
- 2. El sistema despliega el grupo con los datos
- 3. El Usuario elimina el grupo
- 4. Retorno a Punto 6 del Flujo Normal

No hay conexión en la base de datos

1. El sistema no puede hallar la base de datos o no hay conexión

<anonymous> Version 1.0 Phase 1.0 Proposed Luis Fernando Gomez Alejandre created on 02/03/2017. Last modified 02/03/2017 Extends

INTERACTION MESSAGES		
≥ 1.0 'crearGrupo()' from ':Usuario' sent to ':SistemaAleMC'.		
Synchronous Call. Returns boolean.	[Return is False. Iteration is False. New group is False.]	
■ 1.1 'generarMatriculaGrupo()' from ':SistemaAleMC' sent to ':Util'.		
Synchronous Call. Returns String.	[Return is False. Iteration is False. New group is False.]	
≥ 1.2 " from ':Util' sent to ':SistemaAleMC'.		
Synchronous Call. Returns void.	[Return is True. Iteration is False. New group is False.]	
≥ 1.3 'crearGrupo()' from ':SistemaAleMC' sent to ':Grupo'.		
Synchronous Call. Returns boolean.	[Return is False. Iteration is False. New group is False.]	
≥ 1.4 " from ':Grupo' sent to ':Horario'.		
Synchronous Call. Returns void.	[Return is False. Iteration is False. New group is False.]	
≥ 1.5 'create(Horario)' from ':Horario' sent to ':HorarioJpaController'.		
Synchronous Call. Returns void.	[Return is False. Iteration is False. New group is False.]	
≥ 1.6 " from ':HorarioJpaController' sent to ':Grupo'.		
Synchronous Call. Returns void.		

	[Return is True. Iteration is False. New group is False.]
≥ 1.7 " from ':Grupo' sent to ':Listagrupo'.	
Synchronous Call. Returns void.	[Return is False. Iteration is False. New group is False.]
≥ 1.8 'create(Listagrupo)' from ':Listagrupo' sent to ':Listagrupo	oJpaController'.
Synchronous Call. Returns void.	[Return is False. Iteration is False. New group is False.]
≥ 1.9 " from ':ListagrupoJpaController' sent to ':Grupo'.	
Synchronous Call. Returns void.	[Return is True. Iteration is False. New group is False.]
≥ 1.10 'create(Grupo)' from ':Grupo' sent to ':GrupoJpaControll	ler'.
Synchronous Call. Returns void.	[Return is False. Iteration is False. New group is False.]
≥ 1.11 'editarGrupo()' from ':Usuario' sent to ':SistemaAleMC'.	
Synchronous Call. Returns boolean.	[Return is False. Iteration is False. New group is False.]
≥ 1.12 " from ':SistemaAleMC' sent to ':Grupo'.	
Synchronous Call. Returns void.	[Return is False. Iteration is False. New group is False.]
≥ 1.13 'edit(Grupo)' from ':Grupo' sent to ':GrupoJpaController	'.
Synchronous Call. Returns void.	[Return is False. Iteration is False. New group is False.]
≥ 1.14 'desabilitarGrupo(Grupo)' from ':Usuario' sent to ':Siste	emaAleMC'.
Synchronous Call. Returns boolean.	[Return is False. Iteration is False. New group is False.]
≥ 1.15 " from ':SistemaAleMC' sent to ':Grupo'.	
Synchronous Call. Returns void.	[Return is False. Iteration is False. New group is False.]
≥ 1.16 'edit(Grupo)' from ':Grupo' sent to ':GrupoJpaController	
Synchronous Call. Returns void.	[Return is False. Iteration is False. New group is False.]

<anonymous>

Object in package 'CRUDGrupos'

<anonymous>

Version 1.0 Phase 1.0 Proposed

Luis Fernando Gomez Alejandre created on 02/04/2017. Last modified 02/04/2017

<anonymous>

Object in package 'CRUDGrupos'

<anonymous>

Version 1.0 Phase 1.0 Proposed

Luis Fernando Gomez Alejandre created on 02/04/2017. Last modified 02/04/2017

<anonymous>

Object in package 'CRUDGrupos'

<anonymous>

Version 1.0 Phase 1.0 Proposed

Luis Fernando Gomez Alejandre created on 02/04/2017. Last modified 02/04/2017

<anonymous>

Object in package 'CRUDGrupos'

<anonymous>

Version 1.0 Phase 1.0 Proposed

Luis Fernando Gomez Alejandre created on 02/04/2017. Last modified 02/04/2017

<anonymous>

Object in package 'CRUDGrupos'

<anonymous>

Version 1.0 Phase 1.0 Proposed

Luis Fernando Gomez Alejandre created on 02/04/2017. Last modified 02/04/2017

<anonymous>

Object in package 'CRUDGrupos'

<anonymous>

Version 1.0 Phase 1.0 Proposed

Luis Fernando Gomez Alejandre created on 02/04/2017. Last modified 02/04/2017

<anonymous>

Object in package 'CRUDGrupos'

<anonymous>

Version 1.0 Phase 1.0 Proposed

Luis Fernando Gomez Alejandre created on 02/04/2017. Last modified 02/04/2017

<anonymous>

Object in package 'CRUDGrupos'

<anonymous>

Version 1.0 Phase 1.0 Proposed

Luis Fernando Gomez Alejandre created on 02/04/2017. Last modified 02/04/2017

<anonymous>

Sequence in package 'CRUDGrupos'

<anonymous>

Version 1.0 Phase 1.0 Proposed

Luis Fernando Gomez Alejandre created on 02/04/2017. Last modified 02/04/2017

OUTGOING BEHAVIORAL RELATIONSHIPS

Name: editarGrupo()

Sequence from <anonymous> to <anonymous>

Name: crearGrupo()

- Sequence from <anonymous> to <anonymous>

Name: desabilitarGrupo(Grupo)

← Sequence from <anonymous> to <anonymous>

CRUDPromociones

Package in package 'Modelos Secuencia UML'

CRUDPromociones Version 1.0 Phase 1.0 Proposed

Luis Fernando Gomez Alejandre created on 02/04/2017. Last modified 02/04/2017

CRUDPromociones diagram

Business Interaction diagram in package 'CRUDPromociones'

CRUDPromociones
Version 1.0
Luis Fernando Gomez Alejandre created on 02/04/2017. Last modified 02/04/2017

1. El Usuario entra al apartado de promocione 2. El sistema despliega las promociones existentes 3. El Usuario agrega una nueva promoción Alterno: 3a. Eliminar Promoción 4. El sistema despliega Agregar Promoción 5. El Usuario rellena los campos de la promoción Excepción: 5a. No hay conexión a la base de datos 6. El sistema confirma las operaciones realizadas 7. El Usuario acepta los cambios Eliminar Promoción 1. El Usuario selecciona la promoción a eliminar 2. El sistema muestra la confirmación de la eliminación 3. Retorno al Flujo Norma punto 6 No hay conexión a la base de datos 1. El sistema no puede continuar por que no ha conexión a la base de datos




Figure 4: CRUDPromociones

<anonymous>

Note in package 'CRUDPromociones'

- 1. El Usuario entra al apartado de promociones
- 2. El sistema despliega las promociones existentes
- 3. El Usuario agrega una nueva promoción

Alterno: 3a. Eliminar Promoción

- 4. El sistema despliega Agregar Promoción
- 5. El Usuario rellena los campos de la promoción

Excepción: 5a. No hay conexión a la base de datos

- 6. El sistema confirma las operaciones realizadas
- 7. El Usuario acepta los cambios

Eliminar Promoción

- 1. El Usuario selecciona la promoción a eliminar
- 2. El sistema muestra la confirmación de la eliminación
- 3. Retorno al Flujo Normal punto 6

No hay conexión a la base de datos

1. El sistema no puede continuar por que no hay conexión a la base de datos

<anonymous> Version 1.0 Phase 1.0 Proposed Luis Fernando Gomez Alejandre created on 02/04/2017. Last modified 02/04/2017 Extends

INTERACTION MESSAGES		
≥ 1.0 'agregarPromocion()' from ':Usuario' sent to ':SistemaAleMC'.		
Synchronous Call. Returns boolean.	[Return is False. Iteration is False. New group is False.]	
≥ 1.1 'agregarPromocion()' from ':SistemaAleMC' sent to ':Promociones'.		
Synchronous Call. Returns boolean.	[Return is False. Iteration is False. New group is False.]	
≥ 1.2 'create(Promociones)' from ':Promociones' sent to ':PromocionesJpaController'.		
Synchronous Call. Returns void.	[Return is False. Iteration is False. New group is False.]	
≥ 1.3 'desabilitarPromocion()' from ':Usuario' sent to ':SistemaAleMC'.		
Synchronous Call. Returns boolean.	[Return is False. Iteration is False. New group is False.]	
≥ 1.4 'desabilitarPromocion()' from ':SistemaAleMC' sent to ':Promociones'.		
Synchronous Call. Returns boolean.	[Return is False. Iteration is False. New group is False.]	
≥ 1.5 'edit(Promociones)' from ':Promociones' sent to ':PromocionesJpaController'.		
Synchronous Call. Returns void.	[Return is False. Iteration is False. New group is False.]	

<anonymous>

Object in package 'CRUDPromociones'

<anonymous> Version 1.0 Phase 1.0 Proposed

Luis Fernando Gomez Alejandre created on 02/04/2017. Last modified 02/04/2017

<anonymous>

Object in package 'CRUDPromociones'

<anonymous>

Version 1.0 Phase 1.0 Proposed

Luis Fernando Gomez Alejandre created on 02/04/2017. Last modified 02/04/2017

<anonymous>

Object in package 'CRUDPromociones'

<anonymous>

Version 1.0 Phase 1.0 Proposed

Luis Fernando Gomez Alejandre created on 02/04/2017. Last modified 02/04/2017

<anonymous>

Sequence in package 'CRUDPromociones'

<anonymous>

Version 1.0 Phase 1.0 Proposed

Luis Fernando Gomez Alejandre created on 02/04/2017. Last modified 02/04/2017

OUTGOING BEHAVIORAL RELATIONSHIPS

Name: agregarPromocion()

Sequence from <anonymous> to <anonymous>

Name: desabilitarPromocion()

Sequence from <anonymous> to <anonymous>