

Use Case Details

CRUD Alumnos

Version 1.0 • Proposed



Date/Time

Generated:

Author:

14/02/2017 06:40:56 p. m.

Luis Fernando Gomez Alejandre

EA Repository : C:\Users\DARKENSES\Documents\ds_piedra_azul\Ared_Espacio.EAP

CREATED WITH



Table of Contents

CRUD Alumnos	3
Agregar Alumno	5
Dar Baja Alumno	5
Editar Alumno	5

CRUD Alumnos


UseCase in package 'Administracion'


CRUD Alumnos


Version 1.0 Phase 1.0 Proposed


Luis Fernando Gomez Alejandre created on 08/02/2017. Last modified 14/02/2017

CONNECTORS


 **Dependency** «invokes» Source -> Destination
From: CRUD Alumnos : UseCase, Public
To: Dar Baja Alumno : UseCase, Public

 **Dependency** «invokes» Source -> Destination
From: CRUD Alumnos : UseCase, Public
To: Editar Alumno : UseCase, Public

 **Dependency** «invokes» Source -> Destination
From: CRUD Alumnos : UseCase, Public
To: Agregar Alumno : UseCase, Public

 **UseCaseLink** Source -> Destination
From: Usuario : Actor, Public
To: CRUD Alumnos : UseCase, Public

SCENARIOS

 Basic Path. Flujo Básico

1. El Usuario Selecciona la opcion de Administrar Alumnos

Uses:

2. El sistema muestra las 3 opciones del CRUD Alumnos

Uses:

3. El Usuario selecciona Agregar Alumno

Uses:

Alternate: 3a. Editar Alumno

Alternate: 3b. Dar de baja Usuario

4. El sistema muestra [Invokes: Agregar Alumno]

Uses:

5. El Usuario rellena el formulario

Uses:

6. El sistema muestra la pantalla de confirmación

Uses:

SCENARIOS


7. El Usuario guarda el registro del Alumno

Uses:

Exception: 7a. El sistema no puede hacer conexión a base de datos

8. El sistema muestra pantalla de operación exitosa

Uses:

 Alternate. Dar de baja Usuario

1. El Usuario selecciona Dar de baja a Usuarios


Uses:

2. El sistema muestra [Invokes: Dar Baja Alumno]

Uses:

3. El Usuario busca al Alumno que sera dado de baja

Uses:

 Alternate. Editar Alumno

1. El Usuario selecciona Editar Alumno

Uses:

2. El sistema muestra [Invokes: Editar Alumno]

Uses:

3. El Usuario busca al Alumno


Uses:

4. El sistema muestra información acerca del Alumno

Uses:

5. El Usuario modifica la información existente del Alumno

Uses:

 Exception. El sistema no puede hacer conexión a base de datos

1. El sistema muestra un mensaje de error donde dice que no se puede conectar a la base de datos

Uses:

SCENARIOS

Agregar Alumno


UseCase owned by 'CRUD Alumnos', in package 'Administracion'

Agregar Alumno

Version 1.0 Phase 1.0 Proposed

Luis Fernando Gomez Alejandre created on 09/02/2017. Last modified 09/02/2017

CONNECTORS

 **Dependency** «invokes» Source -> Destination
From: CRUD Alumnos : UseCase, Public
To: Agregar Alumno : UseCase, Public

Dar Baja Alumno


UseCase owned by 'CRUD Alumnos', in package 'Administracion'

Dar Baja Alumno

Version 1.0 Phase 1.0 Proposed

Luis Fernando Gomez Alejandre created on 09/02/2017. Last modified 09/02/2017

CONNECTORS

 **Dependency** «invokes» Source -> Destination
From: CRUD Alumnos : UseCase, Public
To: Dar Baja Alumno : UseCase, Public

Editar Alumno


UseCase owned by 'CRUD Alumnos', in package 'Administracion'

Editar Alumno

Version 1.0 Phase 1.0 Proposed

Luis Fernando Gomez Alejandre created on 09/02/2017. Last modified 09/02/2017

CONNECTORS

 **Dependency** «invokes» Source -> Destination
From: CRUD Alumnos : UseCase, Public
To: Editar Alumno : UseCase, Public