# POMIDA — Full ERD

All 35 application tables · 70 relationships (70 database foreign keys + 0 model-only) · Laravel framework tables omitted
Database pomida_db (10.4.32-MariaDB) · read from information_schema on 2026-10-22 · fix/missing-foreign-keys (main @ d905de5 + migration 2026_10_22_000000)

**LINES**

Solid = real database foreign key
Dotted = model-only (no database FK)
Labels read parent → child, e.g. "branches receives orders".
Every relationship is drawn.

**LINE ENDS (CARDINALITY)**

exactly one parent (NOT NULL FK)
zero or one parent (nullable FK) or at most one child (UNIQUE FK, 1:1)
zero or many children

**COLUMNS**

PK primary key · FK declared foreign key · UK unique key
"UK with x" = unique only together with x
"no DB FK (model link)" = a model relation exists but the database has no FK
UNSIGNED, int widths, enum values: see dictionary

**MODULE COLOURS**

Users & Branches
Menu
Orders & Payments
Inventory
Marketing & Loyalty

# POMIDA — Module 1: Users & Branches

3 tables in this module

Database pomida_db (10.4.32-MariaDB) · read from information_schema on 2026-10-22 · fix/missing-foreign-keys (main @ d905de5 + migration 2026_10_22_000000)

**LINES**

Solid = real database foreign key

Dotted = model-only (no database FK)

Labels read parent → child, e.g. "branches receives orders". Each line is drawn where the FK column lives.

**LINE ENDS (CARDINALITY)**

exactly one parent (NOT NULL FK)

zero or one parent (nullable FK)

or at most one child (UNIQUE FK, 1:1)

zero or many children

**COLUMNS**

PK primary key · FK declared foreign key · UK unique key

"UK with x" = unique only together with x


"no DB FK (model link)" = a model relation exists but the database has no FK

UNSIGNED, int widths, enum values: see dictionary

**TABLE COLOURS**

Users & Branches (this module)

Table of another module (id only: it is just a link target)




**REFERENCED FROM OTHER MODULES (these links point INTO this module; they are drawn in the other module's diagram and in the full ERD)**

**branches**

Marketing & Loyalty: ads.branch_id (runs), free_dessert_rewards.branch_id (issues), notifications.branch_id (is audience of), settings.branch_id (configures), vouchers.branch_id (scopes)

Orders & Payments: help_requests.branch_id (receives), orders.branch_id (receives), restaurant_tables.branch_id (has table), table_access_codes.branch_id (issues code for), table_sessions.branch_id (hosts)

Inventory: inventory.branch_id (stocks)

Menu: menu_items.branch_id (offers)

**users**

Orders & Payments: discount_cards.user_id (owns), discount_cards.verified_by (verifies), orders.processed_by (processes), orders.user_id (places), restaurant_tables.code_rotated_by (rotates code of), table_access_codes.issued_by (issues), table_sessions.opened_by (opens), table_sessions.released_by (releases)

Marketing & Loyalty: free_dessert_ratings.user_id (writes), free_dessert_rewards.user_id (earns), games_played.user_id (spins), loyalty_awards.user_id (receives), notifications.user_id (receives), order_ratings.user_id (writes), user_vouchers.issued_by (issues), user_vouchers.user_id (claims)

Inventory: stock_movements.user_id (records)

# POMIDA — Module 2: Menu

6 tables in this module

Database pomida_db (10.4.32-MariaDB) · read from information_schema on 2026-10-22 · fix/missing-foreign-keys (main @ d905de5 + migration 2026_10_22_000000)

**LINES**

Solid = real database foreign key

Dotted = model-only (no database FK)

Labels read parent → child, e.g. "branches receives orders". Each line is drawn where the FK column lives.

**LINE ENDS (CARDINALITY)**

exactly one parent (NOT NULL FK)

zero or one parent (nullable FK)

or at most one child (UNIQUE FK, 1:1)

zero or many children

**COLUMNS**

PK primary key · FK declared foreign key · UK unique key

"UK with x" = unique only together with x


"no DB FK (model link)" = a model relation exists but the database has no FK

UNSIGNED, int widths, enum values: see dictionary

**TABLE COLOURS**

Menu (this module)

Table of another module (id only: it is just a link target)




**REFERENCED FROM OTHER MODULES (these links point INTO this module; they are drawn in the other module's diagram and in the full ERD)**

**menu_item_sizes**
- Inventory: menu_item_size_ingredients.menu_item_size_id (has recipe line)
- Orders & Payments: order_items.menu_item_size_id (is sold as)

**menu_items**
- Marketing & Loyalty: free_dessert_rewards.menu_item_id (is given as)
- Inventory: menu_item_ingredients.menu_item_id (has recipe line)
- Orders & Payments: order_items.menu_item_id (is sold as)

**menu_options**
- Inventory: menu_option_ingredients.menu_option_id (has recipe line)
- Orders & Payments: order_item_options.menu_option_id (is chosen as)

# POMIDA — Module 3: Orders & Payments

11 tables in this module

Database pomida_db (10.4.32-MariaDB) · read from information_schema on 2026-10-22 · fix/missing-foreign-keys (main @ d905de5 + migration 2026_10_22_000000)

**LINES**

Solid = real database foreign key

Dotted = model-only (no database FK)

Labels read parent → child, e.g. "branches receives orders". Each line is drawn where the FK column lives.

**LINE ENDS (CARDINALITY)**

exactly one parent (NOT NULL FK)

zero or one parent (nullable FK)

or at most one child (UNIQUE FK, 1:1)

zero or many children

**COLUMNS**

PK primary key · FK declared foreign key · UK unique key

"UK with x" = unique only together with x


"no DB FK (model link)" = a model relation exists but the database has no FK

UNSIGNED, int widths, enum values: see dictionary

**TABLE COLOURS**

Orders & Payments (this module)

Table of another module (id only: it is just a link target)




**REFERENCED FROM OTHER MODULES (these links point INTO this module; they are drawn in the other module's diagram and in the full ERD)**

**order_items**

Marketing & Loyalty: free_dessert_ratings.order_item_id (has dessert rated in), free_dessert_rewards.order_item_id (is redeemed as)

**orders**

Marketing & Loyalty: free_dessert_ratings.order_id (receives), free_dessert_rewards.order_id (is redeemed on), games_played.order_id (unlocks spin), loyalty_awards.order_id (triggers), notifications.order_id (triggers), order_ratings.order_id (receives)

# POMIDA — Module 4: Inventory

5 tables in this module

Database pomida_db (10.4.32-MariaDB) · read from information_schema on 2026-10-22 · fix/missing-foreign-keys (main @ d905de5 + migration 2026_10_22_000000)

**LINES**

Solid = real database foreign key

Dotted = model-only (no database FK)

Labels read parent → child, e.g. "branches receives orders".

Each line is drawn where the FK column lives.

**LINE ENDS (CARDINALITY)**

exactly one parent (NOT NULL FK)

zero or one parent (nullable FK)

or at most one child (UNIQUE FK, 1:1)

zero or many children

**COLUMNS**

PK primary key · FK declared foreign key · UK unique key

"UK with x" = unique only together with x

"no DB FK (model link)" = a model relation

exists but the database has no FK


UNSIGNED, int widths, enum values: see dictionary

**TABLE COLOURS**

Inventory (this module)

Table of another module

(id only: it is just a link target)




**REFERENCED FROM OTHER MODULES (these links point INTO this module; they are drawn in the other module's diagram and in the full ERD)**

**inventory**

Menu: menu_items.inventory_item_id (is stock source of)

Orders & Payments: order_item_size_ingredients.inventory_id (is deducted via)

# POMIDA — Module 5: Marketing & Loyalty

10 tables in this module

Database pomida_db (10.4.32-MariaDB) · read from information_schema on 2026-10-22 · fix/missing-foreign-keys (main @ d905de5 + migration 2026_10_22_000000)

**LINES**

Solid = real database foreign key

Dotted = model-only (no database FK)

Labels read parent → child, e.g. "branches receives orders". Each line is drawn where the FK column lives.

**LINE ENDS (CARDINALITY)**

exactly one parent (NOT NULL FK)

zero or one parent (nullable FK)

or at most one child (UNIQUE FK, 1:1)

zero or many children

**COLUMNS**

PK primary key · FK declared foreign key · UK unique key

"UK with x" = unique only together with x


"no DB FK (model link)" = a model relation exists but the database has no FK

UNSIGNED, int widths, enum values: see dictionary

**TABLE COLOURS**

Marketing & Loyalty (this module)

Table of another module (id only: it is just a link target)




**REFERENCED FROM OTHER MODULES (these links point INTO this module; they are drawn in the other module's diagram and in the full ERD)**

**vouchers**

Orders & Payments: orders.voucher_id (is applied to)