POMIDA — Full ERD

All 37 application tables · 73 relationships (73 database foreign keys + 0 model-only) · Laravel framework tables omitted
Database pomida_db_testing (10.4.32-MariaDB) · read from information_schema on 2026-10-31 · feature/ingredient-priority @ b6368fc

LINES

- Solid = real database foreign key
- Dotted = model-only (no database FK)

Labels read parent → child, e.g. "branches receives orders".
Every relationship is drawn.

LINE ENDS (CARDINALITY)

- exactly one parent (NOT NULL FK)
- zero or one parent (nullable FK) or at most one child (UNIQUE FK, 1:1)
- zero or many children

COLUMNS

PK primary key · FK declared foreign key · UK unique key
"UK with x" = unique only together with x
"no DB FK (model link)" = a model relation exists but the database has no FK
UNSIGNED, int widths, enum values: see dictionary

MODULE COLOURS

- Users & Branches
- Menu
- Orders & Payments
- Inventory
- Marketing & Loyalty

POMIDA — Module 1: Users & Branches

4 tables in this module

Database pomida_db_testing (10.4.32-MariaDB) · read from information_schema on 2026-10-31 · feature/ingredient-priority @ b6368fc

LINES

Solid = real database foreign key

Dotted = model-only (no database FK)

Labels read parent → child, e.g. "branches receives orders". Each line is drawn where the FK column lives.

LINE ENDS (CARDINALITY)

exactly one parent (NOT NULL FK)

zero or one parent (nullable FK) or at most one child (UNIQUE FK, 1:1)

zero or many children

COLUMNS

PK primary key · FK declared foreign key · UK unique key

"UK with x" = unique only together with x

"no DB FK (model link)" = a model relation exists but the database has no FK

UNSIGNED, int widths, enum values: see dictionary

TABLE COLOURS

Users & Branches (this module)

Table of another module (id only: it is just a link target)



REFERENCED FROM OTHER MODULES (these links point INTO this module; they are drawn in the other module's diagram and in the full ERD)

branches

Marketing & Loyalty: ads.branch_id (runs), free_dessert_rewards.branch_id (issues), notifications.branch_id (is audience of), settings.branch_id (configures), vouchers.branch_id (scopes)

Orders & Payments: help_requests.branch_id (receives), orders.branch_id (receives), restaurant_tables.branch_id (has table), table_access_codes.branch_id (issues code for), table_sessions.branch_id (hosts)

Inventory: inventory.branch_id (stocks)

Menu: menu_items.branch_id (offers)

users

Orders & Payments: discount_cards.user_id (owns), discount_cards.verified_by (verifies), orders.processed_by (processes), orders.user_id (places), restaurant_tables.code_rotated_by (rotates code of), table_access_codes.issued_by (issues), table_sessions.opened_by (opens), table_sessions.released_by (releases)

Marketing & Loyalty: free_dessert_ratings.user_id (writes), free_dessert_rewards.user_id (earns), games_played.user_id (spins), loyalty_awards.user_id (receives), notifications.user_id (receives), order_ratings.user_id (writes), user_vouchers.issued_by (issues), user_vouchers.user_id (claims)

Inventory: stock_movements.user_id (records)

POMIDA — Module 2: Menu

6 tables in this module

Database pomida_db_testing (10.4.32-MariaDB) · read from information_schema on 2026-10-31 · feature/ingredient-priority @ b6368fc

LINES

Solid = real database foreign key

Dotted = model-only (no database FK)

Labels read parent → child, e.g. "branches receives orders". Each line is drawn where the FK column lives.

LINE ENDS (CARDINALITY)

exactly one parent (NOT NULL FK)

zero or one parent (nullable FK)

or at most one child (UNIQUE FK, 1:1)

zero or many children

COLUMNS

PK primary key · FK declared foreign key · UK unique key

"UK with x" = unique only together with x


"no DB FK (model link)" = a model relation exists but the database has no FK

UNSIGNED, int widths, enum values: see dictionary

TABLE COLOURS

Menu (this module)

Table of another module (id only: it is just a link target)



REFERENCED FROM OTHER MODULES (these links point INTO this module; they are drawn in the other module's diagram and in the full ERD)

menu_item_sizes
- Inventory: menu_item_size_ingredients.menu_item_size_id (has recipe line)
- Orders & Payments: order_items.menu_item_size_id (is sold as)

menu_items
- Marketing & Loyalty: free_dessert_rewards.menu_item_id (is given as)
- Inventory: menu_item_ingredients.menu_item_id (has recipe line)
- Orders & Payments: order_items.menu_item_id (is sold as)

menu_options
- Inventory: menu_option_ingredients.menu_option_id (has recipe line)
- Orders & Payments: order_item_options.menu_option_id (is chosen as)

POMIDA — Module 3: Orders & Payments

12 tables in this module

Database pomida_db_testing (10.4.32-MariaDB) · read from information_schema on 2026-10-31 · feature/ingredient-priority @ b6368fc

LINES

Solid = real database foreign key

Dotted = model-only (no database FK)

Labels read parent → child, e.g. "branches receives orders". Each line is drawn where the FK column lives.

LINE ENDS (CARDINALITY)

exactly one parent (NOT NULL FK)

zero or one parent (nullable FK) or at most one child (UNIQUE FK, 1:1)

zero or many children

COLUMNS

PK primary key · FK declared foreign key · UK unique key

"UK with x" = unique only together with x


"no DB FK (model link)" = a model relation exists but the database has no FK

UNSIGNED, int widths, enum values: see dictionary

TABLE COLOURS

Orders & Payments (this module)

Table of another module (id only: it is just a link target)



REFERENCED FROM OTHER MODULES (these links point INTO this module; they are drawn in the other module's diagram and in the full ERD)

order_items

Marketing & Loyalty: free_dessert_ratings.order_item_id (has dessert rated in), free_dessert_rewards.order_item_id (is redeemed as)

orders

Marketing & Loyalty: free_dessert_ratings.order_id (receives), free_dessert_rewards.order_id (is redeemed on), games_played.order_id (unlocks spin), loyalty_awards.order_id (triggers), notifications.order_id (triggers), order_ratings.order_id (receives)

POMIDA — Module 4: Inventory

5 tables in this module

Database pomida_db_testing (10.4.32-MariaDB) · read from information_schema on 2026-10-31 · feature/ingredient-priority @ b6368fc

LINES

Solid = real database foreign key

Dotted = model-only (no database FK)

Labels read parent → child, e.g. "branches receives orders".

Each line is drawn where the FK column lives.

LINE ENDS (CARDINALITY)

exactly one parent (NOT NULL FK)

zero or one parent (nullable FK)

or at most one child (UNIQUE FK, 1:1)

zero or many children

COLUMNS

PK primary key · FK declared foreign key · UK unique key

"UK with x" = unique only together with x


"no DB FK (model link)" = a model relation exists but the database has no FK

UNSIGNED, int widths, enum values: see dictionary

TABLE COLOURS

Inventory (this module)

Table of another module (id only: it is just a link target)



REFERENCED FROM OTHER MODULES (these links point INTO this module; they are drawn in the other module's diagram and in the full ERD)

inventory

Menu: menu_items.inventory_item_id (is stock source of)

Orders & Payments: order_item_removed_ingredients.inventory_id (is left out via), order_item_size_ingredients.inventory_id (is deducted via)

POMIDA — Module 5: Marketing & Loyalty

10 tables in this module

Database pomida_db_testing (10.4.32-MariaDB) · read from information_schema on 2026-10-31 · feature/ingredient-priority @ b6368fc

LINES

Solid = real database foreign key

Dotted = model-only (no database FK)

Labels read parent → child, e.g. "branches receives orders". Each line is drawn where the FK column lives.

LINE ENDS (CARDINALITY)

exactly one parent (NOT NULL FK)

zero or one parent (nullable FK)

or at most one child (UNIQUE FK, 1:1)

zero or many children

COLUMNS

PK primary key · FK declared foreign key · UK unique key

"UK with x" = unique only together with x


"no DB FK (model link)" = a model relation exists but the database has no FK

UNSIGNED, int widths, enum values: see dictionary

TABLE COLOURS

Marketing & Loyalty (this module)

Table of another module (id only: it is just a link target)



REFERENCED FROM OTHER MODULES (these links point INTO this module; they are drawn in the other module's diagram and in the full ERD)

vouchers

Orders & Payments: orders.voucher_id (is applied to)