


Dudekula Mohammad Ilyas

192325017

1. Create a line chart to visualize the monthly sales. Label the axes and title the chart appropriately.

```
Monthly Sales Line Chart.R
Source on Save
Run
Source
1 month<-c("January","February","March","April","May")
2 sales<-c(15000,18000,22000,20000,23000)
3 plot(sales,type="o",xaxt="n",xlab="Month",ylab="Sales($)",main="Monthly sales")
4 axis(1,at=1:5,labels=month)
```


Output:



2. Generate a bar chart to display the top-selling products for the year. Label the chart elements.

```
1 month <- c("January", "February", "March", "April", "May")
2 sales <- c(15000, 18000, 22000, 20000, 23000)
3 barplot(sales,
4         names.arg = month,
5         xlab = "Month",
6         ylab = "Sales ($)",
7         main = "Monthly Sales",
8         col = "skyblue")
```


OUTPUT:



3. Develop a scatter plot to explore the relationship between advertising budget and monthly sales. Explain the insights drawn from the scatter plot.

```
Monthly Sales Line Chart.R x Monthly Sales BAR Chart.R x Scatterplot advertisi
Source on Save
1 advertising <- c(10, 15, 20, 18, 25)
2 sales <- c(15000, 18000, 22000, 20000, 23000)
3 plot(advertising, sales,
4       xlab = "Advertising Budget",
5       ylab = "Monthly Sales ($)",
6       main = "Advertising Budget vs Monthly Sales",
7       pch = 19)
```


OUTPUT:



4. Create a histogram to represent the distribution of customer ages. Label the axes and title the chart.

```
1 age <- c(25, 30, 35, 28, 40)
2 hist(age,
3       xlab = "Age",
4       ylab = "Frequency",
5       main = "Distribution of Customer Ages",
6       col = "skyblue")
```

OUTPUT:



5. Generate a pie chart to display the overall distribution of customer satisfaction scores. Include labels.

```
score <- c(4, 5, 3, 4, 5)
count <- table(score)
pie(count,
     labels = names(count),
     main = "Customer Satisfaction Scores")
```

OUTPUT:

Customer Satisfaction Scores

