



C-b698fed6e5 | GAIA-smoke-30 | Codex SDK family | Codex agent/subagent
models/efforts=[['gpt-5.6-luna', 'medium']]
sessions/case=1; attempts/case=2; workers=4



Exact group key and all omitted/unknown fields: fixed-config-records.json.
Unknown runtime/backend metadata is not proof of identical execution environments.


C-eba31d762c | GAIA-50 | Codex SDK family | Codex agent/subagent
models/efforts=[['gpt-5.6-luna', 'medium']]
sessions/case=1; attempts/case=2; workers=4



Recorded evaluation order; gray crosses are ineligible/replayed/unordered

Exact group key and all omitted/unknown fields: fixed-config-records.json.
Unknown runtime/backend metadata is not proof of identical execution environments.


C-9b84a213ad | GAIA-50 | Codex SDK family | Codex agent/subagent
models/efforts=[['gpt-5.6-terra', 'medium']]
sessions/case=1; attempts/case=2; workers=4



Recorded evaluation order; gray crosses are ineligible/replayed/unordered

Exact group key and all omitted/unknown fields: fixed-config-records.json.
Unknown runtime/backend metadata is not proof of identical execution environments.


C-dc60f146e4 | GAIA-50 | Codex SDK family | Codex agent/subagent
models/efforts=[['gpt-5.6-sol', 'high']]
sessions/case=2; attempts/stage=2; workers=4



Recorded evaluation order; gray crosses are ineligible/replayed/unordered


Exact group key and all omitted/unknown fields: fixed-config-records.json.
Unknown runtime/backend metadata is not proof of identical execution environments.

C-2a8a7daba1 | GAIA-50 | Codex SDK family | Codex agent/subagent
models/efforts=[['gpt-5.6-luna', 'medium'], ['gpt-5.6-sol', 'high']]
sessions/case=2; attempts/stage=2; workers=4



Exact group key and all omitted/unknown fields: fixed-config-records.json.
Unknown runtime/backend metadata is not proof of identical execution environments.


C-ff08abb443 | GAIA-50 | Codex SDK family | Codex agent/subagent
models/efforts=[['gpt-5.6-sol', 'high']]
sessions/case=6; attempts/stage=2; workers=4



Recorded evaluation order; gray crosses are ineligible/replayed/unordered

Exact group key and all omitted/unknown fields: fixed-config-records.json.
Unknown runtime/backend metadata is not proof of identical execution environments.


C-fbf0600fe2 | GAIA-50 | Codex SDK family | Codex agent/subagent
models/efforts=[['gpt-5.6-luna', 'medium'], ['gpt-5.6-sol', 'high']]
sessions/case=3; attempts/stage=2; workers=4



Recorded evaluation order; gray crosses are ineligible/replayed/unordered

Exact group key and all omitted/unknown fields: fixed-config-records.json.
Unknown runtime/backend metadata is not proof of identical execution environments.


C-3b02b6db5e | GAIA-50 | Codex SDK family | Codex agent/subagent
models/efforts=[['gpt-5.5', 'xhigh'], ['gpt-5.6-sol', 'high']]
sessions/case=1; attempts/stage=2; workers=4



Recorded evaluation order; gray crosses are ineligible/replayed/unordered

Exact group key and all omitted/unknown fields: fixed-config-records.json.
Unknown runtime/backend metadata is not proof of identical execution environments.


C-e2411721b1 | GAIA-50 | Codex SDK family | Codex agent/subagent
models/efforts=[['gpt-5.5', 'xhigh']]
sessions/case=3; attempts/stage=2; workers=4



Recorded evaluation order; gray crosses are ineligible/replayed/unordered

Exact group key and all omitted/unknown fields: fixed-config-records.json.
Unknown runtime/backend metadata is not proof of identical execution environments.


C-2d7e3ff72a | GAIA-50 | Codex SDK family | Codex agent/subagent
models/efforts=[['gpt-5.5', 'xhigh'], ['gpt-5.6-luna', 'medium']]
sessions/case=5; attempts/stage=2; workers=4



Recorded evaluation order; gray crosses are ineligible/replayed/unordered

Exact group key and all omitted/unknown fields: fixed-config-records.json.
Unknown runtime/backend metadata is not proof of identical execution environments.


C-175d689e0f | GAIA-50 | LLM API family | LLM API
models/efforts=[['gpt-4.1', 'not_applicable']]
sessions/case=not_recorded; attempts/not_recorded=not_recorded; workers=4



Recorded evaluation order; gray crosses are ineligible/replayed/unordered

Exact group key and all omitted/unknown fields: fixed-config-records.json.
Unknown runtime/backend metadata is not proof of identical execution environments.


C-11915ee098 | GAIA-50 | LLM API family | LLM API
models/efforts=[['gpt-4.1', 'not_applicable']]
sessions/case=not_recorded; attempts/not_recorded=not_recorded; workers=4



Recorded evaluation order; gray crosses are ineligible/replayed/unordered

Exact group key and all omitted/unknown fields: fixed-config-records.json.
Unknown runtime/backend metadata is not proof of identical execution environments.


C-35d29b2e7d | GAIA-smoke-30 | Codex SDK family | Codex agent/subagent
models/efforts=[['gpt-5.6-luna', 'medium']]
sessions/case=3; attempts/stage=2; workers=4



Recorded evaluation order; gray crosses are ineligible/replayed/unordered


Exact group key and all omitted/unknown fields: fixed-config-records.json.
Unknown runtime/backend metadata is not proof of identical execution environments.

C-d01c1c0559 | GAIA-50 | Codex SDK family | Codex agent/subagent
models/efforts=[['gpt-5.6-luna', 'medium']]
sessions/case=3; attempts/stage=2; workers=4




Exact group key and all omitted/unknown fields: fixed-config-records.json.
Unknown runtime/backend metadata is not proof of identical execution environments.

C-d01c1c0559 | GAIA-50 | Codex SDK family | Codex agent/subagent
models/efforts=[['gpt-5.6-luna', 'medium']]
sessions/case=3; attempts/stage=2; workers=4



Exact group key and all omitted/unknown fields: fixed-config-records.json.
Unknown runtime/backend metadata is not proof of identical execution environments.


C-ecff97e0cc | GAIA-50 | Codex SDK family | Codex agent/subagent
models/efforts=[['gpt-5.6-luna', 'medium']]
sessions/case=5; attempts/stage=2; workers=4



Recorded evaluation order; gray crosses are ineligible/replayed/unordered

Exact group key and all omitted/unknown fields: fixed-config-records.json.
Unknown runtime/backend metadata is not proof of identical execution environments.


C-d88700d5f0 | GAIA-50 | Codex SDK family | Codex agent/subagent
models/efforts=[['gpt-5.6-luna', 'medium']]
sessions/case=4; attempts/stage=2; workers=4



Recorded evaluation order; gray crosses are ineligible/replayed/unordered

Exact group key and all omitted/unknown fields: fixed-config-records.json.
Unknown runtime/backend metadata is not proof of identical execution environments.


C-01bd8c1dca | GAIA-50 | Codex SDK family | Codex agent/subagent
models/efforts=[['gpt-5.6-luna', 'medium']]
sessions/case=6; attempts/stage=2; workers=4



Recorded evaluation order; gray crosses are ineligible/replayed/unordered

Exact group key and all omitted/unknown fields: fixed-config-records.json.
Unknown runtime/backend metadata is not proof of identical execution environments.


C-8900cbf408 | GAIA-50 | Codex SDK family | Codex agent/subagent
models/efforts=[['gpt-5.6-luna', 'medium']]
sessions/case=7; attempts/stage=2; workers=4



Recorded evaluation order; gray crosses are ineligible/replayed/unordered

Exact group key and all omitted/unknown fields: fixed-config-records.json.
Unknown runtime/backend metadata is not proof of identical execution environments.


C-0c32201234 | GAIA-50 | Codex SDK family | Codex agent/subagent
models/efforts=[['gpt-5.6-luna', 'medium']]
sessions/case=8; attempts/stage=2; workers=4



Recorded evaluation order; gray crosses are ineligible/replayed/unordered

Exact group key and all omitted/unknown fields: fixed-config-records.json.
Unknown runtime/backend metadata is not proof of identical execution environments.

C-a901e3a17e | GAIA-50 | Codex SDK family | Codex agent/subagent
models/efforts=[['gpt-5.6-luna', 'medium']]
sessions/case=not_recorded; attempts/stage=2; workers=4



Exact group key and all omitted/unknown fields: fixed-config-records.json.
Unknown runtime/backend metadata is not proof of identical execution environments.


C-60e7a84747 | GAIA-50 | Codex SDK family | Codex agent/subagent
models/efforts=[['gpt-5.6-luna', 'medium']]
sessions/case=3; attempts/stage=2; workers=4



Recorded evaluation order; gray crosses are ineligible/replayed/unordered

Exact group key and all omitted/unknown fields: fixed-config-records.json.
Unknown runtime/backend metadata is not proof of identical execution environments.


C-25d8255eec | GAIA-50 | Codex SDK family | Codex agent/subagent
models/efforts=[['gpt-5.6-luna', 'medium']]
sessions/case=not_recorded; attempts/stage=2; workers=4



Recorded evaluation order; gray crosses are ineligible/replayed/unordered

Exact group key and all omitted/unknown fields: fixed-config-records.json.
Unknown runtime/backend metadata is not proof of identical execution environments.


C-1bc9c80317 | GAIA-50 | Codex SDK family | Codex agent/subagent
models/efforts=[['gpt-5.6-luna', 'medium']]
sessions/case=5; attempts/stage=2; workers=4



Recorded evaluation order; gray crosses are ineligible/replayed/unordered


Exact group key and all omitted/unknown fields: fixed-config-records.json.
Unknown runtime/backend metadata is not proof of identical execution environments.

C-837e9f1949 | GAIA-50 | Codex SDK family | Codex agent/subagent
models/efforts=[['gpt-5.6-luna', 'medium']]
sessions/case=2; attempts/stage=2; workers=4



Exact group key and all omitted/unknown fields: fixed-config-records.json.
Unknown runtime/backend metadata is not proof of identical execution environments.


C-99c76d4deb | GAIA-50 | Codex SDK family | Codex agent/subagent
models/efforts=[['gpt-5.6-terra', 'medium']]
sessions/case=3; attempts/stage=2; workers=4



Recorded evaluation order; gray crosses are ineligible/replayed/unordered

Exact group key and all omitted/unknown fields: fixed-config-records.json.
Unknown runtime/backend metadata is not proof of identical execution environments.


C-ff5c53d597 | GAIA-50 | Codex SDK family | Codex agent/subagent
models/efforts=[['gpt-5.5', 'medium']]
sessions/case=3; attempts/stage=2; workers=4



Recorded evaluation order; gray crosses are ineligible/replayed/unordered

Exact group key and all omitted/unknown fields: fixed-config-records.json.
Unknown runtime/backend metadata is not proof of identical execution environments.


C-534552a298 | GAIA-50 | Codex SDK family | Codex agent/subagent
models/efforts=[['gpt-5.4', 'medium']]
sessions/case=3; attempts/stage=2; workers=4



Recorded evaluation order; gray crosses are ineligible/replayed/unordered

Exact group key and all omitted/unknown fields: fixed-config-records.json.
Unknown runtime/backend metadata is not proof of identical execution environments.


C-8046ccdab7 | GAIA-50 | Codex SDK family | Codex agent/subagent
models/efforts=[['gpt-5.5', 'high']]
sessions/case=3; attempts/stage=2; workers=4



Recorded evaluation order; gray crosses are ineligible/replayed/unordered

Exact group key and all omitted/unknown fields: fixed-config-records.json.
Unknown runtime/backend metadata is not proof of identical execution environments.


C-b82aa08d0a | GAIA-50 | Codex SDK family | Codex agent/subagent
models/efforts=[['gpt-5.5', 'medium'], ['gpt-5.6-sol', 'medium']]
sessions/case=3; attempts/stage=2; workers=4



Recorded evaluation order; gray crosses are ineligible/replayed/unordered

Exact group key and all omitted/unknown fields: fixed-config-records.json.
Unknown runtime/backend metadata is not proof of identical execution environments.


C-45c012b03c | GAIA-50 | Codex SDK family | Codex agent/subagent
models/efforts=[['gpt-5.5', 'medium']]
sessions/case=2; attempts/stage=3; workers=4



Recorded evaluation order; gray crosses are ineligible/replayed/unordered

Exact group key and all omitted/unknown fields: fixed-config-records.json.
Unknown runtime/backend metadata is not proof of identical execution environments.


C-176bd880ac | GAIA-50 | Codex SDK family | Codex SDK/app-server
models/efforts=[['gpt-5.5', 'medium']]
sessions/case=3; attempts/stage=2; workers=4



Recorded evaluation order; gray crosses are ineligible/replayed/unordered

Exact group key and all omitted/unknown fields: fixed-config-records.json.
Unknown runtime/backend metadata is not proof of identical execution environments.

C-affd4c4d2f | GAIA-50 | Codex SDK family | Codex SDK/app-server
models/efforts=[['gpt-5.5', 'medium']]
sessions/case=not_recorded; attempts/call=1; workers=4



Recorded evaluation order; gray crosses are ineligible/replayed/unordered

Exact group key and all omitted/unknown fields: fixed-config-records.json.
Unknown runtime/backend metadata is not proof of identical execution environments.