



21c9546dfe | gpt-4o | Small diagnostics / 1 | cases=7380b457
T=0.0; cap=None; timeout=300.0; workers=1; retries=None
Step/Module/All denominators=[1, 1, 1]; unknown values are not proof of equality



Recorded evaluation order; R = recovered result; * = frozen upstream evidence

All API records retained. Unknown-time groups are unconnected; audit-invalid points are gray crosses.
Exact runtime policy, upstream identity and live-stage grouping are recorded in api-records.json.


76add57550 | gpt-4o | Small diagnostics / 1 | cases=7380b457
T=0.0; cap=None; timeout=300.0; workers=1; retries=None
Step/Module/All denominators=[1, 1, 1]; unknown values are not proof of equality



Recorded evaluation order; R = recovered result; * = frozen upstream evidence

All API records retained. Unknown-time groups are unconnected; audit-invalid points are gray crosses.
Exact runtime policy, upstream identity and live-stage grouping are recorded in api-records.json.


efd711cded | gpt-4o | Small diagnostics / 1 | cases=7380b457
T=0.0; cap=None; timeout=300.0; workers=1; retries=5
Step/Module/All denominators=[1, 1, 1]; unknown values are not proof of equality



Recorded evaluation order; R = recovered result; * = frozen upstream evidence


All API records retained. Unknown-time groups are unconnected; audit-invalid points are gray crosses.
Exact runtime policy, upstream identity and live-stage grouping are recorded in api-records.json.

f2fb0dd324 | gpt-4o | Small diagnostics / 1 | cases=7380b457
T=0.0; cap=None; timeout=300.0; workers=1; retries=5
Step/Module/All denominators=[1, 1, 1]; unknown values are not proof of equality




Recorded evaluation order; R = recovered result; * = frozen upstream evidence

All API records retained. Unknown-time groups are unconnected; audit-invalid points are gray crosses.
Exact runtime policy, upstream identity and live-stage grouping are recorded in api-records.json.



Recorded evaluation order; R = recovered result; * = frozen upstream evidence


All API records retained. Unknown-time groups are unconnected; audit-invalid points are gray crosses.
Exact runtime policy, upstream identity and live-stage grouping are recorded in api-records.json.



Recorded evaluation order; R = recovered result; * = frozen upstream evidence

All API records retained. Unknown-time groups are unconnected; audit-invalid points are gray crosses.
Exact runtime policy, upstream identity and live-stage grouping are recorded in api-records.json.


7837daf279 | gemini-3.1-pro-preview | Small diagnostics / 1 | cases=6ea4a9b3
T=0.0; cap=None; timeout=600.0; workers=1; retries=5
Step/Module/All denominators=[1, 1, 1]; unknown values are not proof of equality



Recorded evaluation order; R = recovered result; * = frozen upstream evidence


All API records retained. Unknown-time groups are unconnected; audit-invalid points are gray crosses.
Exact runtime policy, upstream identity and live-stage grouping are recorded in api-records.json.

Step/Module/All denominators=[1, 1, 1]; unknown values are not proof of equality




Recorded evaluation order; R = recovered result; * = frozen upstream evidence

d38a346639 | gemini-3.1-pro-preview | Small diagnostics / 1 | cases=dc8189fa
T=0.0; cap=None; timeout=600.0; workers=1; retries=5
Step/Module/All denominators=[1, 1, 1]; unknown values are not proof of equality



All API records retained. Unknown-time groups are unconnected; audit-invalid points are gray crosses.
Exact runtime policy, upstream identity and live-stage grouping are recorded in api-records.json.


6b98a937ec | gemini-3.1-pro-preview | Small diagnostics / 1 | cases=dc8189fa
T=0.0; cap=None; timeout=600.0; workers=1; retries=5
Step/Module/All denominators=[1, 1, 1]; unknown values are not proof of equality



Recorded evaluation order; R = recovered result; * = frozen upstream evidence

All API records retained. Unknown-time groups are unconnected; audit-invalid points are gray crosses.
Exact runtime policy, upstream identity and live-stage grouping are recorded in api-records.json.

4c68b62d92 | gemini-3.1-pro-preview | Small diagnostics / 1 | cases=7380b457
T=0.0; cap=8192; timeout=600.0; workers=1; retries=5
Step/Module/All denominators=[1, 1, 1]; unknown values are not proof of equality



Recorded evaluation order; R = recovered result; * = frozen upstream evidence

All API records retained. Unknown-time groups are unconnected; audit-invalid points are gray crosses.
Exact runtime policy, upstream identity and live-stage grouping are recorded in api-records.json.


d2c6ccf76e | gemini-3.1-pro-preview | Full / 200 | cases=84d2ecd2
T=0.0; cap=8192; timeout=600.0; workers=1; retries=5
Step/Module/All denominators=[200, 200, 170]; unknown values are not proof of equality



Recorded evaluation order; R = recovered result; * = frozen upstream evidence


All API records retained. Unknown-time groups are unconnected; audit-invalid points are gray crosses.
Exact runtime policy, upstream identity and live-stage grouping are recorded in api-records.json.

8f77312ee9 | gemini-3.1-pro-preview | Full / 200 | cases=84d2ecd2
T=0.0; cap=8192; timeout=600.0; workers=1; retries=5
Step/Module/All denominators=[200, 200, 170]; unknown values are not proof of equality



Recorded evaluation order; R = recovered result; * = frozen upstream evidence


All API records retained. Unknown-time groups are unconnected; audit-invalid points are gray crosses.
Exact runtime policy, upstream identity and live-stage grouping are recorded in api-records.json.



Recorded evaluation order; R = recovered result; * = frozen upstream evidence

All API records retained. Unknown-time groups are unconnected; audit-invalid points are gray crosses.
Exact runtime policy, upstream identity and live-stage grouping are recorded in api-records.json.


74ed6a7787 | gpt-4.1 | Mixed-30 / smoke-v1 | cases=a54247a7
T=0.0; cap=8192; timeout=600.0; workers=1; retries=5
Step/Module/All denominators=[30, 30, 27]; unknown values are not proof of equality



Recorded evaluation order; R = recovered result; * = frozen upstream evidence


All API records retained. Unknown-time groups are unconnected; audit-invalid points are gray crosses.
Exact runtime policy, upstream identity and live-stage grouping are recorded in api-records.json.

68ed57a316 | gpt-4.1 | Small diagnostics / 3 | cases=8068c52e
T=0.0; cap=8192; timeout=600.0; workers=1; retries=5
Step/Module/All denominators=[3, 3, 3]; unknown values are not proof of equality



All API records retained. Unknown-time groups are unconnected; audit-invalid points are gray crosses.
Exact runtime policy, upstream identity and live-stage grouping are recorded in api-records.json.


a6eca4154d | gpt-4.1 | Small diagnostics / 1 | cases=6c4b4bf6
T=0.0; cap=8192; timeout=600.0; workers=1; retries=5
Step/Module/All denominators=[1, 1, 1]; unknown values are not proof of equality



Recorded evaluation order; R = recovered result; * = frozen upstream evidence

All API records retained. Unknown-time groups are unconnected; audit-invalid points are gray crosses.
Exact runtime policy, upstream identity and live-stage grouping are recorded in api-records.json.


39b0c68b7f | gpt-4.1 | Mixed-30 / tuning-v1 | cases=0defb39f
T=0.0; cap=8192; timeout=600.0; workers=1; retries=5
Step/Module/All denominators=[30, 30, 25]; unknown values are not proof of equality



Recorded evaluation order; R = recovered result; * = frozen upstream evidence

All API records retained. Unknown-time groups are unconnected; audit-invalid points are gray crosses.
Exact runtime policy, upstream identity and live-stage grouping are recorded in api-records.json.


64888d2ed9 | gpt-4.1 | Small diagnostics / 3 | cases=8068c52e
T=0.0; cap=8192; timeout=600.0; workers=1; retries=5
Step/Module/All denominators=[3, 3, 3]; unknown values are not proof of equality



Recorded evaluation order; R = recovered result; * = frozen upstream evidence

All API records retained. Unknown-time groups are unconnected; audit-invalid points are gray crosses.
Exact runtime policy, upstream identity and live-stage grouping are recorded in api-records.json.


1aae870867 | gpt-4.1 | Small diagnostics / 3 | cases=8068c52e
T=0.0; cap=8192; timeout=600.0; workers=1; retries=5
Step/Module/All denominators=[3, 3, 3]; unknown values are not proof of equality



Recorded evaluation order; R = recovered result; * = frozen upstream evidence

All API records retained. Unknown-time groups are unconnected; audit-invalid points are gray crosses.
Exact runtime policy, upstream identity and live-stage grouping are recorded in api-records.json.


30261501d0 | gpt-4.1 | Small diagnostics / 3 | cases=8068c52e
T=0.0; cap=8192; timeout=600.0; workers=1; retries=5
Step/Module/All denominators=[3, 3, 3]; unknown values are not proof of equality



Recorded evaluation order; R = recovered result; * = frozen upstream evidence

All API records retained. Unknown-time groups are unconnected; audit-invalid points are gray crosses.
Exact runtime policy, upstream identity and live-stage grouping are recorded in api-records.json.


79092da195 | gpt-4.1 | Small diagnostics / 3 | cases=8068c52e
T=0.0; cap=8192; timeout=600.0; workers=1; retries=None
Step/Module/All denominators=[3, 3, 3]; unknown values are not proof of equality



Recorded evaluation order; R = recovered result; * = frozen upstream evidence

All API records retained. Unknown-time groups are unconnected; audit-invalid points are gray crosses.
Exact runtime policy, upstream identity and live-stage grouping are recorded in api-records.json.


1c6f2ca85a | gpt-4.1 | Mixed-30 / tuning-v1 | cases=0defb39f
T=0.0; cap=8192; timeout=600.0; workers=1; retries=5
Step/Module/All denominators=[30, 30, 25]; unknown values are not proof of equality



Recorded evaluation order; R = recovered result; * = frozen upstream evidence


All API records retained. Unknown-time groups are unconnected; audit-invalid points are gray crosses.
Exact runtime policy, upstream identity and live-stage grouping are recorded in api-records.json.

58fafe85be | gpt-4.1 | Small diagnostics / 5 | cases=01c397cc
T=0.0; cap=8192; timeout=600.0; workers=1; retries=5
Step/Module/All denominators=[5, 5, 5]; unknown values are not proof of equality




All API records retained. Unknown-time groups are unconnected; audit-invalid points are gray crosses.
Exact runtime policy, upstream identity and live-stage grouping are recorded in api-records.json.

75423e9614 | gpt-4.1 | Small diagnostics / 3 | cases=b9b30e84
T=0.0; cap=8192; timeout=600.0; workers=1; retries=5
Step/Module/All denominators=[3, 3, 3]; unknown values are not proof of equality



All API records retained. Unknown-time groups are unconnected; audit-invalid points are gray crosses.
Exact runtime policy, upstream identity and live-stage grouping are recorded in api-records.json.


90227827ae | gpt-4.1 | Small diagnostics / 3 | cases=b9b30e84
T=0.0; cap=8192; timeout=600.0; workers=1; retries=5
Step/Module/All denominators=[3, 3, 3]; unknown values are not proof of equality



Recorded evaluation order; R = recovered result; * = frozen upstream evidence

All API records retained. Unknown-time groups are unconnected; audit-invalid points are gray crosses.
Exact runtime policy, upstream identity and live-stage grouping are recorded in api-records.json.


9a98c2893d | deepseek-v4-flash | Small diagnostics / 3 | cases=b9b30e84
T=0.0; cap=8192; timeout=600.0; workers=1; retries=5
Step/Module/All denominators=[3, 3, 3]; unknown values are not proof of equality



Recorded evaluation order; R = recovered result; * = frozen upstream evidence


All API records retained. Unknown-time groups are unconnected; audit-invalid points are gray crosses.
Exact runtime policy, upstream identity and live-stage grouping are recorded in api-records.json.

b24da9f2d9 | deepseek-v4-flash | Small diagnostics / 3 | cases=b9b30e84
T=0.0; cap=8192; timeout=600.0; workers=1; retries=5
Step/Module/All denominators=[3, 3, 3]; unknown values are not proof of equality




All API records retained. Unknown-time groups are unconnected; audit-invalid points are gray crosses.
Exact runtime policy, upstream identity and live-stage grouping are recorded in api-records.json.

a83e36a6ef | deepseek-v4-pro | Small diagnostics / 3 | cases=b9b30e84
T=0.0; cap=8192; timeout=600.0; workers=1; retries=5
Step/Module/All denominators=[3, 3, 3]; unknown values are not proof of equality




All API records retained. Unknown-time groups are unconnected; audit-invalid points are gray crosses.
Exact runtime policy, upstream identity and live-stage grouping are recorded in api-records.json.

ff7736f299 | deepseek-v4-flash | Mixed-30 / tuning-v1 | cases=0defb39f
T=0.0; cap=8192; timeout=600.0; workers=1; retries=5
Step/Module/All denominators=[30, 30, 25]; unknown values are not proof of equality




All API records retained. Unknown-time groups are unconnected; audit-invalid points are gray crosses.
Exact runtime policy, upstream identity and live-stage grouping are recorded in api-records.json.

d277fe6027 | deepseek-v4-flash | Small diagnostics / 3 | cases=b9b30e84
T=0.0; cap=8192; timeout=600.0; workers=1; retries=5
Step/Module/All denominators=[3, 3, 3]; unknown values are not proof of equality




All API records retained. Unknown-time groups are unconnected; audit-invalid points are gray crosses.
Exact runtime policy, upstream identity and live-stage grouping are recorded in api-records.json.

d277fe6027 | deepseek-v4-flash | Small diagnostics / 3 | cases=b9b30e84
T=0.0; cap=8192; timeout=600.0; workers=1; retries=5
Step/Module/All denominators=[3, 3, 3]; unknown values are not proof of equality



All API records retained. Unknown-time groups are unconnected; audit-invalid points are gray crosses.
Exact runtime policy, upstream identity and live-stage grouping are recorded in api-records.json.


e0374a3bc7 | deepseek-v4-flash | Mixed-30 / tuning-v1 | cases=0defb39f
T=0.0; cap=8192; timeout=600.0; workers=1; retries=5
Step/Module/All denominators=[30, 30, 25]; unknown values are not proof of equality



Recorded evaluation order; R = recovered result; * = frozen upstream evidence


All API records retained. Unknown-time groups are unconnected; audit-invalid points are gray crosses.
Exact runtime policy, upstream identity and live-stage grouping are recorded in api-records.json.

2fc3756059 | deepseek-v4-flash | Mixed-30 / tuning-v1 | cases=0defb39f
T=0.0; cap=8192; timeout=600.0; workers=1; retries=5
Step/Module/All denominators=[30, 30, 25]; unknown values are not proof of equality



All API records retained. Unknown-time groups are unconnected; audit-invalid points are gray crosses.
Exact runtime policy, upstream identity and live-stage grouping are recorded in api-records.json.


dcfc10171d | deepseek-v4-flash | Small diagnostics / 3 | cases=b9b30e84
T=0.0; cap=8192; timeout=600.0; workers=None; retries=None
Step/Module/All denominators=[3, 3, 3]; unknown values are not proof of equality



Recorded evaluation order; R = recovered result; * = frozen upstream evidence

All API records retained. Unknown-time groups are unconnected; audit-invalid points are gray crosses.
Exact runtime policy, upstream identity and live-stage grouping are recorded in api-records.json.


d5bbfc91e5 | deepseek-v4-flash | Mixed-30 / tuning-v1 | cases=0defb39f
T=0.0; cap=8192; timeout=600.0; workers=1; retries=5
Step/Module/All denominators=[30, 30, 25]; unknown values are not proof of equality



Recorded evaluation order; R = recovered result; * = frozen upstream evidence


All API records retained. Unknown-time groups are unconnected; audit-invalid points are gray crosses.
Exact runtime policy, upstream identity and live-stage grouping are recorded in api-records.json.

68c8aa5354 | deepseek-v4-flash | Small diagnostics / 3 | cases=b9b30e84
T=0.0; cap=8192; timeout=600.0; workers=1; retries=5
Step/Module/All denominators=[3, 3, 3]; unknown values are not proof of equality



All API records retained. Unknown-time groups are unconnected; audit-invalid points are gray crosses.
Exact runtime policy, upstream identity and live-stage grouping are recorded in api-records.json.


a909bd5e4b | deepseek-v4-flash | Mixed-30 / tuning-v1 | cases=0defb39f
T=0.0; cap=8192; timeout=600.0; workers=1; retries=5
Step/Module/All denominators=[30, 30, 25]; unknown values are not proof of equality



Recorded evaluation order; R = recovered result; * = frozen upstream evidence

All API records retained. Unknown-time groups are unconnected; audit-invalid points are gray crosses.
Exact runtime policy, upstream identity and live-stage grouping are recorded in api-records.json.


8e2516deae | deepseek-v4-flash | Mixed-30 / smoke-v1 | cases=a54247a7
T=0.0; cap=8192; timeout=600.0; workers=1; retries=5
Step/Module/All denominators=[30, 30, 27]; unknown values are not proof of equality



Recorded evaluation order; R = recovered result; * = frozen upstream evidence

All API records retained. Unknown-time groups are unconnected; audit-invalid points are gray crosses.
Exact runtime policy, upstream identity and live-stage grouping are recorded in api-records.json.


b67e612ef3 | gpt-4.1 | GAIA-50 | cases=ffd8b7d9
T=0.0; cap=None; timeout=180.0; workers=4; retries=3
Step/Module/All denominators=[50, 50, 50]; unknown values are not proof of equality



Recorded evaluation order; R = recovered result; * = frozen upstream evidence

All API records retained. Unknown-time groups are unconnected; audit-invalid points are gray crosses.
Exact runtime policy, upstream identity and live-stage grouping are recorded in api-records.json.


594a95000a | gpt-4.1 | GAIA-50 | cases=ffd8b7d9
T=0.0; cap=None; timeout=240.0; workers=4; retries=3
Step/Module/All denominators=[50, 50, 50]; unknown values are not proof of equality



Recorded evaluation order; R = recovered result; * = frozen upstream evidence


All API records retained. Unknown-time groups are unconnected; audit-invalid points are gray crosses.
Exact runtime policy, upstream identity and live-stage grouping are recorded in api-records.json.

edaedda12f | gpt-4.1 | Small diagnostics / 8 | cases=70d15690
T=0.0; cap=None; timeout=None; workers=None; retries=None
Step/Module/All denominators=[8, 8, 8]; unknown values are not proof of equality



All API records retained. Unknown-time groups are unconnected; audit-invalid points are gray crosses.
Exact runtime policy, upstream identity and live-stage grouping are recorded in api-records.json.

69c6f9ec85 | gpt-4.1 | Small diagnostics / 8 | cases=70d15690
T=0.0; cap=None; timeout=180.0; workers=None; retries=None
Step/Module/All denominators=[8, 8, 8]; unknown values are not proof of equality




All API records retained. Unknown-time groups are unconnected; audit-invalid points are gray crosses.
Exact runtime policy, upstream identity and live-stage grouping are recorded in api-records.json.

79807bc0fa | gpt-4.1 | Small diagnostics / 8 | cases=70d15690
T=0.0; cap=None; timeout=180.0; workers=4; retries=None
Step/Module/All denominators=[8, 8, 8]; unknown values are not proof of equality



All API records retained. Unknown-time groups are unconnected; audit-invalid points are gray crosses.
Exact runtime policy, upstream identity and live-stage grouping are recorded in api-records.json.

09b1341fb5 | gpt-4.1 | Small diagnostics / 10 | cases=28a3480e
T=0.0; cap=None; timeout=None; workers=None; retries=None
Step/Module/All denominators=[10, 10, 10]; unknown values are not proof of equality



Recorded evaluation order; R = recovered result; * = frozen upstream evidence

All API records retained. Unknown-time groups are unconnected; audit-invalid points are gray crosses.
Exact runtime policy, upstream identity and live-stage grouping are recorded in api-records.json.