Recorded Steps

This file contains all the steps and information that was recorded to help you describe the recorded steps to others. Before sharing this file, you should verify the following:

- The steps below accurately describe the recording.
- There is no information below or on any screenshots that you do not want others to see.

Passwords or any other text you typed were not recorded, except for function and shortcut keys that you used.

You can do the following:

- Review the recorded steps
- Review the recorded steps as a slide show
- Review the additional details

Steps

Step 1: (9/12/2022 11:04:22) User left click in "domotica met lichtsturing indirecte timing.vlp - Unitronics VisiLogic OPLC IDE - [Ladder Application (! Main Module.! Main Routine)]"

Step 2: (9/12/2022 11:04:27) User left click on "Project PopUp (pane)"

**Step 3: (9/12/2022 11:04:30)** User left click on "PLC's (group)" in "TCP/IP Project Settings"

Step 4: (9/12/2022 11:04:31) User left double click on "PLC's (group)" in "TCP/IP Project Settings"

Step 5: (9/12/2022 11:04:33) User left click on "TCP/IP IP Address Selector (window)" in "TCP/IP IP Address Selector"

Step 6: (9/12/2022 11:04:34) User left click on "TCP/IP IP Address Selector (window)" in "TCP/IP IP Address Selector"

**Step 7: (9/12/2022 11:04:35)** User left click on "TCP/IP IP Address Selector (window)" in "TCP/IP IP Address Selector"

Step 8: (9/12/2022 11:04:36) User left click on "OK (button)" in "TCP/IP IP Address Selector"

Step 9: (9/12/2022 11:04:39) User keyboard input on "TCP/IP IP Address Selector (window)" in "TCP/IP IP Address Selector" [RightArrow RightArrow Backspace ...]

Step 10: (9/12/2022 11:04:42) User left click on "OK (button)" in "TCP/IP IP Address Selector"

Step 11: (9/12/2022 11:04:43) User left click on "Close (button)" in "TCP/IP Project Settings"

Step 12: (9/12/2022 11:04:44) User left click on "TCP (list item)"

Step 13: (9/12/2022 11:04:45) User left click on "PLC's (group)" in "TCP/IP Project Settings"

Step 14: (9/12/2022 11:04:47) User keyboard input on "PLC's (group)" in "TCP/IP Project Settings" [Return]

Step 15: (9/12/2022 11:04:48) User keyboard input on "PLC's (group)" in "TCP/IP Project Settings" [...]

Step 16: (9/12/2022 11:04:51) User left click on "OK (button)" in "TCP/IP Project Settings"

Additional Details

The following section contains the additional details that were recorded.

These details help accurately identify the programs and UI you used in this recording.

This section may contain text that is internal to programs that only very advanced users or programmers may understand.

Please review these details to ensure that they do not contain any information that you would not like others to see.

Recording Session: 9/12/2022 11:04:20 - 11:04:53

Recorded Steps: 16, Missed Steps: 0, Other Errors: 0

Operating System: 22621.1.amd64fre.ni_release.220506-1250 10.0.0.0.2.164

Step 1: User left click in "domotica met lichtsturing indirecte timing.vlp - Unitronics VisiLogic OPLC IDE - [Ladder Application (! Main Module.! Main Routine)]"
Program: Unitronics OPLC IDE, 9.08.0031, Unitronics Website: www.unitronics.com Sales: export@untronics.com Support: support@unitronics.com, VISILOGIC.EXE, VISILOGIC.EXE
UI Elements: ABSxToolShadow

Step 2: User left click on "Project PopUp (pane)"
Program: Unitronics OPLC IDE, 9.08.0031, Unitronics Website: www.unitronics.com Sales: export@untronics.com Support: support@unitronics.com, VISILOGIC.EXE, VISILOGIC.EXE
UI Elements: Project PopUp, ABSxPopup

Step 3: User left click on "PLC's (group)" in "TCP/IP Project Settings"
Program: Unitronics OPLC IDE, 9.08.0031, Unitronics Website: www.unitronics.com Sales: export@untronics.com Support: support@unitronics.com, VISILOGIC.EXE, VISILOGIC.EXE
UI Elements: VSFlexGridL, PLC's, ThunderRT6Frame, TCP/IP Project Settings, ThunderRT6FormDC, domotica met lichtsturing indirecte timing.vlp - Unitronics VisiLogic OPLC IDE - [Ladder Application (! Main Module.! Main Routine)], ThunderRT6MDIForm

Step 4: User left double click on "PLC's (group)" in "TCP/IP Project Settings"
Program: Unitronics OPLC IDE, 9.08.0031, Unitronics Website: www.unitronics.com Sales:

export@untronics.com Support: support@unitronics.com, VISILOGIC.EXE, VISILOGIC.EXE
UI Elements: VSFlexGridL, PLC's, ThunderRT6Frame, TCP/IP Project Settings, ThunderRT6FormDC,
domotica met lichtsturing indirecte timing.vlp - Unitronics VisiLogic OPLC IDE - [Ladder Application (!
Main Module.! Main Routine)], ThunderRT6MDIForm

Step 5: User left click on "TCP/IP IP Address Selector (window)" in "TCP/IP IP Address Selector"
Program: Unitronics OPLC IDE, 9.08.0031, Unitronics Website: www.unitronics.com Sales:
export@untronics.com Support: support@unitronics.com, VISILOGIC.EXE, VISILOGIC.EXE
UI Elements: ThunderRT6TextBox, ThunderRT6UserControlDC, ThunderRT6Frame, TCP/IP IP Address
Selector, ThunderRT6FormDC, TCP/IP Project Settings, ThunderRT6FormDC, domotica met lichtsturing
indirecte timing.vlp - Unitronics VisiLogic OPLC IDE - [Ladder Application (! Main Module.! Main
Routine)], ThunderRT6MDIForm

Step 6: User left click on "TCP/IP IP Address Selector (window)" in "TCP/IP IP Address Selector"
Program: Unitronics OPLC IDE, 9.08.0031, Unitronics Website: www.unitronics.com Sales:
export@untronics.com Support: support@unitronics.com, VISILOGIC.EXE, VISILOGIC.EXE
UI Elements: ThunderRT6TextBox, ThunderRT6UserControlDC, ThunderRT6Frame, TCP/IP IP Address
Selector, ThunderRT6FormDC, TCP/IP Project Settings, ThunderRT6FormDC, domotica met lichtsturing
indirecte timing.vlp - Unitronics VisiLogic OPLC IDE - [Ladder Application (! Main Module.! Main
Routine)], ThunderRT6MDIForm

Step 7: User left click on "TCP/IP IP Address Selector (window)" in "TCP/IP IP Address Selector"
Program: Unitronics OPLC IDE, 9.08.0031, Unitronics Website: www.unitronics.com Sales:
export@untronics.com Support: support@unitronics.com, VISILOGIC.EXE, VISILOGIC.EXE
UI Elements: ThunderRT6TextBox, ThunderRT6UserControlDC, ThunderRT6Frame, TCP/IP IP Address
Selector, ThunderRT6FormDC, TCP/IP Project Settings, ThunderRT6FormDC, domotica met lichtsturing
indirecte timing.vlp - Unitronics VisiLogic OPLC IDE - [Ladder Application (! Main Module.! Main
Routine)], ThunderRT6MDIForm

Step 8: User left click on "OK (button)" in "TCP/IP IP Address Selector"
Program: Unitronics OPLC IDE, 9.08.0031, Unitronics Website: www.unitronics.com Sales:
export@untronics.com Support: support@unitronics.com, VISILOGIC.EXE, VISILOGIC.EXE
UI Elements: OK, ThunderRT6CommandButton, TCP/IP IP Address Selector, ThunderRT6FormDC,
TCP/IP Project Settings, ThunderRT6FormDC, domotica met lichtsturing indirecte timing.vlp - Unitronics
VisiLogic OPLC IDE - [Ladder Application (! Main Module.! Main Routine)], ThunderRT6MDIForm

Step 9: User keyboard input on "TCP/IP IP Address Selector (window)" in "TCP/IP IP Address
Selector" [RightArrow RightArrow Backspace ...]
Program: Unitronics OPLC IDE, 9.08.0031, Unitronics Website: www.unitronics.com Sales:
export@untronics.com Support: support@unitronics.com, VISILOGIC.EXE, VISILOGIC.EXE
UI Elements: ThunderRT6TextBox, ThunderRT6UserControlDC, ThunderRT6Frame, TCP/IP IP Address
Selector, ThunderRT6FormDC, TCP/IP Project Settings, ThunderRT6FormDC, domotica met lichtsturing
indirecte timing.vlp - Unitronics VisiLogic OPLC IDE - [Ladder Application (! Main Module.! Main
Routine)], ThunderRT6MDIForm

Step 10: User left click on "OK (button)" in "TCP/IP IP Address Selector"
Program: Unitronics OPLC IDE, 9.08.0031, Unitronics Website: www.unitronics.com Sales:
export@untronics.com Support: support@unitronics.com, VISILOGIC.EXE, VISILOGIC.EXE
UI Elements: OK, ThunderRT6CommandButton, TCP/IP IP Address Selector, ThunderRT6FormDC,
TCP/IP Project Settings, ThunderRT6FormDC, domotica met lichtsturing indirecte timing.vlp - Unitronics
VisiLogic OPLC IDE - [Ladder Application (! Main Module.! Main Routine)], ThunderRT6MDIForm

Step 11: User left click on "Close (button)" in "TCP/IP Project Settings"
Program: Unitronics OPLC IDE, 9.08.0031, Unitronics Website: www.unitronics.com Sales:
export@untronics.com Support: support@unitronics.com, VISILOGIC.EXE, VISILOGIC.EXE
UI Elements: Close, ATL:10049BC8, VSFlexGridL, PLC's, ThunderRT6Frame, TCP/IP Project Settings,
ThunderRT6FormDC, domotica met lichtsturing indirecte timing.vlp - Unitronics VisiLogic OPLC IDE -
[Ladder Application (! Main Module.! Main Routine)], ThunderRT6MDIForm

Step 12: User left click on "TCP (list item)"
Program: Unitronics OPLC IDE, 9.08.0031, Unitronics Website: www.unitronics.com Sales:
export@untronics.com Support: support@unitronics.com, VISILOGIC.EXE, VISILOGIC.EXE

UI Elements: TCP, ComboLBox

Step 13: User left click on "PLC's (group)" in "TCP/IP Project Settings"
Program: Unitronics OPLC IDE, 9.08.0031, Unitronics Website: www.unitronics.com Sales:
export@untronics.com Support: support@unitronics.com, VISILOGIC.EXE, VISILOGIC.EXE
UI Elements: ATL:10049C20, VSFlexGridL, PLC's, ThunderRT6Frame, TCP/IP Project Settings,
ThunderRT6FormDC, domotica met lichtsturing indirecte timing.vlp - Unitronics VisiLogic OPLC IDE -
[Ladder Application (! Main Module.! Main Routine)], ThunderRT6MDIForm

Step 14: User keyboard input on "PLC's (group)" in "TCP/IP Project Settings" [Return]
Program: Unitronics OPLC IDE, 9.08.0031, Unitronics Website: www.unitronics.com Sales:
export@untronics.com Support: support@unitronics.com, VISILOGIC.EXE, VISILOGIC.EXE
UI Elements: ATL:10049C20, VSFlexGridL, PLC's, ThunderRT6Frame, TCP/IP Project Settings,
ThunderRT6FormDC, domotica met lichtsturing indirecte timing.vlp - Unitronics VisiLogic OPLC IDE -
[Ladder Application (! Main Module.! Main Routine)], ThunderRT6MDIForm

Step 15: User keyboard input on "PLC's (group)" in "TCP/IP Project Settings" [...]
Program: Unitronics OPLC IDE, 9.08.0031, Unitronics Website: www.unitronics.com Sales:
export@untronics.com Support: support@unitronics.com, VISILOGIC.EXE, VISILOGIC.EXE
UI Elements: ATL:10049C20, VSFlexGridL, PLC's, ThunderRT6Frame, TCP/IP Project Settings,
ThunderRT6FormDC, domotica met lichtsturing indirecte timing.vlp - Unitronics VisiLogic OPLC IDE -
[Ladder Application (! Main Module.! Main Routine)], ThunderRT6MDIForm

Step 16: User left click on "OK (button)" in "TCP/IP Project Settings"
Program: Unitronics OPLC IDE, 9.08.0031, Unitronics Website: www.unitronics.com Sales:
export@untronics.com Support: support@unitronics.com, VISILOGIC.EXE, VISILOGIC.EXE
UI Elements: OK, ThunderRT6CommandButton, TCP/IP Project Settings, ThunderRT6FormDC

Return to top of page…