

B.2.1 Exam Practice 1: Mobile Devices

Date: 4/25/2026, 12:57:03 PM

Time Spent: 05:39

Score: 95%

Passing Score: 80%



Question 1

✕ Incorrect

A user complains that a laptop is slow. A technician concludes that the best solution is to remove the current mechanical disk drive with a faster solid-state drive. The technician opts to back up the user data and install a fresh operating system on a new drive. Which approach defines the technician's steps?

☐ Replacement ✓ Correct

☒ Upgrade ✕ Incorrect

☐ Clone

☐ Migration

Explanation

A replacement drive approach only has the data backed up from the old drive. The technician then fits the new drive to the laptop and reinstalls all software. Then, the technician can restore user data from the backup.

An upgrade is a general term, and with software, an upgrade occurs between software versions. With hardware, newer hardware replaces older hardware. While a hardware upgrade occurs in the scenario, it does not define the technician's steps.

Migration means using backup software to create an image of the old drive and storing it on a USB or other type of media.

Cloning a disk is similar to migration in that it makes a copy of an entire drive to another storage device.

Related Content



9.3.4 Disk Upgrades and Replacement

resources\questions\pt_core1_220_1201_1_1_003.question.xml

Question 2

✔ Correct

A laptop user has a slim laptop that has very few external ports. As there is no Ethernet port on the laptop, it only uses wireless. The user would like a low-cost solution that allows for an Ethernet connection when not traveling. What does IT purchase for the user?

☒ Port replicator ✔ Correct

☐ Serial connection

☐ Lightning cord

☐ Docking station

Explanation

A port replicator either attaches to a special connector on the back or underside of a laptop or is connected via USB. It provides a full complement of ports for devices such as keyboards, monitors, mice, and network connections.

A docking station is a sophisticated port replicator. When docked, a portable computer can function like a desktop machine or use additional features, such as a full-size expansion card.

Most iPhone and iPad Apple devices use the proprietary Lightning connector. This would be for connecting an iOS device for purposes including charging.

Serial is one of the oldest and simplest computer interfaces. While not many mobile devices have hardware serial ports, the software serial port is often used.

Related Content

9.1.3 Port Replicators and Docking Stations

resources\questions\pt_core1_220_1201_1_2_010.question.xml

Question 3

✔ Correct

A company plans on upgrading a fleet of mobile phones. Upon inspection, the phones that will be retired do not utilize a SIM card. What does the company learn about the phones that have been in use?

- ☐ The phones are 4G.
- ☒ The phones are CDMA. ✔ Correct
- ☐ The phones are 3G.
- ☐ The phones are LTE.

Explanation

3G defines Universal Mobile Telecommunications Service (UMTS) on a Global System for Mobile Communications (GSM) handset or Evolution-Data Optimized (EV-DO) on CDMA networks, working at up to around 3 Mb/s.

Code division multiple access (CDMA) means that the handset is directly managed by the provider, and there is no removable SIM card.

Long-term evolution (LTE) provides an upgrade from CDMA. All 4G and 5G cellular data connections require a SIM card.

4G phones use a SIM card and have a maximum downlink of 300 Mb/s in theory, with around 20–90 Mb/s typical of real-world performance.

Related Content

resources\questions\pt_core1_220_1201_1_3_001.question.xml

Question 4

✔ Correct

A small shop uses a new point of sale system that allows for touchless payments. The business owner, who is not so tech-savvy, is amazed at the process. As the owner sets up the system, what technology does the system installer mention the payments use?

- ☐ Cellular
- ☐ Bluetooth
- ☐ Wi-Fi

☒ NFC ✔ Correct

Explanation

Many mobile devices have near-field communication (NFC) chips built in. NFC allows for very short-range data transmission. Credit card payments can use this technology.

A Bluetooth wireless radio creates a short-range personal area network (PAN) to share data with a PC, connect to a printer, and even connect to automobiles. The connection occurs through what is known as pairing.

Every laptop, smartphone, and tablet supports a Wi-Fi radio. While some automobiles also offer built-in Wi-Fi, this technology is not used to pair two devices.

Cellular data networking means connecting to the internet or services via a device's cellular radio and the phone/system network provider.

Related Content

9.1.10 Near-Field Communication Wireless Connections

resources\questions\pt_core1_220_1201_1_2_008.question.xml

Question 5

✔ Correct

An organization rolls out a security update that utilizes either a contactless smart card reader or a fingerprint scanner for login to mobile devices. What type of security implementations is the organization allowing for user logins? (Select two.)

- ☐ Bluetooth
- ☐ Wi-Fi 6
- ☒ Near-field ✔ Correct
- ☒ Biometrics ✔ Correct

Explanation

A biometric sensor allows users to record a template of a feature of their body that is unique to them. On a laptop, this is typically a fingerprint scanner.

A near-field communication (NFC) scanner is an authentication mechanism. It may also pair peripheral devices or establish a connection to a smart device.

Smart card readers do not use Bluetooth and typically connect peripheral devices to PCs and mobiles. Smart card readers also share data between two systems.

Wi-Fi 6 works in both the current 2.4 GHz and 5 GHz bands and adds support for a new 6 GHz frequency band. However, it is not applicable in this scenario.

Related Content

 9.1.10 Near-Field Communication Wireless Connections

 9.3.5 Keyboard and Security Component Replacement

resources\questions\pt_core1_220_1201_1_1_002.question.xml

Question 6

✔ Correct

Users at an organization prefer that any mobile devices deployed for company use have location services disabled. IT administrators agree and configure which option?

- ☐ Preferred roaming list
- ☐ Mobile data options
- ☒ Global Positioning System ✓ Correct
- ☐ Global System for Mobile Communication

Explanation

Global Positioning System (GPS) is a means of determining the device's latitude and longitude based on information received from orbital satellites via a GPS sensor.

Global System for Mobile Communication (GSM) allows subscribers to use a removable subscriber identity module (SIM) card to use an unlocked handset with their chosen network provider.

Information that a cellular radio needs to connect to a network is provided as a preferred roaming list (PRL).

Mobile data options allow a user to enable or disable Wi-Fi, cellular service, Bluetooth, and all services together (known as airplane mode).

Related Content

9.2.7 Location Services

resources\questions\pt_core1_220_1201_1_3_010.question.xml

Question 7

✔ Correct

A technician upgrades the memory in a laptop computer. Which interface does the memory have?

- ☐ M.2
- ☒ SODIMM ✓ Correct
- ☐ PCIe
- ☐ mSATA

Explanation

A smaller form factor called small outline DIMM (SODIMM) packages laptop random access memory (RAM). The memory typically fits into slots that pop up at a 45-degree angle.

A technician can provision a solid-state drive (SSD) in an adapter card form factor. These often use an M.2 interface. An M.2 port is oriented horizontally.

The mini serial advanced technology attachment (mSATA) form factor allows an SSD packaged as an adapter card to plug into the motherboard's combined data and power port.

Modern SSDs often use the peripheral component interconnect express (PCIe) bus directly. Where SATA uses the advanced host controller interface (AHCI) to communicate with the bus, PCIe-based SSDs use the non-volatile memory host controller.

Related Content

-  9.3.1 Laptop Disassembly Processes
-  9.3.3 RAM and Adapter Replacement
-  9.3.4 Disk Upgrades and Replacement
-  9.3.5 Keyboard and Security Component Replacement

resources\questions\pt_core1_220_1201_1_1_007.question.xml

Question 8

✔ Correct

A user has a newly issued smartphone that has corporate communication software installed. Which of the following options will NOT sync with Microsoft Exchange?

- ☐ Contacts
- ☐ Email
- ☐ Calendar

☒ Texts ✓ Correct

Explanation

Texts are messages that are sent via cellular service. While there are sync methods available, they are not synced with Exchange.

Most email systems store messages on the server, and the client device is used to manage them. A client device that uses technology such as ActiveSync can store a local copy.

A contact is a record with fields for name, address, email address(es), phone numbers, notes, and more. Contacts are synced with Exchange ActiveSync.

A calendar item is a record with fields for appointment or task information, such as subject, date, location, and participants. Calendars are synced with Exchange ActiveSync.

Related Content

 9.2.3 Types of Data to Synchronize

 9.2.4 Email Configuration Options

resources\questions\pt_core1_220_1201_1_3_008.question.xml

Question 9

✔ Correct

A tablet user connects a Bluetooth keyboard. What would be expected in the pairing process?

- ☐ Perform multifactor authentication.
- ☐ Test connectivity.
- ☒ Enter a PIN. ✓ Correct
- ☐ Perform a sync.

Explanation

When connecting devices with Bluetooth, a security measure of entering a PIN code is usually part of the process.

Testing connectivity of a Bluetooth device would occur after a connection is made. With a keyboard, typing in a word processing program would be a valid test.

Multifactor authentication means that the user must submit at least two different kinds of credentials. This would be used to authenticate access to a system but not to pair Bluetooth devices.

Performing a sync is a process that occurs when devices that share data are connected. Examples are folder locations, contacts, and calendar appointments.

Related Content

9.1.9 Bluetooth Wireless Connections

resources\questions\pt_core1_220_1201_1_3_005.question.xml

Question 10

✔ Correct

A company offers a bring your own device (BYOD) program at work. Several users approach the company in an effort to receive reimbursement for changing personal phones to the company's carrier. This will be done by swapping out a subscriber identity module (SIM) card in devices with which network type?

☒ LTE ✔ Correct

☐ HSPA

☐ CDMA

☐ NFC

Explanation

Long-term evolution (LTE) provides an upgrade from CDMA. All 4G and 5G cellular data connections require a SIM card.

Code division multiple access (CDMA) means that the handset is directly managed by the provider, and there is no removable SIM card.

High Speed Packet Access (HSPA) provides improved data rates on GSM networks.

Near-field communications (NFC) allow a mobile device to use a close-range service such as contactless payments.

Related Content

 9.2.6 Enterprise Mobility Management

 20.1.3 Enterprise Mobility Management

resources\questions\pt_core1_220_1201_1_3_011.question.xml

Question 11

✔ Correct

An automobile allows for connecting a smartphone or tablet for entertainment and audio purposes. Pairing the two occurs with which technology?

☒ Bluetooth ✔ Correct

☐ Hotspot

☐ NFC

☐ Wi-Fi

Explanation

A Bluetooth wireless radio creates a short-range personal area network (PAN) to share data with a PC, connect to a printer, and even connect to automobiles. The connection occurs through what is known as pairing.

Many mobile devices have near-field communication (NFC) chips built in. NFC allows for very short-range data transmission (up to about 20 cm/8 in.) to activate a receiver chip in a contactless reader.

A smartphone or tablet can be configured as a personal hotspot to share its cellular data connection with other computer devices.

Every laptop, smartphone, and tablet supports a Wi-Fi radio. While some automobiles also offer built-in Wi-Fi, this technology is not used to pair two devices.

Related Content

 9.1.2 Mobile Device Wired Connection Methods

 9.1.9 Bluetooth Wireless Connections

resources\questions\pt_core1_220_1201_1_2_002.question.xml

Question 12

✔ Correct

A technician needs to upgrade components in a laptop. Which component can the technician install without the use of tools?

- ☐ Wireless card
- ☐ SSD drive
- ☐ Memory

☒ Battery ✔ Correct

Explanation

Laptop computers use removable, rechargeable Lithium-ion (Li-ion) battery packs. Some batteries require the use of tools to access, while many batteries are easily removable with a spring lock mechanism on the back of the laptop.

A solid-state disk drive (SSD) is internal and would require tools to replace. Memory is under a removable panel or by removing the entire back cover.

Memory is internal and would require tools to access. Memory is under a removable panel, which can be accessed by removing the entire back cover or by removing the keyboard.

A wireless card is an internal add-on card accessible by a removable panel on the bottom of the laptop or by removing the entire back cover of a laptop.

Related Content

9.3.2 Battery Replacement

resources\questions\pt_core1_220_1201_1_1_001.question.xml

Question 13

✔ Correct

A consumer new to iOS devices is unsure of the type of cable required to charge their new iPhone 14. The consumer would like an extra cable to keep in a home office. What type of proprietary cable does the consumer look to purchase?

☒ Lightning ✔ Correct

☐ USB

☐ Serial

☐ LCD

Explanation

iPhones, from Generation 5 through 14, and older iPad devices use the proprietary Lightning connector. Some of the latest iPhone and iPad models, such as the iPhone 15 and newer, and iPad Pro, use USB-C.

Modern Android-based smartphones and tablets use the USB-C connector for wired peripherals and charging. The Micro-B USB and Mini-B connector form factors are only found on old devices.

Serial is one of the oldest and simplest computer interfaces. While not many mobile devices have hardware serial ports, the software serial port is often used for programming and connectivity.

Most mobile devices use a flat-panel screen technology based on a type of liquid crystal display (LCD). A liquid crystal display is not a cable type.

Related Content

9.1.2 Mobile Device Wired Connection Methods

resources\questions\pt_core1_220_1201_1_2_006.question.xml

Question 14

✔ Correct

An artist looks to achieve greater precision when creating digital drawings. Which input device will help achieve this goal?

☒ Touch pen ✓ Correct

☐ Touch screen

☐ Trackpad

☐ Touchpad

Explanation

Most drawing pads and some touch screens can be used with a touch pen or stylus rather than fingers. A stylus allows for more precise control and can be used for handwriting and drawing.

A trackpad acts as an input device and is a larger-format device attached as a peripheral rather than built into a laptop.

A touch screen is also referred to as a digitizer because of the way it converts analog touch input to digital software instructions. A digitizer sits above a display panel.

A touchpad is a navigation device that is built into laptops and acts as a mouse.

Related Content

9.1.1 Mobile Device Accessories

resources\questions\pt_core1_220_1201_1_2_003.question.xml

Question 15

✔ Correct

A user receives a loaner Android mobile phone for use while traveling on business. To charge the device, which traditional cable type will the user need?

- ☐ Serial
- ☒ USB ✔ Correct
- ☐ Lightning
- ☐ HDMI

Explanation

Modern Android-based smartphones and tablets use the USB-C connector for wired peripherals and charging. The Micro-B USB and Mini-B connector form factors are only found on old devices.

Most iPhone and iPad Apple devices use the proprietary Lightning connector. Some of the latest iPad models, such as the iPad Pro, use USB-C.

Serial is one of the oldest and simplest computer interfaces. While not many mobile devices have hardware serial ports, the software serial port is often used for programming and connectivity.

A high-definition media interface (HDMI) port is a multimedia port used for connecting computers and other devices to a display for audio/video purposes.

Related Content

9.1.2 Mobile Device Wired Connection Methods

resources\questions\pt_core1_220_1201_1_2_001.question.xml

Question 16

✔ Correct

A smartphone user tries to connect a new set of earbuds. What is the first step that the user does with the phone?

- ☐ Find a device for pairing.
- ☐ Perform a PRL update.
- ☒ Enable Bluetooth. ✓ Correct
- ☐ Enable pairing.

Explanation

A Bluetooth wireless radio creates a short-range personal area network (PAN) to share data and connect to peripherals. Bluetooth needs to be enabled before pairing can begin.

To connect a peripheral device via Bluetooth, the Bluetooth radio on each device must be put into discoverable mode, which is also known as pairing mode.

Once a phone has Bluetooth and pairing mode enabled, a list of nearby devices will be listed for connecting. Selecting a device will begin the pairing process.

Information that a cellular radio needs to connect to a network is provided as a preferred roaming list (PRL). An update would update the list.

Related Content

9.1.9 Bluetooth Wireless Connections

resources\questions\pt_core1_220_1201_1_3_004.question.xml

Question 17

✔ Correct

IT systems administrators for a company have been busy configuring a fleet of new smartphones for users. Instructions that the administrators follow to configure the devices include using a host address and entering a domain as an optional parameter. Which corporate email service does the company use?

- ☐ Google Workspace
- ☒ Microsoft Exchange ✓ Correct
- ☐ Gmail
- ☐ Microsoft 365

Explanation

To manually configure a Microsoft Exchange account, parameters such as a host address as well as the choice of whether to use transport layer security (TLS) are required. There is often also an optional field for a domain, but this is usually left blank.

A Microsoft digital identity is used to access cloud subscriptions for the Office productivity software suite and the OneDrive cloud storage service, which are known as Microsoft 365. The configuration only uses a username and password.

With Google Workspace, a Google account grants access to Google's Workspace productivity software and other Google services. This configuration does not use a domain.

A Gmail account is a free account used with the Google Workspace landscape. Configuration does not use a domain.

Related Content

 9.2.6 Enterprise Mobility Management

 20.1.3 Enterprise Mobility Management

resources\questions\pt_core1_220_1201_1_3_003.question.xml

Question 18

✔ Correct

A user contacts an IT help desk to report a problem with a laptop computer. The complaint is that the laptop is very hot to the touch when typing. The user also states that the laptop does not sit correctly, as the bottom of the laptop has a slight bulge. Which component does the help desk technician determine to be the problem?

- ☐ Keyboard
- ☒ Battery ✓ Correct
- ☐ Memory
- ☐ SSD

Explanation

Laptop computers use removable, rechargeable Lithium-ion (Li-ion) battery packs. Li-ion batteries are typically available in 6-, 9-, or 12-cell versions. A problematic battery can overheat and expand.

A keyboard is an input device. Therefore, a laptop keyboard does not usually overheat. However, the user noticed heat coming from the laptop in this case.

Small outline dual inline memory modules (SODIMMs) package the laptop's double data rate synchronous dynamic random access memory (DDRx SDRAM). Laptop RAM can become very hot; however, it would not cause the battery to expand.

A solid-state drive (SSD) does not get as hot as a traditional magnetic drive. Even so, an SSD would not cause the battery to expand.

Related Content[9.3.2 Battery Replacement](#)[resources\questions\pt_core1_220_1201_1_1_008.question.xml](#)

Question 19

✔ Correct

A gamer wants to connect a headset to a new gaming laptop. What connection options does the gamer have? (Select three.)

☐ Nib☒ USB ✔ Correct☒ Bluetooth ✔ Correct☒ 3.5 mm jack ✔ Correct**Explanation**

A Bluetooth wireless radio creates a short-range personal area network (PAN) to share data with a PC, connect to a printer, and connect to peripherals such as headsets. The connection occurs through what is known as pairing.

A USB connection is a popular connection for many computer peripherals. This includes mice, keyboards, headsets, gamepads, and more.

A 3.5 mm jack is a standard headphone/speaker jack size found in audio headsets, headphones, microphones, and more.

A nib is not a connector type. Touch pens designed for use with drawing pads have removable and changeable nibs for use as different pen/brush types.

Related Content 9.1.2 Mobile Device Wired Connection Methods 9.1.9 Bluetooth Wireless Connections

resources\questions\pt_core1_220_1201_1_2_009.question.xml

Question 20

✔ Correct

A consumer buys the cheapest laptop that they can possibly find. Which component did the consumer choose not to include in the laptop that would help drive down the cost?

☒ Webcam ✓ Correct

☐ Speaker

☐ Microphone

☐ Touchpad

Explanation

While just about every laptop has one, it is possible to buy a laptop without a built-in webcam. While the cost-saving may not be significant, having one less component drives down the cost.

Speakers are standard on any modern laptop. Even a budget laptop will include a set of built-in speakers.

A microphone is a standard internal device on a laptop. Even a budget laptop will include a microphone.

A touchpad is a standard component on any laptop. As mouse input is required, even a budget laptop will include a touchpad.

Related Content

9.1.1 Mobile Device Accessories

resources\questions\pt_core1_220_1201_1_2_005.question.xml