

C.2.1 Exam Practice 1: Operating Systems

Date: 5/3/2026, 9:06:45 PM

Time Spent: 25:33

Score: 80%

Passing Score: 80%



Question 1

✓ Correct

A user downloaded a script, but the file was in a text file format. The user needs to change the extension to a PowerShell script to run it, but they do not see the extension. Where can the user configure this setting?

- ☒ File Explorer Options View tab ✓ Correct
- ☐ Ease of Access
- ☐ Internet Options
- ☐ File Explorer Options General tab

Explanation

On the File Explorer Options View tab, among many other options, users can configure hidden extensions, hidden files, and hide operating system files.

On the File Explorer Options General tab, users can set options for the layout of Explorer windows and switch between the single-click and double-click styles of opening shortcuts.

Ease of Access settings configure input and output options to best suit each user. There are three main settings groups.

The Internet Options Control Panel applet exposes the configuration settings for Microsoft's Internet Explorer (IE) browser. The Security tab restricts what types of potentially risky active content are allowed to run.

Related Content

[12.1.10 File Explorer](#)[12.1.11 File Explorer Options](#)

resources\questions\pt_core2_220_1202_1_6_002.question.xml

Question 2

✓ Correct

A network administrator troubleshoots domain name system (DNS) issues that a particular user is having. Which of the following utilities will help the administrator troubleshoot DNS specifically?

- ☐ pathping
- ☐ gpupdate
- ☐ tracert

☒ nslookup ✓ Correct

Explanation

If the administrator identifies or suspects a problem with name resolution, they can troubleshoot DNS with the nslookup command, either interactively or from the command prompt.

The gpupdate command is used to immediately apply a new or changed policy to a computer and account profile.

The tracert command-line utility is used to trace the path a packet of information takes to get to its target.

As an alternative to tracert, the pathping command performs a trace and then pings each hop router a given number of times for a given period.

Related Content

 14.1.5 Troubleshoot Remote Network Connectivity

 14.1.6 Troubleshoot Name Resolution

resources\questions\pt_core2_220_1202_1_5_006.question.xml

Question 3

✓ Correct

A Linux server administrator notices a service they do not recognize, although the environment is quite big. They look at the help file for the ksh process, but the documentation seems poor. It does seem to indicate that it provides interactivity, however. What type of program is this?

- ☐ Antivirus
- ☒ Terminal ✓ Correct
- ☐ Updates
- ☐ Backup

Explanation

The shell provides a command environment by which a user can operate the OS and applications. Many shell programs are available with Linux, notably Bash, zsh, and ksh (Korn shell).

Products such as Clam AntiVirus (ClamAV) and the Snort Intrusion Prevention System (IPS) can be used to block varied malware threats and attempts to counteract security systems.

apt-get is a command interface for the Advanced Packaging Tool (APT). APT is used by Debian distributions and works with .deb format packages.

Linux does not have an "official" backup tool. There are plenty of commercial and open-source backup products for Linux, however. Some examples include Amanda, Bacula, Fwbackups, and Rsync.

Related Content

17.1.1 Shells, Terminals, and Consoles

resources\questions\pt_core2_220_1202_1_9_006.question.xml

Question 4

✓ Correct

A marketing professional normally sends large files to other team members. The IT department recommended using a shared drive and assisted them in setting it up. The project was a very high priority, so the professional collaborated with several members but started receiving reports that some users could not access it sometimes and others could. They eventually figured out that only 20 people at a time seemed to be able to access it. What is causing the issue?

- ☒ The share was created on a Windows desktop. ✓ Correct
- ☐ DNS settings are intermittent.
- ☐ The file server was not properly configured.
- ☐ The proxy settings are not properly configured on client machines.

Explanation

The Share tab in the folder's Properties dialog can customize permissions, change the share name, and limit the number of simultaneous connections. Windows desktop versions are limited to 20 inbound connections.

If more than 20 users access the share, the data should be stored on file servers rather than local client computers.

The proxy settings will not affect users' ability to access the file share in this scenario. It could cause issues accessing the internet, however.

If the domain name system (DNS) were causing an issue, the users would not be limited to 20 people. It is possible that load-balanced DNS servers could cause issues if one is incorrect.

Related Content

resources\questions\pt_core2_220_1202_1_7_006.question.xml

Question 5

✔ Correct

A transportation company wants to set up software that gathers statistics from the controller area network for trailers hauling loads, enabling them to adjust processes to optimize cost savings. What type of adapter will the company need to send the statistics back to their cloud network?

- ☐ VPN
- ☒ WWAN ✓ Correct
- ☐ Wireless
- ☐ Wired

Explanation

Wireless Wide Area Network (WWAN) uses a cellular adapter to connect to the internet via a provider's network. These networks are typically metered with a set data limit.

A virtual private network (VPN) connects the components and resources of two (private) networks over another (public) network.

Almost all wired network connections are based on some Ethernet. The adapter's media type must match the switch it is connected to.

While WWAN could be considered wireless, wireless generally refers to a computer that connects to the 2.4 or 5 GHz spectrum with a limited physical range.

Related Content

13.3.6 VPN and WWAN Connection Types

resources\questions\pt_core2_220_1202_1_7_002.question.xml

Question 6

✕ Incorrect

A security administrator moves their proxy from on-premises to the cloud and wants to establish a client tunnel to the cloud proxy server for web traffic. This way, the users are protected even while out in public and not connected to the domain. What should the administrator set up?

☐ VPN ✓ Correct☐ DNS settings☒ Mapped drive ✕ Incorrect☐ WWAN**Explanation**

A virtual private network (VPN) connects the components and resources of two (private) networks over another (public) network.

Wireless Wide Area Network (WWAN) uses a cellular adapter to connect to the internet via a provider's network. These networks are typically metered with a set data limit.

A mapped drive is a share that has been assigned to a drive letter on a client device. To map a share as a drive, right-click it and select Map Network Drive.

While it is best practice to configure DNS settings to resolve the VPN concentrator, technically, it could be done with an IP.

Related Content

13.3.6 VPN and WWAN Connection Types

resources\questions\pt_core2_220_1202_1_7_003.question.xml

Question 7

✓ Correct

An IT manager is in charge of client machine administration. The manager wants to test various boot settings before applying them to the environment. Which tool can the manager use to accomplish this best?

- ☐ dfrgui.exe
- ☐ gpedit.msc
- ☐ cleanmgr.exe
- ☒ msconfig.exe ✓ Correct

Explanation

The System Configuration Utility (msconfig.exe) is used to modify various settings and files that affect the way the computer boots and loads Windows.

The Group Policy Editor (gpedit.msc) provides a more robust means of configuring many Windows settings than editing the registry directly.

The Disk Cleanup utility (cleanmgr.exe) regains disk capacity by deleting unwanted files and can help to free up disk space when running low.

The Defragment and Optimize Drives utility (dfrgui.exe) maintains disk performance by optimizing file storage patterns which can help read and write speeds with hard drives.

Related Content

14.3.13 System Configuration Utility

resources\questions\pt_core2_220_1202_1_4_002.question.xml

Question 8

✕ Incorrect

A security engineer runs a long tail analysis to determine the frequency of services and processes communicating to the internet. After baselining a large amount of normal traffic, such as updates, they encounter a suspicious communication frequency every five minutes from a particular box. They have done a thorough job investigating running processes, memory analysis, and file integrity checks but find nothing. What else could the engineer check for persistence mechanisms that could send the communications?

- ☐ msconfig.exe
- ☒ taskschd.msc ✓ Correct
- ☐ Privileged time
- ☒ lusrmgr.msc ✕ Incorrect

Explanation

The Task Scheduler (taskschd.msc) runs software and scripts according to calendar or event triggers which would not help diagnose and troubleshoot internet connectivity issues.

The Local Users and Groups (lusrmgr.msc) console provides an advanced interface for creating, modifying, disabling, and deleting user accounts.

Privileged time is used to compare against user time. If it is much higher, the central processing unit (CPU) is likely underpowered (it can barely run Windows core processes efficiently).

The System Configuration Utility (msconfig.exe) is used to modify various settings and files that affect how the computer boots and loads Windows.

Related Content

13.1.5 Task Scheduler

resources\questions\pt_core2_220_1202_1_4_007.question.xml

Question 9

✓ Correct

A server administrator wants to run the latest technologies. What technology should the administrator start using that will replace the New Technology File System (NTFS)?

☒ ReFS ✓ Correct

☐ ext3

☐ APFS

☐ exFAT

Explanation

Resilient File System (ReFS) is being developed to replace NTFS. ReFS is only available for Pro for Workstations and Enterprise editions and cannot currently be used for the boot volume.

Most Linux distributions use some version of the extended (ext) file system to format partitions on mass storage devices. ext3 is a 64-bit file system with journaling support.

Where Windows uses NTFS, and Linux typically uses ext3 or ext4, Apple Mac workstations and laptops use the proprietary Apple File System (APFS).

exFAT is a 64-bit version of FAT designed for use with removable hard drives and flash media.

Related Content

11.3.4 Windows File System Types

resources\questions\pt_core2_220_1202_1_1_004.question.xml

Question 10

✕ Incorrect

A security engineer researches how to make backup and antivirus apps available to their iOS mobile devices. Where should the apps be pushed?

- ☐ Security & Privacy
- ☐ Finder
- ☒ iCloud ✕ Incorrect
- ☐ Business Manager ✓ Correct

Explanation

A supervised macOS can be restricted in terms of app installation and uninstallation policies. Corporate apps can be pushed to devices via the Business Manager portal.

By default, macOS will only allow apps to be installed if downloaded from the Mac App Store. To allow the installation of download apps, go to System Preferences > Security & Privacy.

The Finder is the macOS equivalent of File Explorer in Windows. It lets the user navigate all the files and folders on a Mac.

iCloud is Apple's online storage solution for its users. It provides a central, shared location for mail, contacts, calendars, photos, notes, reminders, and more across macOS and iOS devices.

Related Content

resources\questions\pt_core2_220_1202_1_8_002.question.xml

Question 11

✓ Correct

A 3D animation expert is searching for a new computer. What should they ensure it has to handle their demanding software?

☒ Dedicated graphics card ✓ Correct

☐ Integrated graphics card

☐ 64-bit CPU

☐ Hardware token

Explanation

A demanding application, such as graphic design software or a game, will likely require a dedicated graphics card with video RAM, separate from the general system RAM.

An integrated graphics card would not be enough to handle a demanding application such as graphic design software.

While a 64-bit CPU would probably help in this instance, a dedicated graphics card would provide the resource chokepoint for the 3D application.

An external hardware token is a smart card or USB form factor device that stores cryptographic user identification data. The user must present the token and supply a password, PIN, or fingerprint scan to authenticate.

Related Content

12.3.1 System Requirements for Applications

resources\questions\pt_core2_220_1202_1_10_002.question.xml

Question 12

✔ Correct

A user wants to maximize resource utilization to 3D performance and frame rate. Where should the user go to do this?

☒ Gaming ✔ Correct

☐ Devices

☐ Apps

☐ System

Explanation

Game mode suspends Windows Update and dedicates resources to supporting the active game app's 3D performance and frame rate rather than other software or background services.

The System Settings page in the Settings app presents options for configuring input and output devices, power, remote desktop, notifications, and clipboard (data copying).

The Devices settings pages contain options for input devices (mice, keyboards, and touch), print/scan devices, and adding and managing other peripherals attached over Bluetooth or USB.

In the Settings app, the Apps group is used to view and remove installed apps and Windows Features.

Related Content

12.2.9 Apps Settings

resources\questions\pt_core2_220_1202_1_6_012.question.xml

Question 13

✓ Correct

An administrator assists the human resources department in testing access to their new cloud-based training site. Unfortunately, the site cannot be accessed due to the organizational security policy. Which of the following should the administrator use to assist them?

☒ certmgr.msc ✓ Correct

☐ diskmgmt.msc

☐ lusrmgr.msc

☐ taskschd.msc

Explanation

The Certificate Manager (certmgr.msc) console shows which certificates have been installed and provides a mechanism for requesting and importing new certificates.

The Disk Management (diskmgmt.msc) console displays a summary of any fixed and removable disks, which includes hard disk drives (HDDs), solid-state drives (SSDs), and optical drives.

The Task Scheduler (taskschd.msc) runs software and scripts according to calendar or event triggers which would not help diagnose and troubleshoot internet connectivity issues.

The Local Users and Groups (lusrmgr.msc) console provides an advanced interface for creating, modifying, disabling, and deleting user accounts.

Related Content

13.1.8 Certificate Manager

resources\questions\pt_core2_220_1202_1_4_001.question.xml

Question 14

✔ Correct

A software developer is looking at installing a new 64-bit program that will help to streamline coding and optimize workflow. What types of systems can the developer install it on?

- ☐ 64-bit, 32-bit, and ARM
- ☐ 32-bit
- ☐ 64-bit and 32-bit

☒ 64-bit only ✔ Correct

Explanation

A 64-bit application requires a 64-bit CPU and OS platform. Like operating systems, software applications can be developed as 32-bit or 64-bit software.

64-bit applications cannot be installed on a 32-bit platform. Some apps may have both 32-bit and 64-bit versions.

32-bit software applications can usually be installed on 64-bit platforms, however. 32-bit applications can run on 64-bit software, although if there is a 64-bit version available, it is probably better to run the 64-bit version if possible.

64-bit applications for personal computers cannot run on Advanced RISC Machines (ARM) architecture. ARM is an architecture for smartphones and tablets.

Related Content

12.3.1 System Requirements for Applications



12.3.2 OS Requirements for Applications

resources\questions\pt_core2_220_1202_1_10_001.question.xml

Question 15

✔ Correct

A security administrator for a defense contracting company wants to disable external devices. The administrator pushes out a group policy setting to disable such devices but worries that attackers might elevate privileges and reenable them. What other setting will help the administrator accomplish the objective?

☒ Selective suspend ✔ Correct

☐ Modern standby

☐ Hibernate

☐ Fast startup

Explanation

The administrator can enable Universal Serial Bus (USB) selective suspend to turn off power to peripheral devices.

The fast startup uses the hibernation file to instantly restore the previous system RAM contents and make the computer ready for input more quickly than the traditional hibernate option.

Hibernate mode suspends to disk. It saves any open but unsaved file data in memory to disk (as hiberfil.sys in the root of the boot volume) and then turns the computer off, which is also referred to as ACPI mode S4.

Modern standby utilizes a device's ability to function in an S0 low-power idle mode to maintain network connectivity without consuming too much energy.

Related Content

12.2.6 Power Options



12.2.7 Lab: Edit Power Options

resources\questions\pt_core2_220_1202_1_6_006.question.xml

Question 16

✓ Correct

A teacher has been assigned to research low-cost operating systems to support the educational needs of the school system. Which one of the following is best geared towards accomplishing their goal?

- ☐ macOS
- ☐ Windows
- ☒ ChromeOS ✓ Correct
- ☐ Linux

Explanation

Google develops Chrome OS to run on a specific laptop (Chromebook) and PC (Chromebox) hardware. This hardware is designed for the budget and education markets.

Originally developed by Linus Torvalds, Linux is a fully open-source OS kernel derived from UNIX. There are many different Linux distributions (distros), with each maintaining its own set of packages.

macOS is only supplied with Apple-built workstations (Apple Mac desktops and Apple iMac all-in-ones) and laptops (Apple MacBooks).

While Microsoft has special discounts and deals for education, Chrome is specifically tailored towards budget and education markets.

Related Content

11.3.2 UNIX, Linux, and Chrome OS

resources\questions\pt_core2_220_1202_1_1_001.question.xml

Question 17

✔ Correct

A video game development company is purchasing upgraded laptops to develop cutting-edge graphics for a new story they have been marketing. They want the operating system to integrate persistent system RAM, offer Resilient File System (ReFS) support, and not require any additional license types. What type of operating system should they use for support?

- ☐ Enterprise
- ☒ Pro for Workstations ✓ Correct
- ☐ Home
- ☐ Pro

Explanation

Windows Pro for Workstations has many of the same features as Pro but supports more maximum RAM and advanced hardware technologies, such as persistent system RAM (NVDIMM).

Windows Pro is designed for usage in small- and medium-sized businesses and can be obtained using original equipment manufacturer (OEM), retail, or volume licensing.

The Enterprise edition has several features not available in the Pro edition, such as support for Microsoft's DirectAccess virtual private networking technology, AppLocker, and more.

The Windows Home edition is designed for domestic consumers and possibly small office home office (SOHO) business use.

Related Content

16.1.3 Work and Education Features

resources\questions\pt_core2_220_1202_1_3_001.question.xml

Question 18

✓ Correct

A manager for a large corporation is in charge of client machines and is currently undergoing a lifecycle hardware refresh. They want to optimize the machines to be powerful enough to run applications. The manager also wants to be sure that they are not underpowered either. What can the manager use to determine CPU optimization?

- ☐ Pages/sec
- ☐ Disk queue length
- ☐ User time
- ☒ Privileged time ✓ Correct

Explanation

If privileged time is much higher than user time, the central processing unit (CPU) is likely underpowered (it can barely run Windows core processes efficiently).

If overall processor time is very high (over 85% for sustained periods), it can be helpful to compare these. Privileged time represents system processes, whereas user time is software applications.

If the disk queue length increases and disk time is high, then the manager has a disk problem.

Pages per second are the number of pages read from or written to disk to resolve hard page faults, which means memory moves processes to the page file.

Related Content

resources\questions\pt_core2_220_1202_1_4_004.question.xml

Question 19

✕ Incorrect

A remote computer administrator is managing clients in harsh environmental conditions. The clients keep overheating and often have issues. The administrator wants to run regular checks for damage or corruption. Which of the following will help them accomplish this?

☐ `winver`☐ `SFC` ✓ Correct☒ `gpresult` ✕ Incorrect☐ `shutdown`**Explanation**

The System File Checker utility (SFC) provides a manual interface for verifying system files and restoring them from cache if they are found to be corrupt or damaged.

The *winver* command reports version information and is often used for support functions.

The *gpresult* command displays the resultant set of policies (RSOP) for a computer user account. When run without switches, the current computer and user account policies are shown.

The *shutdown* command can be used to safely halt or log out of the system.

Related Content

13.2.6 System Management Commands

resources\questions\pt_core2_220_1202_1_5_004.question.xml

Question 20

✔ Correct

A vulnerability and risk manager reviews older systems that can only receive critical patches. What are these systems classified as?

☒ Extended support ✔ Correct

☐ End of life

☐ Beta

☐ Supported

Explanation

During the extended support phase, the product is no longer commercially available, but the vendor issues critical patches.

An end-of-life (EOL) system is one that its developer or vendor no longer supports. EOL systems no longer receive security updates and, therefore, represent a critical vulnerability.

A public beta phase might be used to gather user feedback. Microsoft operates a Windows Insider Program where users can sign up to use early release Windows versions and feature updates.

When the product is being actively marketed during the supported phase, the vendor releases regular patches to fix critical security and operational issues and feature upgrades to expand OS functionality.

Related Content

resources\questions\pt_core2_220_1202_1_1_006.question.xml