Mean pT: K0S | O-O, 5.36 TeV


ALICE SQM2026 | PDF page 10 | ALI-PREL-624471

Blue: extracted total-error edges

Magenta: edges expanded by 3 native pixels


Amber: error still assumed

Full source panel with annotations



Point checks: original pixels | annotated pixels


#1 <dNch/deta> = 11.65



Resolved
y = 0.783944
DAT error = 0.0090281
(1.15% of y)
Exp. total: + / - 0.0074804 / 0.0074804

Edges y(px): 983, 1012; center 997.5


#2 <dNch/deta> = 26.91



Resolved
y = 0.820341
DAT error = 0.014058
(1.71% of y)
Exp. total: + / - 0.01251 / 0.01251

Edges y(px): 903.5, 952; center 927.75


#3 <dNch/deta> = 38.19



Resolved
y = 0.830924
DAT error = 0.013929
(1.68% of y)
Exp. total: + / - 0.012381 / 0.012381

Edges y(px): 883, 931; center 907


#4 <dNch/deta> = 51.31



Resolved
y = 0.839959
DAT error = 0.013671
(1.63% of y)
Exp. total: + / - 0.012123 / 0.012123

Edges y(px): 866, 913; center 889.5


#5 <dNch/deta> = 67.45



Resolved
y = 0.848477
DAT error = 0.013929
(1.64% of y)
Exp. total: + / - 0.012381 / 0.012381

Edges y(px): 849, 897; center 873


#6 <dNch/deta> = 87.22



Resolved
y = 0.858286
DAT error = 0.013671
(1.59% of y)
Exp. total: + / - 0.012123 / 0.012123

Edges y(px): 831, 878; center 854.5


#7 <dNch/deta> = 107.4



Resolved
y = 0.869386
DAT error = 0.014187
(1.63% of y)
Exp. total: + / - 0.012639 / 0.012639

Edges y(px): 808, 857; center 832.5

#8 <dNch/deta> = 130



Resolved
y = 0.885648
DAT error = 0.014187
(1.60% of y)
Exp. total: + / - 0.012639 / 0.012639

Edges y(px): 776, 825; center 800.5

8/8 uncertainties resolved. Source pixels are unchanged in the Original crops; all crops enlarged 2x with nearest-neighbour sampling.

For resolved points, DAT error = larger extracted +/- error, with the 3-pixel reading margin; the reading margin is separate from the experimental uncertainty.

Marks follow recorded source-pixel coordinates. Retained DAT central values can differ slightly from source centers. No model-error floor is drawn.

Mean pT: Xi + anti-Xi | O-O, 5.36 TeV


ALICE SQM2026 | PDF page 10 | ALI-PREL-624501

Blue: extracted total-error edges

Magenta: edges expanded by 3 native pixels

Amber: error still assumed


Full source panel with annotations



Point checks: original pixels | annotated pixels

#1 <dNch/deta> = 26.91

Original / Overlay




Resolved
y = 1.27184
DAT error = 0.046624
(3.67% of y)
Exp. total: + / - 0.041923 / 0.041923

Edges y(px): 1029, 1082.5; center 1055.75

#2 <dNch/deta> = 38.19

Original / Overlay




Resolved
y = 1.29066
DAT error = 0.046624
(3.61% of y)
Exp. total: + / - 0.041923 / 0.041923

Edges y(px): 1017, 1070.5; center 1043.75

#3 <dNch/deta> = 51.31

Original / Overlay




Resolved
y = 1.30398
DAT error = 0.045449
(3.49% of y)
Exp. total: + / - 0.040747 / 0.040747

Edges y(px): 1009, 1061; center 1035

#4 <dNch/deta> = 67.45

Original / Overlay




Resolved
y = 1.31496
DAT error = 0.045449
(3.46% of y)
Exp. total: + / - 0.040747 / 0.040747

Edges y(px): 1002, 1054; center 1028

#5 <dNch/deta> = 87.22

Original / Overlay




Resolved
y = 1.3322
DAT error = 0.043882
(3.29% of y)
Exp. total: + / - 0.03918 / 0.03918

Edges y(px): 992, 1042; center 1017

#6 <dNch/deta> = 107.4

Original / Overlay



Resolved
y = 1.35337
DAT error = 0.042706
(3.16% of y)
Exp. total: + / - 0.038005 / 0.038005

Edges y(px): 979, 1027.5; center 1003.25

#7 <dNch/deta> = 130

Original / Overlay



Resolved
y = 1.38394
DAT error = 0.041139
(2.97% of y)
Exp. total: + / - 0.036438 / 0.036438

Edges y(px): 960.5, 1007; center 983.75

Seven O-O points retained in this table.

7/7 uncertainties resolved. Source pixels are unchanged in the Original crops; all crops enlarged 2x with nearest-neighbour sampling.

For resolved points, DAT error = larger extracted +/- error, with the 3-pixel reading margin; the reading margin is separate from the experimental uncertainty.

Marks follow recorded source-pixel coordinates. Retained DAT central values can differ slightly from source centers. No model-error floor is drawn.

Mean pT: Omega + anti-Omega | O-O, 5.36 TeV


ALICE SQM2026 | PDF page 10 | ALI-PREL-624516

Blue: extracted total-error edges

Magenta: edges expanded by 3 native pixels


Amber: error still assumed

Full source panel with annotations



Point checks: original pixels | annotated pixels


#1 <dNch/deta> = 26.91



Resolved
y = 1.49213
DAT error = 0.082278
(5.51% of y)
Exp. total: + / - 0.077577 / 0.077577

Edges y(px): 865.5, 964.5; center 915


#2 <dNch/deta> = 38.19



Resolved
y = 1.51643
DAT error = 0.07836
(5.17% of y)
Exp. total: + / - 0.073659 / 0.073659

Edges y(px): 852.5, 946.5; center 899.5


#3 <dNch/deta> = 51.31



Resolved
y = 1.53211
DAT error = 0.075226
(4.91% of y)
Exp. total: + / - 0.070524 / 0.070524

Edges y(px): 844.5, 934.5; center 889.5


#4 <dNch/deta> = 67.45



Resolved
y = 1.55093
DAT error = 0.073267
(4.72% of y)
Exp. total: + / - 0.068565 / 0.068565

Edges y(px): 834, 921.5; center 877.75


#5 <dNch/deta> = 87.22



Resolved
y = 1.57288
DAT error = 0.0717
(4.56% of y)
Exp. total: + / - 0.066998 / 0.066998

Edges y(px): 821, 906.5; center 863.75


#6 <dNch/deta> = 107.4



Resolved
y = 1.59483
DAT error = 0.068174
(4.27% of y)
Exp. total: + / - 0.063472 / 0.063472

Edges y(px): 809.5, 890.5; center 850

#7 <dNch/deta> = 130



Resolved
y = 1.63481
DAT error = 0.064647
(3.95% of y)
Exp. total: + / - 0.059946 / 0.059946

Edges y(px): 786, 862.5; center 824.25

Seven O-O points retained in this table.

7/7 uncertainties resolved. Source pixels are unchanged in the Original crops; all crops enlarged 2x with nearest-neighbour sampling.

For resolved points, DAT error = larger extracted +/- error, with the 3-pixel reading margin; the reading margin is separate from the experimental uncertainty.

Marks follow recorded source-pixel coordinates. Retained DAT central values can differ slightly from source centers. No model-error floor is drawn.

Integrated yield dN/dy: K0S | O-O, 5.36 TeV


ALICE SQM2026 | PDF page 21 | ALI-PREL-624421

Blue: extracted total-error edges

Magenta: edges expanded by 3 native pixels

Amber: error still assumed

Full source panel with annotations



Point checks: original pixels | annotated pixels

#1 <dNch/deta> = 11.71

Original / Overlay



ASSUMED

y = 0.777234

DAT error = 0.077723


(10.00% of y)

Endpoints hidden by filled marker.

No experimental error extracted; ring locates the point.

#2 <dNch/deta> = 26.9

Original / Overlay



ASSUMED

y = 1.66611

DAT error = 0.16661


(10.00% of y)

Endpoints hidden by filled marker.

No experimental error extracted; ring locates the point.

#3 <dNch/deta> = 37.84

Original / Overlay



ASSUMED

y = 2.28181

DAT error = 0.22818


(10.00% of y)

Endpoints hidden by filled marker.

No experimental error extracted; ring locates the point.

#4 <dNch/deta> = 51.06

Original / Overlay



ASSUMED

y = 3.0453

DAT error = 0.30453


(10.00% of y)

Endpoints hidden by filled marker.

No experimental error extracted; ring locates the point.

#5 <dNch/deta> = 67.02

Original / Overlay



ASSUMED

y = 4.01206

DAT error = 0.40121


(10.00% of y)

Endpoints hidden by filled marker.

No experimental error extracted; ring locates the point.

#6 <dNch/deta> = 87.28

Original / Overlay



ASSUMED

y = 5.24039

DAT error = 0.52404


(10.00% of y)

Endpoints hidden by filled marker.

No experimental error extracted; ring locates the point.

#7 <dNch/deta> = 106.7

Original / Overlay



ASSUMED

y = 6.41648

DAT error = 0.64165


(10.00% of y)

Endpoints hidden by filled marker.

No experimental error extracted; ring locates the point.

#8 <dNch/deta> = 129.5

Original / Overlay



ASSUMED

y = 7.75562

DAT error = 0.77556

(10.00% of y)

Endpoints hidden by filled marker.

No experimental error extracted; ring locates the point.

0/8 uncertainties resolved. Source pixels are unchanged in the Original crops; all crops enlarged 2x with nearest-neighbour sampling.

For resolved points, DAT error = larger extracted +/- error, with the 3-pixel reading margin; the reading margin is separate from the experimental uncertainty.

Marks follow recorded source-pixel coordinates. Retained DAT central values can differ slightly from source centers. No model-error floor is drawn.

Integrated yield dN/dy: Xi + anti-Xi | O-O, 5.36 TeV


ALICE SQM2026 | PDF page 21 | ALI-PREL-624142

Blue: extracted total-error edges

Magenta: edges expanded by 3 native pixels

Amber: error still assumed

Full source panel with annotations



Point checks: original pixels | annotated pixels

#1 <dNch/deta> = 11.72

Original / Overlay




Resolved
y = 0.0413888
DAT error = 0.0026356
(6.37% of y)
Exp. total: + / - 0.0012565 / 0.0019339

Edges y(px): 1219.5, 1232.5; center 1224.5

#2 <dNch/deta> = 26.81

Original / Overlay




ASSUMED
y = 0.123654
DAT error = 0.014838
(12.00% of y)
Endpoints hidden by filled marker.

No experimental error extracted; ring locates the point.

#3 <dNch/deta> = 37.76

Original / Overlay



ASSUMED
y = 0.176503
DAT error = 0.02118
(12.00% of y)
Endpoints hidden by filled marker.

No experimental error extracted; ring locates the point.

#4 <dNch/deta> = 51.02

Original / Overlay




ASSUMED
y = 0.245985
DAT error = 0.029518
(12.00% of y)
Endpoints hidden by filled marker.

No experimental error extracted; ring locates the point.

#5 <dNch/deta> = 67.11

Original / Overlay




ASSUMED
y = 0.337731
DAT error = 0.040528
(12.00% of y)
Endpoints hidden by filled marker.

No experimental error extracted; ring locates the point.

#6 <dNch/deta> = 87.41

Original / Overlay




ASSUMED
y = 0.456815
DAT error = 0.054818
(12.00% of y)
Endpoints hidden by filled marker.

No experimental error extracted; ring locates the point.

#7 <dNch/deta> = 107.1

Original / Overlay




ASSUMED
y = 0.573379
DAT error = 0.068805
(12.00% of y)
Endpoints hidden by filled marker.

No experimental error extracted; ring locates the point.

#8 <dNch/deta> = 128.7

Original / Overlay



ASSUMED
y = 0.711128
DAT error = 0.085335
(12.00% of y)
Endpoints hidden by filled marker.

No experimental error extracted; ring locates the point.

1/8 uncertainties resolved. Source pixels are unchanged in the Original crops; all crops enlarged 2x with nearest-neighbour sampling.

For resolved points, DAT error = larger extracted +/- error, with the 3-pixel reading margin; the reading margin is separate from the experimental uncertainty.

Marks follow recorded source-pixel coordinates. Retained DAT central values can differ slightly from source centers. No model-error floor is drawn.

Integrated yield dN/dy: Omega + anti-Omega | O-O, 5.36 TeV


ALICE SQM2026 | PDF page 21 | ALI-PREL-624147

Blue: extracted total-error edges

Magenta: edges expanded by 3 native pixels


Amber: error still assumed

Full source panel with annotations



Point checks: original pixels | annotated pixels


#1 <dNch/deta> = 11.75



Resolved
y = 0.00369834
DAT error = 0.00042632
(11.53% of y)
Exp. total: + / - 0.00034205 / 0.00035885

Edges y(px): 1191.5, 1219.5; center 1204.5


#2 <dNch/deta> = 26.95



Resolved
y = 0.0120058
DAT error = 0.0019387
(16.15% of y)
Exp. total: + / - 0.0016569 / 0.0014918

Edges y(px): 1011.5, 1050; center 1030.5


#3 <dNch/deta> = 37.87



Resolved
y = 0.0178495
DAT error = 0.0025858
(14.49% of y)
Exp. total: + / - 0.002053 / 0.002271

Edges y(px): 955, 991; center 971


#4 <dNch/deta> = 51.32



Resolved
y = 0.0258686
DAT error = 0.0037475
(14.49% of y)
Exp. total: + / - 0.0028774 / 0.0032913

Edges y(px): 902, 937.5; center 917.5


#5 <dNch/deta> = 66.82



Resolved
y = 0.0358675
DAT error = 0.0052288
(14.58% of y)
Exp. total: + / - 0.0043984 / 0.0043498

Edges y(px): 850, 886; center 867


#6 <dNch/deta> = 86.86



Resolved
y = 0.0511042
DAT error = 0.0075518
(14.78% of y)
Exp. total: + / - 0.0058778 / 0.0066536

Edges y(px): 801, 837.5; center 817


#7 <dNch/deta> = 106



Resolved
y = 0.0607933
DAT error = 0.0093349
(15.36% of y)
Exp. total: + / - 0.0072232 / 0.0082737

Edges y(px): 773.5, 811.5; center 790

#8 <dNch/deta> = 129.9



Resolved
y = 0.0792815
DAT error = 0.012174
(15.36% of y)
Exp. total: + / - 0.0079238 / 0.01079

Edges y(px): 738, 773.5; center 752

8/8 uncertainties resolved. Source pixels are unchanged in the Original crops; all crops enlarged 2x with nearest-neighbour sampling.

For resolved points, DAT error = larger extracted +/- error, with the 3-pixel reading margin; the reading margin is separate from the experimental uncertainty.

Marks follow recorded source-pixel coordinates. Retained DAT central values can differ slightly from source centers. No model-error floor is drawn.