

Connecting the Messenger Bot to ManyChat

Step-by-step instructions for whoever manages the ManyChat flow for m.me/woowpay.

When someone messages the WoowPay Page asking for their spin code, ManyChat should ask for their phone number, send it to our server, and reply with their unique code. The backend piece is already built and live — this guide covers only the ManyChat side, which is just filling in a few fields, no coding required.

1 What you'll need

- Access to the ManyChat account connected to the woowpay Facebook Page
- The endpoint details below (keep the secret private — see the warning at the end)
- About 10 minutes

2 Create or open the flow

In ManyChat, open (or create) the flow that runs when someone messages the Page — for example, triggered by a default reply, a keyword like "код", or a specific m.me link with a ref parameter for this campaign.

3 Ask for their phone number

Add a **User Input** step that asks something like:

"Урамшуулын кодоо авахын тулд бүртгэлтэй утасны дугаараа бичнэ үү."

Save the reply into a custom field — name it something like `phone_input`.

4 Add an External Request step

Add ManyChat's **External Request** action right after the phone number step, and fill it in exactly as follows:

Method	POST
URL	<code>https://jam1xs1lyqscxydkkwhe.supabase.co/functions/v1/lookup-code-by-phone</code>
Headers	<code>Content-Type: application/json</code> <code>x-bot-secret: Xs36n-NU0cL9EBMbZmmyTadCpLHl9RrcDkqEab7_d10</code>
Body (raw JSON)	<code>{"phone": "{{phone_input}}"}"</code>

Replace `{{phone_input}}` with whichever ManyChat field token you actually saved the phone number into in Step 3 — ManyChat will show a field picker when you click into the body box.

5 Map the response into ManyChat fields

The server replies with a small JSON object. In the External Request step's response mapping section, create ManyChat custom fields for each of these and map them:

```
found: true,  
code: "WC-AB1234",  
user_type: "client",  
spins_left: 2,  
link: "https://loyalty.woowpay.mn/?code=WC-AB1234"
```

If the phone number isn't found, the response is just `{"found": false}` — the other fields won't be present.

6 Branch on "found" and reply

Add a Condition step checking the `found` field:

- **If found = true** — send a message with the code and the link, e.g.:

"Таны код: {{code}}. Доорх товч дээр дараад шууд хүрдээ эргүүлээрэй 🔄"
Button → Open URL → `{{link}}`

Tapping that link takes them straight into the wheel with the code already filled in — they don't need to type anything.

- **If found = false** — send a fallback asking them to double-check the number or reply to talk to a person, e.g.:

"Таны дугаараар бүртгэл олдсонгүй. Дахин шалгаад бичнэ үү, эсвэл манай ажилтантай холбогдоно уу."

7 Test it before going live

Message the Page yourself using a phone number that's actually registered as a client, and confirm:

1. The bot asks for the phone number
2. You get back the correct code
3. The link opens the spin wheel with the code already entered

Then test once with a made-up phone number to confirm the "not found" fallback message reads correctly.

Keep the secret private. The `x-bot-secret` value above should only ever be pasted into the External Request header field inside ManyChat. Don't put it in a public doc, a Messenger reply, a spreadsheet others can see, or anywhere outside this one config field. If it's ever exposed, let the developer know so it can be rotated.

! Troubleshooting

Always "not found"	Double-check the phone field is being sent as digits only (spaces or a leading +976 can cause a mismatch), and that the person's number matches exactly what's on file.
401 / unauthorized	The <code>x-bot-secret</code> header is missing or doesn't match exactly — re-copy it, no extra spaces.
No response / timeout	Confirm the URL was pasted in full and the method is set to POST, not GET.