

FLASH



yourebike.store



52V 16AH

Battery
(Optional 21Ah
Second and 16Ah
Third Battery)



750-1500W Mid

Motor

Powerful rear, mid,
and all-wheel drive



20 MPH

Class 2 - Speed
limited, can be
unlocked to Class 3



Up to 220 Miles

Riding Range (with
Triple Battery)



440 lbs

Payload Capacity



5'2" ~ 6'4"

Recommended Rider
Heights



Ridiculous, but in an epic way!

That's enough range to do the Cannonball Run between Los Angeles and New York City with just 12 recharges. If you thought one single battery was passé and two batteries weren't enough, then the Eunorau Flash electric bike is probably the one for you.

Most longest Range E-bike

The FLASH electric bike comes with three battery options. If a single battery isn't enough, riders can add a second or a third battery. With all three batteries on board, the FLASH is said to achieve a range of 220 miles (354 km) on pedal assist 1. This long range makes it one of the longest traveling e-bikes in the industry.



Powerful and Stable Mid motor

It is a center-mounted drive which makes the bike's center of gravity not change greatly, which greatly ensures the balance and stability of the bike. It has superior waterproof performance and noise, and increases the practicality and stability of the motor. The motor has high-sensitivity torque sensor and speed sensor, which can realize precise control of the whole bike.

Specification

Battery: 52V16Ah Standard (Optional Top Tube 52V21Ah and Down Tube 52V17Ah Battery)

Range: 220 Miles (With 52V16Ah + 52V21Ah + 52V17Ah)

Motor: Mid Drive: 52V1000W Truckrun Mid Drive Motor with 220N.m Torque, AWD: 52V1500W Dual 750W Motor with 184N.m Torque, Rear Drive: 52V750W Rear Motor with 92N.m Torque

Total Payload Capacity: 440 lbs

Recommended Rider Heights: 5'2" ~ 6'4"

Maximum Speed: 20 MPH

Charger: US standard 2.0 A smart charger

Controller: 52V

Display: BC281 LCD Display

Weight: 82-92 lbs

Pedal Assist Intelligent: 0~5 level pedal assist

Components

Tires: CST 20" x 4.0"

Brakes: Hydraulic Disc Brakes

Brake Lever: Eunorau Brake Lever with Motor Cutoff Switch

Brake Rotor: Eunorau 180mm Front and Rear

Rear Light: Yes

Shifter: Mid Drive: SHIMANO 8-Speed Thumb Shifter, AWD & Rear Drive: Single Speed

Throttle: Thumb throttle

Spokes: Stainless Steel

Crank: 170mm forged alloy

Cassette: 44T / 36T

Front Fork: EXSHO STRONG-DH 80mm Travel Fork

Rear Shock: Mid Drive: Eunorau 290MM Double Rear Spring Suspension, AWD & Rear Drive: None

Pedal: High Quality Aluminum Pedals

Frame: Aluminum Alloy 6061 Full Suspension


Front Light: Yes

Saddle: JUSTGK Saddle

Tool: Included

Rims: 20 inch Black Alloy wheels

GEOMETRY



Weight Capacity.....440lbs/200kg

Rider Height Range.....5'2"-6'4"/ 158-193cm

Frame Dimensions:

Head Tube Length.....6.3"/ 16cm

Handlebar Height.....42.5"/ 108cm

Reach.....11"/ 28cm

Seat Height.....33.3"/ 84.5cm

Stand-Over Height.....30.7"/ 78cm

Wheel Base.....43"/ 109cm

Total Length.....68.5"/ 174cm

Complete sets and prices

Style	Battery	Final price
Rear-drive	Main Battery	\$1,999.00
Rear-drive	Add Third 52V17Ah Battery	\$2,598.00
Rear-drive	Add Second 52V21Ah Battery	\$2,698.00
Rear-drive	Add Second & Third Battery	\$3,297.00
AWD	Main Battery	\$2,199.00
AWD	Add Third 52V17Ah Battery	\$2,798.00
AWD	Add Second 52V21Ah Battery	\$2,898.00
AWD	Add Second & Third Battery	\$3,497.00
Mid-drive	Main Battery	\$2,499.00
Mid-drive	Add Third 52V17Ah Battery	\$3,098.00
Mid-drive	Add Second 52V21Ah Battery	\$3,198.00
Mid-drive	Add Second & Third Battery	\$3,797.00