

Tesla Certified Trade-In Wholesale Portal

Platform Setup & Technical Overview

How teslatradeins.com.au was built and deployed

Document version: 1.0
Domain: teslatradeins.com.au
Repository: github.com/DumpleDorf/tradeins
Date: June 2026

1. Introduction

This document describes how the **Tesla Certified Trade-In Wholesale Portal** was created, configured, and deployed. The platform allows Tesla employees to list certified trade-in vehicles for approved wholesale partners to browse and reserve.

Key principle: No payment is processed on the platform. Partners reserve vehicles; Tesla approves or rejects each reservation before any sale is considered final.

Technology stack

Component	Service	Purpose
Domain	GoDaddy	Domain registration & DNS
Hosting	Vercel	Website hosting & deployment
Source code	GitHub	Version control & auto-deploy
Database	Supabase (PostgreSQL)	User accounts, listings, reservations
Image storage	Supabase Storage	Vehicle photo uploads
Email (planned)	Resend	Reservation & approval notifications

Live URLs

Purpose	URL
Public site	https://teslatradeins.com.au
Tesla employee login	https://teslatradeins.com.au/login/tesla
Partner login	https://teslatradeins.com.au/login/partner

2. Domain setup (GoDaddy)

2.1 Purchase domain

The domain **teslatradeins.com.au** was registered through **GoDaddy**.

2.2 Connect domain to Vercel

1. Log in to vercel.com/dashboard
2. Open the project → **Settings** → **Domains**
3. Add `teslatradeins.com.au`

4. In **GoDaddy** → **My Products** → **DNS Management**, add the DNS records Vercel provides (typically an **A record** for `@` and/or a **CNAME** for `www`)
5. Wait 15–60 minutes for DNS propagation
6. Vercel automatically provisions HTTPS (SSL)

Note: GoDaddy is used for domain registration and DNS only. The website itself is hosted on Vercel, not GoDaddy web hosting.

3. Source code (GitHub)

3.1 Repository

Item	Detail
Repository	github.com/DumpleDorf/tradeins
Branch	main
Framework	Next.js 15 (React)
Local path	C:\Users\emccarthy\Projects\tesla-wholesale-portal

3.2 How code updates are deployed

1. Make changes to the project locally
2. Commit and push to GitHub:

```
git add .
git commit -m "Description of changes"
git push origin main
```

3. Vercel automatically detects the push and redeploys the site (usually within 2–5 minutes)

4. Hosting (Vercel)

4.1 Project configuration

Setting	Value
Project name	project-yjrus
Team	tesla-tradeins
Framework	Next.js
Build command	npm run build
Node version	24.x

4.2 Required environment variables

These are configured in **Vercel** → **Settings** → **Environment Variables**:

Variable	Purpose
AUTH_SECRET	Encrypts login sessions
POSTGRES_PRISMA_URL	Database connection (auto-set by Supabase)

POSTGRES_URL_NON_POOLING	Direct database connection (auto-set)
SUPABASE_URL	Supabase project URL (auto-set)
SUPABASE_SERVICE_ROLE_KEY	Image upload access (auto-set)
SUPABASE_STORAGE_BUCKET	vehicle-photos
NEXT_PUBLIC_APP_URL	https://teslatradeins.com.au

4.3 Redeploying after changes

After changing environment variables: **Deployments** → ... → **Redeploy**

5. Database (Supabase)

5.1 Project details

Item	Detail
Project name	supabase-violet-park
Region	Sydney (ap-southeast-2)
Database	PostgreSQL

5.2 How tables were created

Because the local network could not reach Supabase directly, tables were created using SQL in the **Supabase SQL Editor**:

1. Open Supabase Dashboard → **SQL Editor**
2. Run the script: `prisma/init.sql` (creates all tables)
3. Run the script: `prisma/seed.sql` (creates demo users and sample vehicle)
4. Run the script: `prisma/fix-logins.sql` (ensures password hashes are correct)

5.3 Database tables

Table	Purpose
User	Login accounts (Tesla staff, partners, super admin)
PartnerProfile	Partner company details
Vehicle	Trade-in vehicle listings
VehiclePhoto	Photos attached to listings
Reservation	Partner vehicle reservations
AuditLog	Record of all system actions
PasswordResetToken	Password reset requests
SystemSetting	App configuration

5.4 Image storage

Create a public storage bucket in Supabase:

1. Supabase Dashboard → **Storage** → **New bucket**
2. Name: `vehicle-photos`

3. Enable **Public bucket**

6. User roles

Role	Access
Super Admin	Manage all users, full audit log
Tesla Employee	Create listings, approve reservations, manage partners
Wholesale Partner	Browse inventory, reserve vehicles, view own reservations

Demo accounts (change before production use)

Role	Email	Password	Login page
Super Admin	superadmin@tesla.com	SuperAdmin123!	/login/tesla
Tesla Employee	lister@tesla.com	TeslaEmployee123!	/login/tesla
Partner	partner@wholesale.com	Partner123!	/login/partner

7. Vehicle status workflow

Available → Reserved → Pending Tesla Approval → Sold
↘ Rejected → Available (re-listed)

Status	Meaning
Available	Visible to all partners in inventory
Reserved	Hidden from other partners; awaiting Tesla review
Pending Tesla Approval	Reservation submitted; Tesla must approve or reject
Sold	Tesla approved the reservation
Rejected	Tesla rejected; vehicle returned to Available

8. Email setup (planned — Resend)

To enable automated emails (reservation alerts, approvals, rejections):

1. Create account at resend.com
2. Add domain `teslatradeins.com.au`
3. Add SPF/DKIM DNS records in GoDaddy (provided by Resend)
4. Add `RESEND_API_KEY` and `EMAIL_FROM` to Vercel environment variables
5. Redeploy

9. Troubleshooting

Problem	Solution
Site shows GoDaddy parking page	DNS not yet pointing to Vercel; check GoDaddy DNS records

Build fails on Vercel	Check deployment logs; ensure latest code is on GitHub <code>main</code> branch
Login fails	Confirm users exist in Supabase <code>user</code> table; run <code>fix-logins.sql</code> ; redeploy Vercel
No tables in Supabase	Run <code>init.sql</code> in SQL Editor
Photos won't upload	Create <code>vehicle-photos</code> bucket in Supabase Storage

10. Support contacts

Area	Contact / Resource
Domain (GoDaddy)	godaddy.com/help
Hosting (Vercel)	vercel.com/support
Database (Supabase)	supabase.com/docs
Source code	github.com/DumpleDorf/tradeins