

Advertisement Structure + Tagging System

Readable spec for founder + dev + creative operator

This document defines **how Table Clay stores, tags, assembles, and iterates ads** as structured objects (not just loose video files). It covers **all product lines**: Mini Pottery Wheel, Ceramic Travel Mug, and Aesthetic/Cute Mugs. The goal: make ads **searchable, remixable, and automation-ready**.

What your dev should take from this:

- A clear object model: Concept -> Modules -> Asset -> Variants.
- A tag system that behaves like a database schema (enums + examples), not vibes.
- Standard video types (templates) + required module stacks for each.
- Two workflows: (A) reverse-engineer an existing ad, (B) build from scratch.

Version: v3 (readability pass) | **Date:** 2026-02-04

Contents

- 1. Vocabulary and hierarchy (what exists in the system)
- 2. The object model (what the database stores)
- 3. Tagging system: purpose + rules
- 4. Tag dictionary (with examples by product line)
- 5. Video types + templates (what to produce)
- 6. Processes: Ad example -> new ad, and From scratch -> new ad
- 7. Full example records (Mini Wheel, Travel Mug, Aesthetic Mugs)

1. Vocabulary and hierarchy

These definitions are the backbone. If everyone uses them the same way, tags become consistent and automation works.

Hierarchy (top to bottom):

- **Campaign:** budget + optimization goal (platform wrapper).
- **Ad set:** audience + placement strategy (prospecting, retargeting, etc.).
- **Ad:** the creative decision unit (Angle x Format x Variant).
- **Asset:** the actual output files + ad copy fields.
- **Modules:** reusable building blocks (hook clip, demo clip, review overlay, end card).

Core terms (must be consistent):

- **Angle:** a persuasion lens / testable hypothesis (therapy, mess-controlled, leakproof commute, morning ritual).
- **Hook:** first 1-3 seconds that earns attention and frames interpretation.
- **Concept:** Angle + proof strategy + content type (the blueprint).
- **Variant:** same concept, one controlled change (hook swap, proof swap, pacing, caption, thumbnail).

If you only remember one thing: **the system optimizes concepts, not individual videos.** Videos are executions/variants of a concept.

2. Object model (what the database stores)

Your creative system should store finished assets and the ingredients used to build them.

Entities

- **ConceptCard**: the blueprint (angle, persona, objections, required proof beats, allowed formats, hook reservoir).
- **ProofCard**: one claim + the proof source (demo clip, spec, review, screenshot, guarantee).
- **ModuleClip**: atomic block (hook, demo, unboxing, cleanup, lifestyle, review overlay, end card) with crops and transcript.
- **Asset**: rendered output (video/static/carousel) + copy fields + module references + tags + performance metadata.
- **VariantSet**: a family of Assets that share a ConceptCard and differ by controlled variables.

Why this matters

- Query: show ads that address *mess* with a *demo* proof in *9x16* for *parents*.
- Generate variants mechanically (hook swap + proof swap) without rewriting everything.
- Learn at the concept/tag level (angle + proof type) instead of guessing from raw video files.

Minimum fields per Asset (practical)

- Stable ID (asset_id), version, status
- Product line + SKU/variant (if relevant)
- Format + ratio + placement targets
- Funnel intent/stage
- Angle + persona + objection targets
- Hook style + proof types
- Module stack (recipe used) + production notes (tools/models used)
- Performance fields (optional early): spend, impressions, thumbstop, hold, CTR, CPC, CPA, ROAS

3. Tagging system: purpose + rules

Tags are not decoration. Tags are **database keys** that let you: (1) retrieve assets fast, (2) generate variants safely, and (3) aggregate learnings.

What tags should let you answer

- What angle is working for each product line?
- Which objections are being resolved (and how)?
- Which proof types drive better early signals (thumbstop, CTR, ATC)?
- Which creative types should we produce more of next week?

Rules

- Use **enums** whenever possible (predefined values). Avoid free-text fragmentation.
- Keep tags **orthogonal**: each tag answers one question (angle vs hook style vs proof type).
- Always tag the **why** (angle/objection/proof), not just the **what** (format/ratio).
- When unsure: choose the most central intent of the ad.

Filename convention (parseable)

Use a filename that encodes the highest-importance tags. The system should parse filename -> tags and tags -> filename.

Template

[Brand]_[ProductLine]_[Format]_[FunnelStage]_[Concept]_[Angle]_[ProofType]_[HookKey]_[V#]_[Ratio]

Examples (one per product line)

TableClay_mini_wheel_video_tof_pottery_therapy_demo_asmr_calm_V3_9x16
TableClay_travel_mug_video_tof_leakproof_test_demo_spillproof_V1_9x16
TableClay_aesthetic_mugs_carousel_mof_morning_ritual_social_proof_cozy_V2_4x5

4. Tag dictionary (with examples)

Canonical tags your system should store. For key persuasion tags we include example value libraries by product line.

Identity + placement

asset_id (type: string)

Stable ID (UUID or slug).

product_line (type: string)

High-level product group.

Allowed values: mini_wheel, travel_mug, aesthetic_mugs

product_sku (type: string)

Optional SKU or variant label.

format (type: string)

Allowed values: video, static, carousel

ratio (type: string)

Allowed values: 9x16, 4x5, 1x1

placement (type: array)

Where it is intended to run.

Strategy (funnel + persuasion)

funnel_intent (type: string)

Intent stages used in the Table Clay content framework.

Allowed values: discover, validate, decide, commit

funnel_stage (type: string)

Optional shorthand stage label.

Allowed values: tof, mof, bof, rt

angle (type: string)

Angle name (testable persuasion hypothesis).

Examples by product line:

mini_wheel: pottery_therapy, screen_free_family, beginner_confidence, mess_managed, giftable_date_night
travel_mug: leakproof_commute, keeps_hot, fits_cupholder, handmade_aesthetic, giftable_everyday
aesthetic_mugs: morning_ritual, cozy_home, desk_companion, cute_gift, collectible_drops

persona (type: string)

Primary audience persona.

Allowed values: apartment_adult, beginner_maker, parent, gift_seeker, coffee_commuter, aesthetic_home

Examples by product line:

mini_wheel: adult_hobbyist, apartment_dweller, parent, gift_seeker
travel_mug: commuter, office_worker, student, gift_seeker, coffee_person
aesthetic_mugs: home_decor, coffee_person, gift_seeker, collector

intent_context (type: string)

User situation / job-to-be-done context.

Allowed values: stress_reset, screen_free_time, coffee_ritual, commute, gift, home_decor

objection_targets (type: array)

Common objection targets by product line:

mini_wheel: space, mess, learning_curve, is_it_real_clay, time
travel_mug: leaks, heat_retention, lid_quality, fragile, cupholder_fit
aesthetic_mugs: breakage, size, dishwasher_safe, price, shipping

Creative (hook + proof + offer)

hook_style (type: string)

Allowed values: pattern_interrupt, pov_confession, question, asmr, before_after, myth_bust, fast_demo, aesthetic_loop

Hook style examples:

asmr, pattern_interrupt, pov_confession, question, before_after, challenge

proof_types (type: array)

Which proof categories are present.

Common proof types by product line:

mini_wheel: demo, outcome, objection_kill, social_proof, specs

travel_mug: test, demo, comparison, social_proof, specs

aesthetic_mugs: social_proof, lifestyle, ugc, specs, risk_reversal

offer_type (type: string)

How the offer is framed (if at all).

Allowed values: none, bundle, free_shipping, limited_drop, giftable, discount

creative_type (type: string)

Creative family/type.

Allowed values: paid_ugc, native_demo, product_cinematic, static_graphic, carousel_micro_lp, long_form

Assembly + production

module_stack (type: array)

Ordered modules used to assemble the asset.

production (type: object)

Lifecycle

status (type: string)

Allowed values: draft, qa_failed, approved, live, winner, stale, retired

version (type: string)

Example: v1, v2, v3 or semver.

5. Video types + templates (what to produce)

Repeatable formats. Each type has a default module recipe so production and variant generation stay consistent.

UGC voiceover (no face required)

- Hook (1-2s) -> hands/product demo (6-10s) -> proof beat (3-6s) -> CTA/end card (2-3s)
- Use when: you want speed + authenticity, and the product can be shown clearly.
- Works for: mini_wheel (hands centering clay), travel_mug (spill test), mugs (morning pour).

Native demo / POV (creator style)

- Hook (confession/question) -> quick demo -> outcome -> objection kill -> CTA
- Use when: you need a relatable scenario (commute, messy kids, noisy brain).

Product cinematic (aesthetic B-roll)

- Hook (visual beauty) -> feature close-ups -> lifestyle moment -> proof overlay -> CTA
- Use when: the product is visually strong (glaze, steam, handmade texture).

Carousel as micro landing page

- Card1: Hook/claim -> Card2: proof/demo -> Card3: social proof -> Card4: offer/CTA
- Use when: you need clarity and structure. Great for mid-funnel validation.

Static (single claim + proof)

- Hero photo -> 1 clear claim -> 1 proof element -> CTA
- Use when: you need fast iteration on copy/proof without video production.

Retarget cutdown (6-10s)

- Take top-performing video -> keep strongest hook + 1 proof beat + CTA
- Use when: warm audiences need a reminder, not a full education.

6. Processes (how ads are created)

Two routes: (A) translate an existing ad example, (B) build from scratch via angle-first planning.

A) Ad example -> new Table Clay ad

- **Ingest:** save the example and tag it (format, hook style, angle guess, proof type, objection addressed).
- **Extract structure:** map beats (Hook -> Demo -> Proof -> Outcome -> CTA).
- **Translate:** keep structure, swap Table Clay visuals + proof cards (only claims you can prove).
- **Variant plan:** controlled swaps (e.g., 3 hooks x 2 proofs x 2 CTAs).
- **Render:** export ratios (9x16, 4x5, 1x1) and store with tags + filename schema.
- **Launch + learn:** attribute results back to angle/proof/hook tags.

B) From scratch -> new ad (angle-first)

- **Select angle** (per product line) + persona + intent context.
- **Define proof stack:** pick 2-3 proof types required to make the claim believable.
- **Create hook reservoir:** 10-20 hook lines or hook visuals for the angle.
- **Choose a video template:** UGC voiceover, native POV, cinematic, carousel, static.
- **Assemble module stack** and generate variants.
- **QA:** confirm each claim has attached proof (review/demo/spec).

7. Full example records (copy-paste patterns)

Sample Asset records with tags + module stacks. Use as fixtures for testing.

Mini Wheel - Pottery Therapy (UGC voiceover)

Filename: TableClay_mini_wheel_video_tof_pottery_therapy_demo_asmr_calm_V3_9x16

Tags (record):

```
{
  "product_line": "mini_wheel",
  "format": "video",
  "ratio": "9x16",
  "funnel_intent": "discover",
  "funnel_stage": "tof",
  "angle": "pottery_therapy",
  "persona": [
    "adult_hobbyist",
    "apartment_dweller"
  ],
  "intent_context": "brain_loud_after_work",
  "objection_targets": [
    "space",
    "learning_curve"
  ],
  "hook_style": "asmr",
  "proof_types": [
    "demo",
    "outcome",
    "social_proof"
  ],
  "creative_type": "ugc_voiceover",
  "offer_type": "starter_bundle",
  "module_stack": [
    "hook_asmr_spin",
    "demo_center_clay",
    "outcome_finished_piece",
    "proof_reviews_overlay",
    "cta_endcard"
  ]
}
```

Script/structure:

Hook: 'When my brain gets loud, I do this.' -> hands centering clay -> show tiny piece -> overlay reviews -> CTA.

Mini Wheel - Screen-Free Family (Native POV)

Filename: TableClay_mini_wheel_video_tof_screen_free_family_demo_parent_relief_V1_9x16

Tags (record):

```
{
  "product_line": "mini_wheel",
  "format": "video",
  "ratio": "9x16",
  "funnel_intent": "discover",
  "funnel_stage": "tof",
  "angle": "screen_free_family",
  "persona": [
    "parent"
  ],
  "intent_context": "after_school_activity",
  "objection_targets": [
    "mess",
    "learning_curve"
  ],
  "hook_style": "pov_confession",
  "proof_types": [
    "demo",
    "objection_kill",
    "outcome"
  ],
  "creative_type": "native_pov",
  "offer_type": "gift_or_activity",
  "module_stack": [
    "hook_parent_confession",
    "demo_kid_focus",
    "cleanup_easy_wipe",
    "outcome_proud_child",
    "cta_endcard"
  ]
}
```

Script/structure:

Hook: 'Need a screen-free activity that actually holds attention?' -> kid making -> wipe-down proof -> result -> CTA.

Travel Mug - Leakproof Commute Test (Demo/Test)

Filename: TableClay_travel_mug_video_tof_leakproof_test_demo_spillproof_V1_9x16

Tags (record):

```
{
  "product_line": "travel_mug",
  "format": "video",
  "ratio": "9x16",
  "funnel_intent": "discover",
  "funnel_stage": "tof",
  "angle": "leakproof_commute",
  "persona": [
```

```

"commuter",
"office_worker"
],
"intent_context": "bag_throw_test",
"objection_targets": [
"leaks",
"lid_quality",
"fragile"
],
"hook_style": "challenge",
"proof_types": [
"test",
"demo",
"specs"
],
"creative_type": "native_demo",
"offer_type": "single_product",
"module_stack": [
"hook_spill_challenge",
"test_shake_in_bag",
"demo_open_no_leak",
"spec_overlay_materials",
"cta_endcard"
]
}

```

Script/structure:

Hook: 'If this leaks, I'm done.' -> shake test in bag -> open, no leak -> spec overlay -> CTA.

Travel Mug - Keeps Hot (Proof overlay)

Filename: TableClay_travel_mug_video_mof_keeps_hot_test_specs_heat_V2_4x5

Tags (record):

```

{
"product_line": "travel_mug",
"format": "video",
"ratio": "4x5",
"funnel_intent": "validate",
"funnel_stage": "mof",
"angle": "keeps_hot",
"persona": [
"coffee_person",
"student"
],
"intent_context": "long_study_session",
"objection_targets": [
"heat_retention",
"price"
]
}

```

```

],
"hook_style": "question",
"proof_types": [
  "test",
  "specs",
  "social_proof"
],
"creative_type": "ugc_voiceover",
"offer_type": "single_product",
"module_stack": [
  "hook_hot_longer",
  "test_temp_readout",
  "spec_overlay",
  "proof_review_quote",
  "cta_endcard"
]
}

```

Script/structure:

Hook: 'How long does it actually stay hot?' -> temp readout -> specs -> 1 review quote -> CTA.

Aesthetic Mugs - Morning Ritual Carousel

Filename: TableClay_aesthetic_mugs_carousel_mof_morning_ritual_social_proof_cozy_V2_4x5

Tags (record):

```

{
  "product_line": "aesthetic_mugs",
  "format": "carousel",
  "ratio": "4x5",
  "funnel_intent": "validate",
  "funnel_stage": "mof",
  "angle": "morning_ritual",
  "persona": [
    "home_decor",
    "coffee_person"
  ],
  "intent_context": "cozy_morning",
  "objection_targets": [
    "price",
    "shipping"
  ],
  "hook_style": "visual",
  "proof_types": [
    "lifestyle",
    "social_proof",
    "risk_reversal"
  ],
}

```



```

"creative_type": "carousel_micro_lp",
"offer_type": "limited_drop",
"module_stack": [
"card1_hero_mug_pour",
"card2_handmade_closeup",
"card3_reviews_grid",
"card4_shipping_returns_cta"
]
}

```

Script/structure:

Carousel: hook image -> handmade texture closeup -> reviews -> shipping/returns + CTA.

Aesthetic Mugs - Giftable Cute Mug (Static)

Filename: TableClay_aesthetic_mugs_static_bof_cute_gift_social_proof_gift_V1_1x1

Tags (record):

```

{
"product_line": "aesthetic_mugs",
"format": "static",
"ratio": "1x1",
"funnel_intent": "decide",
"funnel_stage": "bof",
"angle": "cute_gift",
"persona": [
"gift_seeker"
],
"intent_context": "birthday_or_valentines",
"objection_targets": [
"breakage",
"shipping"
],
"hook_style": "visual",
"proof_types": [
"social_proof",
"risk_reversal"
],
"creative_type": "static_graphic",
"offer_type": "giftable",
"module_stack": [
"hero_photo",
"badge_reviews",
"shipping_protection_line",
"cta_button_mock"
]
}

```

Script/structure:

Static: hero mug + 'Gift-ready' + reviews badge + shipping protection line + CTA.
