

HTML elements often contains text. To create a button with text, use the innerText or innerHTML properties of the element object:

Example

Create a button with text:

```
var btn = document.createElement("BUTTON");  // Create a <button> element
btn.innerHTML = "CLICK ME";  // Insert text
document.body.appendChild(btn);  // Append <button> to <body>
```



ADVERTISEMENT

More "Try it Yourself" examples below.

Definition and Usage

The createElement() method creates an Element Node with the specified name.

Tip: After the element is created, use the <u>element.appendChild()</u> or <u>element.insertBefore()</u> method to insert it to the document.

Browser Support

Method	©	e			0
createElement()	Yes	Yes	Yes	Yes	Yes


Syntax

document.createElement(nodename)

Parameter Values

Parameter	Туре	Description
nodename	String	Required. The name of the element you want to create

ADVERTISEMENT



Technical Details

Return Value:	An Element object, which represents the created Element node
DOM Version:	Core Level 1 Document Object

More Examples

Example

Create a element with some text, use innerText to set the text, and append it to
the document:

Try it Yourself »



< Document Object


ADVERTISEMENT

ADVERTISEMENT

HTML



Tabs Dropdowns



Range Sliders **Tooltips** Slideshow Filter List Sort List

SHARE








CERTIFICATES
HTML
CSS
JavaScript
Python
SQL
PHP
And more

ADVERTISEMENT

ADVERTISEMENT

EXERCISES ▼



REPORT ERROR
FORUM
ABOUT
SHOP

Top Tutorials

HTML Tutorial
CSS Tutorial
JavaScript Tutorial
How To Tutorial
SQL Tutorial
Python Tutorial
W3.CSS Tutorial
Bootstrap Tutorial
PHP Tutorial
Java Tutorial
jQuery Tutorial

Top References

HTML Reference
CSS Reference
JavaScript Reference
SQL Reference
Python Reference
W3.CSS Reference
Bootstrap Reference
PHP Reference
HTML Colors

ADVERTISEMENT

Top Examples

HTML Examples
CSS Examples
JavaScript Examples
How To Examples
SQL Examples
Python Examples
W3.CSS Examples
Bootstrap Examples
PHP Examples
Java Examples
XML Examples
jQuery Examples

Web Certificates

HTML Certificate
CSS Certificate
JavaScript Certificate
SQL Certificate
Python Certificate
PHP Certificate
Bootstrap Certificate
XML Certificate
jQuery Certificate

Get Certified »

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our terms of use, cookie and privacy policy.

Copyright 1999-2020 by Refsnes Data. All Rights Reserved. W3Schools is Powered by W3.CSS.

