

draw the figure, get the math

OPEN



# PHP - AJAX and MySQL

< Previous

Next >

AJAX can be used for interactive communication with a database.

## AJAX Database Example

The following example will demonstrate how a web page can fetch information from a database with AJAX:

### Example

Select a person: ▼

**Person info will be listed here...**

## Example Explained - The MySQL Database

The database table we use in the example above looks like this:

id	FirstName	LastName	Age	Hometown	Job
1	Peter	Griffin	41	Quahog	Brewery

≡	🏠	HTML	CSS	MORE ▼	EXERCISES ▼	🕒	🔍
3	Joseph	Swanson	39	Quahog	Police Officer		
4	Glenn	Quagmire	41	Quahog	Pilot		

## Example Explained

In the example above, when a user selects a person in the dropdown list above, a function called "showUser()" is executed.

The function is triggered by the onchange event.

Here is the HTML code:

### Example

```
<html>
<head>
<script>
function showUser(str) {
    if (str == "") {
        document.getElementById("txtHint").innerHTML = "";
        return;
    } else {
        var xmlhttp = new XMLHttpRequest();
        xmlhttp.onreadystatechange = function() {
            if (this.readyState == 4 && this.status == 200) {
                document.getElementById("txtHint").innerHTML = this.responseText;
            }
        };
        xmlhttp.open("GET","getuser.php?q="+str,true);
        xmlhttp.send();
    }
}
</script>
</head>
<body>

<form>
```

```
<option value="1">Peter Griffin</option>
<option value="2">Lois Griffin</option>
<option value="3">Joseph Swanson</option>
<option value="4">Glenn Quagmire</option>
</select>
</form>
<br>
<div id="txtHint"><b>Person info will be listed here...</b></div>



</body>
</html>
```

[Run example »](#)

### Code explanation:

First, check if person is selected. If no person is selected (`str == ""`), clear the content of `txtHint` and exit the function. If a person is selected, do the following:

- Create an XMLHttpRequest object
- Create the function to be executed when the server response is ready
- Send the request off to a file on the server
- Notice that a parameter (`q`) is added to the URL (with the content of the dropdown list)



## FairValley Heights Apartments

### Upcoming Development

Efficiently designed 1,2, 3 BR apartments & 4BR villas. Available at affordable pricing  
[properties.fairdeal.co.ke](http://properties.fairdeal.co.ke)

**OPEN**

The page on the server called by the JavaScript above is a PHP file called "getuser.php".

The source code in "getuser.php" runs a query against a MySQL database, and returns the result in an HTML table:

```
<!DOCTYPE html>
<html>
<head>
<style>
table {
    width: 100%;
    border-collapse: collapse;
}

table, td, th {
    border: 1px solid black;
    padding: 5px;
}

th {text-align: left;}
</style>
</head>
<body>

<?php
$q = intval($_GET['q']);

$con = mysqli_connect('localhost','peter','abc123','my_db');
if (!$con) {
    die('Could not connect: ' . mysqli_error($con));
}

mysqli_select_db($con,"ajax_demo");
$sql="SELECT * FROM user WHERE id = '". $q ."'";
$result = mysqli_query($con,$sql);

echo "<table>
<tr>
<th>Firstname</th>
<th>Lastname</th>
```

```
<th>Job</th>
</tr>";
while($row = mysqli_fetch_array($result)) {
    echo "<tr>";
    echo "<td>" . $row['FirstName'] . "</td>";
    echo "<td>" . $row['LastName'] . "</td>";
    echo "<td>" . $row['Age'] . "</td>";
    echo "<td>" . $row['Hometown'] . "</td>";
    echo "<td>" . $row['Job'] . "</td>";
    echo "</tr>";
}
echo "</table>";
mysqli_close($con);
?>
</body>
</html>
```

Explanation: When the query is sent from the JavaScript to the PHP file, the following happens:

1. PHP opens a connection to a MySQL server
2. The correct person is found
3. An HTML table is created, filled with data, and sent back to the "txtHint" placeholder

[< Previous](#)[Next >](#)



HTML

CSS

MORE ▼

EXERCISES ▼

**Mathematical Modeling**

Free browser-based  
mathematical modeling.  
geometryexpressions.com

**COLOR PICKER****SHOP****HOW TO**

Tabs  
Dropdowns



HTML

CSS

MORE ▼

EXERCISES ▼



Top Navigation  
Modal Boxes  
Progress Bars  
Parallax  
Login Form  
HTML Includes  
Google Maps  
Range Sliders  
Tooltips  
Slideshow  
Filter List  
Sort List

SHARE



## CERTIFICATES

HTML

CSS

JavaScript

Python






SQL


PHP

And more

by

W3.CSS





**We build amazing Websites**

We offer Website & App Development services for all business types in Kenya.

Onion Smart Solutions

OPEN

>



[FORUM](#)[ABOUT](#)[SHOP](#)

---

## Top Tutorials

- [HTML Tutorial](#)
- [CSS Tutorial](#)
- [JavaScript Tutorial](#)
- [How To Tutorial](#)
- [SQL Tutorial](#)
- [Python Tutorial](#)
- [W3.CSS Tutorial](#)
- [Bootstrap Tutorial](#)
- [PHP Tutorial](#)
- [Java Tutorial](#)
- [C++ Tutorial](#)
- [jQuery Tutorial](#)

## Top References

- [HTML Reference](#)
- [CSS Reference](#)
- [JavaScript Reference](#)
- [SQL Reference](#)
- [Python Reference](#)
- [W3.CSS Reference](#)
- [Bootstrap Reference](#)
- [PHP Reference](#)
- [HTML Colors](#)
- [Java Reference](#)
- [Angular Reference](#)
- [jQuery Reference](#)

## Top Examples

- [HTML Examples](#)
- [CSS Examples](#)
- [JavaScript Examples](#)
- [How To Examples](#)
- [SQL Examples](#)
- [Python Examples](#)
- [W3.CSS Examples](#)
- [Bootstrap Examples](#)
- [PHP Examples](#)
- [Java Examples](#)



HTML

CSS

MORE ▼

EXERCISES ▼



## Web Certificates

[HTML Certificate](#)[CSS Certificate](#)[JavaScript Certificate](#)[SQL Certificate](#)[Python Certificate](#)[PHP Certificate](#)[Bootstrap Certificate](#)[XML Certificate](#)[jQuery Certificate](#)[Get Certified »](#)

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our terms of use, cookie and privacy policy.

Copyright 1999-2020 by Refsnes Data. All Rights Reserved.  
W3Schools is Powered by W3.CSS.

