Chapter 12 Intro to Networking Exam

Candidate: Dunkan Gibson (dunkan.gibson)
Date: 11/9/2021 7:00:35 pm • Time spent: 12:52

Score: 100% Passing Score: 80%

Question 1: ✔ Correct

Match each interoperability agreement document on the left with the appropriate description on the right. Each document may be used once, more than once, or not at all.

Specifies exactly which services will be performed by each party.

✔ SLA

Binds a vendor in an agreement to provide services on an ongoing basis.

✔ BPO

Provides a summary of which party is responsible for performing specific tasks.

✔ MOU

Documents how the networks will be connected.Defines how disputes will be managed.

✔ ISA

✔ SLA

Specifies a preset discounted pricing structure.

✔ BPO

EXPLANATION

Several key documents that may be included within an interoperability agreement (IA):

- A service level agreement (SLA) specifies exactly which services will be performed by the third party and what level of performance they guarantee. An SLA may also provide warranties, specify disaster recovery procedures, define how disputes will be managed, and specify when the agreement will be terminated.
- A blanket purchase order (BPO) is an agreement with a third party vendor that the vendor will provide services on an ongoing basis. BPOs are typically negotiated to take advantage of a preset discounted pricing structure.
- A memorandum of understanding (MOU) is a very important document that provides a brief summary of which party in the relationship is responsible for performing specific tasks. In essence, the MOU specifies who is going to do what and when.
- An interconnection security agreement (ISA) documents how the information systems of each party in the relationship will be connected and how they will share data.

REFERENCES

LabSim for Network Pro, Section 12.3.

Question 2: ✔ Correct

What is the most common security policy failure?

- ➡ Lack of user awareness
- Improperly outlined procedures
- Overlooked critical assets
- Failure to assign responsibilities

EXPLANATION

The most common security policy failure is a lack of user awareness. If users are not aware of the policies to follow or procedures to comply with, they do not know how to perform their work tasks securely.

When an organization makes the effort to produce a security policy, improperly outlined procedures are rarely a problem. This issue is usually discovered and corrected early in the security policy development process. Overlooking critical assets is not a common problem. During the asset identification stage of risk analysis and security policy development, every asset is examined for importance. A security policy is not complete unless it assigns specific tasks and responsibilities to roles and individuals within the organization.

REFERENCES

LabSim for Network Pro, Section 12.3.

Question 3: ✔ Correct

In business continuity planning, what is the primary focus of the scope?

- Recovery time objective
- Company assets
- Business processes
- Human life and safety

EXPLANATION

Business processes are the primary focus of the scope of BCP.

Company assets are the focus of risk assessment for security policy development, not BCP. Human life and safety are considerations for emergency response, but are not the focus of the BCP scope. Recovery time objective is a consideration in the development of emergency response, not an aspect of BCP scope.

REFERENCES

LabSim for Network Pro, Section 12.2.

Question 4: ✔ Correct

Which of the following information are you likely to find in a procedure document?

- A record of the repairs made to a specific device.
- An inventory of the hardware components in a specific device.
- The relationship of routers to other routers on the network.
- ➡ Details on how to test and deploy patches.

EXPLANATION

A procedure is a step-by-step process outlining how to implement a specific action. For example, you might have a procedure document that identifies how patches are tested and applied within your network.

Change, or history, documentation keeps track of changes to the configuration of a device or the network. For example, you might record a change in a network interface card in a device, or a repair to a WAN link.

Configuration documentation identifies specific configuration information for a device. For example, the document might identify the hardware components within a device.

A network diagram shows the logical and/or physical layout of your network. The network diagram could be a collection of diagrams showing the location and IP addresses of hubs, switches, routers, and firewalls.

REFERENCES

LabSim for Network Pro, Section 12.1.

Question 5: ✔ Correct

Which business document is a contract that defines a set of terms that will govern future agreements between two parties?

- Statement of work
- ➡ Master service agreement
- Interconnection security agreement
- Memorandum of understanding

EXPLANATION

A master service agreement is a contract that defines terms that will govern future agreements between two parties. The purpose of this document is to allow the parties to quickly negotiate future agreements without having to repetitively renegotiate the same terms over and over.

A statement of work is a contract that defines the tasks, time frame, and deliverables that a vendor agrees to with a client. A memorandum of understanding provides a brief summary of which party in the relationship is responsible for performing specific tasks. An interconnection security agreement documents how the information systems of each party in the relationship will be connected and how they will share data.

REFERENCES

LabSim for Network Pro, Section 12.3.

Question 6: ✔ Correct

Which of the following is an example of privilege escalation?

- Separation of duties
- Principle of least privilege
- Mandatory vacations
- Creeping privileges

EXPLANATION

Creeping privileges is what occurs when a user's job position changes, so the user is granted a new set of access privileges--but the user's previous access privileges are not removed. As a result, the user accumulates privileges over time that are not necessary for their current work tasks. This is a form of privilege escalation.

Principle of least privilege and separation of duties are countermeasures against privilege escalation. Mandatory vacations are used to perform peer reviewing. Mandatory vacations require cross-trained personnel and help detect mistakes and fraud.

REFERENCES

LabSim for Network Pro, Section 12.3.

Question 7: ✔ Correct

Your company has developed and implemented countermeasures for the greatest risks to their assets. However, there is still some risk left. What is the remaining risk called?

- ➡ Residual risk
- Risk
- Exposure
- Loss

EXPLANATION

Residual risk is the portion of risk that remains after a countermeasure is implemented. There will almost always be some residual risk.

Exposure is the vulnerability of losses from a threat agent. Risk is the likelihood of a vulnerability being exploited. A loss is the real damages to an asset that reduces its confidentiality, integrity, or availability.

REFERENCES

LabSim for Network Pro, Section 12.2.

Question 8: ✔ Correct

Match each third-party integration phase on the left with the tasks that need to be completed during that phase on the right. Each phase may be used once, more than once, or not at all.

Communicate vulnerability assessment findings with the other party.

✔ Ongoing operations

Disable VPN configurations that allow partner access to your network.

✔ Off-boarding

Compare your organization's security policies with the partner's policies.

✔ Onboarding

Disable the domain trust relationship between networks.Identify how privacy will be protected.

✔ Off-boarding

✔ Onboarding

Draft an ISA.

✔ Onboarding

Conduct regular security audits.

✔ Ongoing operations

EXPLANATION

During the onboarding phase of a relationship you should take steps to ensure that the integration process maintains the security of each party's network by completing tasks, such as:

- Comparing your organization's security policies and infrastructure against each partner organization's policies and infrastructure.
- Identifying how privacy will be protected.
- Drafting an ISA to document how the information systems of each party in the relationship will be connected and how they will share data.

During the ongoing operations phase of the relationship you need to verify that all parties are abiding by the Interoperability Agreement documents. To do this, you should:

- Conduct regular security audits to ensure that each party in the relationship is following the security-related aspects of the IA documents.
- Communicate vulnerability assessment and security audit findings with all of the parties in the relationship to maintain risk awareness.

When the relationship with the third party ends, you need to ensure that all of the doors that were opened between organizations during the onboarding phase are closed by completing tasks, such as:

- Disabling any VPN, firewall, router, or switch configurations that allowed access to your network from the third-party network.
- Disabling any domain trust relationships that were established between the organizations.

REFERENCES

LabSim for Network Pro, Section 12.3.

Question 9: ✔ Correct

Arrange the steps in the change and configuration management process on the left into correct completion order on the right.

Step 1

✔ Identify the need for a

Step 2

✔ Conduct a feasibility analysis

Step 3

✔ Define the procedure for implementing the change.

Step 4

✔ Notify affected parties of the change.

Step 5

✔ Implement the change.

Step 6

✔ Test the implementation.

Step 7

✔ Document the change.

EXPLANATION

The change and configuration management processes used in most organizations include the following steps:

- Identify the need for a change.
- Conduct a feasibility analysis that includes technical and budgetary considerations. Identify any potential impacts to the network.
- Define a procedure for implementing the change.
- Notify all affected parties of the pending change.
- Implement the change. This includes identifying a maintenance window when the system will be unavailable.
- Test the implementation to make sure it conforms to the plan and does not adversely affect the network.
- Document the change.

REFERENCES

LabSim for Network Pro, Section 12.3.

Question 10: ✔ Correct

If an organization shows sufficient due care, which burden is eliminated in the event of a security breach?

- Investigation
- Asset loss
- Liability
- ➡ Negligence

EXPLANATION

An organization with sufficient due care has shown that they have taken every reasonable effort to protect their assets and environment. If a security breach occurs, then the organization is not held negligent for the losses.

Even with a strong security solution, asset loss is always possible. Even with strong due care, an organization is still liable for damages incurred. Due care does not remove requirement to investigate security breaches.

REFERENCES

LabSim for Network Pro, Section 12.2.

Question 11: ✔ Correct

Which of the following is a policy that defines appropriate and inappropriate activities and usage for company resources, assets, and communications?

- Business impact analysis (BIA)
- ➡ Acceptable use policy (AUP)
- Business continuity plan (BCP)
- Disaster recovery plan (DRP)

EXPLANATION

An acceptable use policy defines appropriate and inappropriate activities and usage for company resources, assets, and communications.

The business impact analysis (BIA) identifies critical processes/assets and the effect of their loss on the company. The disaster recovery plan (DRP) addresses how the corporation will respond to a disaster. The business continuity plan (BCP) addresses how the corporation will respond to the disruption of critical systems.

REFERENCES

LabSim for Network Pro, Section 12.3.

Question 12: ✔ Correct

Over the last month, you have noticed a significant increase in the occurrence of inappropriate activities performed by employees. What is the best first response step to take in order to improve or maintain the security level of the environment?

- Terminate all offenders.
- Reduce all employee permissions and privileges.
- ➡ Improve and hold new awareness training.
- Initiate stronger auditing.

EXPLANATION

The best response in this situation is to improve and hold new awareness sessions. If everyone is being lax in avoiding inappropriate behavior, either they have forgotten what is appropriate or a new trend has started that needs to be diverted. Either way, new awareness training should greatly reduce occurrences.

Termination should only be considered after repeated attempts to re-train and warn the offenders. Firing staff based on initial trend the data of inappropriate activities is too severe a response. Reducing permissions and privileges is a step to take after re-training. Otherwise, it could severely interfere with the staff's ability to accomplish their work tasks. Initiating stronger auditing will not directly address the problem--it will just uncover more evidence of the trend of increasing inappropriate activity.

REFERENCES

LabSim for Network Pro, Section 12.3.

Question 13: ✔ Correct

Which of the following documents would likely identify that drop cables on your network use the T568A standard?

- Change log
- Network diagram
- Baseline
- Policy
- ➡ Wiring schematic

EXPLANATION

A wiring schematic is a type of network diagram that focuses on the physical connections between devices. In this example, the wiring schematic would include the pin connector standard to use. This information might also be included in a procedure document. A procedure is a step-by-step process that outlines how to implement a specific action.

A policy is a document that describes the overall goals and requirements for a network. A policy identifies what should be done, but may not necessarily define how the goal is to be reached. In this example, the policy might state that a consistent wiring scheme should be used, but that scheme would be detailed in the procedure document or a wiring schematic.

A network diagram shows the logical and/or physical layout of your network. Change or history documentation keeps track of changes to the configuration of a device or the network. A baseline is a snapshot of the network or device performance statistics.

REFERENCES

LabSim for Network Pro, Section 12.1.

Question 14: ✔ Correct

You are troubleshooting a workstation connection to the network. During your troubleshooting, you move the cable in the wiring closet to a different port on the patch panel.

Which type of document should you update?

- Logical network diagram
- ➡ Wiring schematic
- Procedure
- Baseline

EXPLANATION

In this scenario, you have modified the wiring by moving the cable from one patch panel port to another. This type of information is typically included in a wiring schematic.

A logical network diagram shows the relationship of devices, but would not typically include details such as patch panel ports and wall jacks connecting the device to the network. A baseline is a snapshot of the performance statistics of the network or devices. A procedure is a step-by-step process outlining how to implement a specific action.

REFERENCES

LabSim for Network Pro, Section 12.1.

Question 15: ✔ Correct

Which of the following are typically associated with human resource security policies? (Select two.)

- [x] Background checks
- [x] Termination
- [ ] SLA
- [ ] Password policies
- [ ] Change management

EXPLANATION

Human resource policies related to security might include the following:

- Hiring policies, which identify processes to follow before hiring. For example, the policy might specify that pre-employment screening include a background check.
- Termination policies and procedures, which identify processes to be implemented when terminating employees.
- A requirement for job rotation, which cross-trains individuals and rotates users between positions on a regular basis.
- A requirement for mandatory vacations, which require employees to take vacations of specified length.

Service level agreements (SLAs), sometimes called maintenance contracts, guarantee a subscriber a certain quality of a service from a network service provider. Password policies detail passwords requirements for the organization. A change and configuration management policy provides a structured approach to securing company assets and making changes.

REFERENCES

LabSim for Network Pro, Section 12.3.

Question 16: ✔ Correct

What is the greatest threat to theft of data in most secure organizations?

- Operator error
- Malware
- Hacker intrusion
- USB devices

EXPLANATION

The greatest threat to the confidentiality of data in most secure organizations is portable devices (including USB devices). There are so many devices that can support file storage that stealing data has become easy, and preventing data is very difficult.

REFERENCES

LabSim for Network Pro, Section 12.2.

Question 17: ✔ Correct

Your organization is in the process of negotiating an interoperability agreement (IA) with another organization. As a part of this agreement, the partner organization proposes that a federated trust be established between your domain and their domain. This configuration will allow users in their domain to access resources in your domain and vice versa.

As a security administrator, which tasks should you complete during this phase? (Select two.)

- [x] Identify how data will be shared.
- [ ] Verify compliance with the IA documents.
- [ ] Reset all passwords the third party uses to access data or applications on your network.
- [x] Identify how data ownership will be determined.
- [ ] Conduct security audits on the partner organization.

EXPLANATION

During the onboarding phase of a third-party relationship, several issues need to be considered and a plan formulated to address them, including:

- How data ownership will be determined.
- How data will be shared.

Security and compliance audits should be conducted during the ongoing operations phase of the relationship. Partner passwords should be reset during the off-boarding phase.

REFERENCES

LabSim for Network Pro, Section 12.3.

Question 18: ✔ Correct

When is choosing to do nothing about an identified risk acceptable?

- When the threat is likely to occur less than once a year.
- When the asset is an intangible asset instead of a tangible asset.
- When the threat is most likely to come from an internal source instead of an external source.
- ➡ When the cost of protecting the asset is greater than the potential loss.

EXPLANATION

You might choose to accept a risk and do nothing if the cost associated with a threat is acceptable or if the cost of protecting the asset from the threat is unacceptable. For example, if the cost of protecting the asset is greater than the cost associated with the threat, you would decide to accept the potential loss rather than spend money to protect the asset. In this case, you would plan for how to recover from the threat, but not implement any measures to avoid it.

An intangible asset is a resource that has value and may be saleable even though it is not physical or material. While assigning a value to intangible assets can be difficult, this does not mean that they cannot or should not be protected. The likely frequency of a threat occurring affects the annual loss expectancy, which will also affect the comparison of the cost of countermeasures to the cost associated with a successful attack, but does not immediately rule out implementing countermeasures.

REFERENCES

LabSim for Network Pro, Section 12.2.

Question 19: ✔ Correct

You are concerned about the amount of traffic that passed through a router on your network. You want to see how the amount of traffic has changed over time.

Which document would help you identify past average network traffic?

- History log
- Network diagram
- Event log
- ➡ Baseline

EXPLANATION

A *baseline* is a snapshot of the performance statistics of the network or devices. The baseline is used as a logical basis for future comparison. Baselines enable you to effectively monitor the performance of your system to determine when changes negatively impact performance or when systems need upgrades or replacement. It is important to measure network performance at subsequent intervals to see how your server is performing compared to the baseline.

Logs contain a record of events that have happened on a system. Logging capabilities are built into operating systems, services, and applications. Log entries are generated in response to configuration changes, changes in system state, or in response to network conditions.

A network diagram shows the logical and/or physical layout of your network. The network diagram could be a collection of diagrams showing the location and IP addresses of hubs, switches, routers, and firewalls.

REFERENCES

LabSim for Network Pro, Section 12.1.

Question 20: ✔ Correct

What is the primary goal of business continuity planning?

- Protecting an organization from major computer services failure
- Minimizing the risk of delays and interruptions in services
- Minimizing decision-making during the development process
- ➡ Maintaining business operations with reduced or restricted infrastructure capabilities or resources

EXPLANATION

The primary goal of BCP is maintaining business operations with reduced or restricted infrastructure capabilities or resources.

Minimizing the risk to the organization from delays and interruptions in providing services is a goal of DRP. If your organization cannot provide services, it is experiencing a disaster. Minimizing decision-making during the development process is not a valid goal of BCP or DRP; decisions should be made during development. The correct DRP goal is to minimize decisions during an emergency. Protecting an organization from major computer services failure is a goal of DRP, not BCP. If computer services fail, business continuity is interrupted, which is considered a disaster.

REFERENCES

LabSim for Network Pro, Section 12.2.

Question 21: ✔ Correct

When recovery is being performed due to a disaster, which services are to be stabilized first?

- ➡ Mission critical
- Outside communications
- Least business critical
- Financial support

EXPLANATION

Restore mission critical services first. If mission critical services are not restored within their maximum tolerable downtime, the organization is no longer viable.

Restore the least critical services last. Financial support and outside communications are restored only after all other services with a higher level of criticality have been restored.

REFERENCES

LabSim for Network Pro, Section 12.2.

Question 22: ✔ Correct

You manage a website for your company. The website uses three servers configured in a cluster. Incoming requests are distributed automatically between the three servers. All servers use a shared storage device that holds the website contents. Each server has a single network connection and a single power supply.

Considering the availability of your website, which component represents a single point of failure?

- Web server
- ➡ Website storage
- Network adapter
- Power supply

EXPLANATION

In this scenario, the shared storage is a single point of failure. A single point of failure means that failure in one component will cause the entire website to become unavailable. If the storage unit fails, then the website content will be unavailable.

Failure in a single network card, power supply, or even in a single server will not make the website unavailable. Any of these failures will take one server offline. But because of the server cluster, other servers will still be available to process incoming requests.

REFERENCES

LabSim for Network Pro, Section 12.2.

Question 23: ✔ Correct

A code of ethics accomplishes all but which of the following?

- Establishes a baseline for managing complex situations.
- ➡ Clearly defines courses of action to take when a complex issue is encountered.
- Serves as a reference for the creation of acceptable use policies.
- Improves the professionalism of your organization as well as your profession.

EXPLANATION

A code of ethics does not provide clear courses of action when faced with complex issues and situations. That's the whole problem with ethical dilemmas--a right or wrong answer is not always easily determined. A code of ethics describes best practices and helps steer intentions to allow individuals and organizations to respond to complex situations in the most appropriate manner.

A code of ethics does establish a baseline for managing complex situations, improve professionalism, and serve as a reference for the creation of acceptable use policies.

REFERENCES

LabSim for Network Pro, Section 12.3.

Question 24: ✔ Correct

Which component of a change and configuration management policy identifies technical and budgetary considerations associated with a proposed change and also identifies any potential impacts to the network?

- Authorized downtime
- Rollback
- ➡ Feasibility analysis
- Change request

EXPLANATION

A feasibility analysis identifies technical and budgetary considerations associated with a proposed change. It should also identify any potential impacts to the network.

In the event that a change unintentionally causes problems, your change and configuration management process should include provisions for a rollback. A rollback makes it possible to revert the system back to the state it was in before the change was put into effect. Authorized downtime defines a maintenance window during which the system will be unavailable while the change is made. A change request identifies the need for a change.

REFERENCES

LabSim for Network Pro, Section 12.3.

Question 25: ✔ Correct

When troubleshooting a router, you want to identify which other devices are connected to the router, as well as the subnet addresses of each connected subnet.

Which type of document would most likely have this information?

- Baseline
- Wiring schematic
- Policy
- Procedure
- ➡ Network diagram

EXPLANATION

A network diagram shows the logical and/or physical layout of your network. The network diagram could be a collection of diagrams showing the following information:

- The location and IP addresses of hubs, switches, routers, and firewalls.
- The relationship of remote locations and the WAN links that connect remote locations.
- Subnets within your network, including the subnet addresses and routers connecting each subnet.

A wiring schematic is a type of network diagram that focuses on the physical connections between devices. The wiring diagram typically shows the location of drop cables and ports within offices or cubicles and a labeling scheme that matches endpoints in offices and cubicles with specific switch ports or punch down block locations.

A baseline is a snapshot of the performance statistics of the network or devices. A policy is a document that describes the overall goals and requirements for a network. A policy identifies what should be done, but may not necessarily define how the goal is to be reached. A procedure is a step-by-step process outlining how to implement a specific action. The design of a procedure is guided by goals defined in a policy, but goes beyond the policy by identifying specific steps that are to be implemented.

REFERENCES

LabSim for Network Pro, Section 12.1.

Question 26: ✔ Correct

You need to find out what kind of laws might apply to the design and operation of your network. Which type of document would you consult?

- Baseline
- Policy
- Procedure
- ➡ Regulation

EXPLANATION

A regulation is a requirement published by a government or other licensing body that must be followed. While you are not responsible for writing regulations, you are responsible for knowing which regulations apply to your organization and making sure that those regulations are understood and adhered to.

A policy is a document that describes the overall goals and requirements for a network. A policy identifies what should be done, but may not necessarily define how the goal is to be reached. Policies are often written in response to regulations.

A procedure is a step-by-step process outlining how to implement a specific action. The design of a procedure is guided by goals defined in a policy, but go beyond the policy by identifying specific steps that are to be implemented. The use of consistent procedures ensures that the goals defined in a policy are met and provides consistency in actions performed by multiple administrators.

A baseline is a snapshot of the performance statistics of the network or devices. The baseline is used as a logical basis for future comparison. Baselines enable you to effectively monitor the performance of your system to determine when changes negatively impact performance or when systems need upgrades or replacement.

REFERENCES

LabSim for Network Pro, Section 12.1.

Question 27: ✔ Correct

When analyzing assets, which analysis method assigns financial values to assets?

- ➡ Quantitative
- Qualitative
- Transfer
- Acceptance

EXPLANATION

Quantitative analysis assigns a financial value, or a real number, and the cost required to recover from a loss to each asset.

Qualitative analysis seeks to identify costs that cannot be concretely defined using quantitative analysis. Transfer and acceptance are responses to risk, not risk analysis methods.

REFERENCES

LabSim for Network Pro, Section 12.2.

Question 28: ✔ Correct

Which of the following defines an acceptable use agreement?

- An agreement that prohibits an employee from working for a competing organization for a specified time after the employee leaves the organization.
- An agreement that is a legal contract between the organization and the employee that specifies that the employee is not to disclose the organization's confidential information.
- ➡ An agreement that identifies the employee's rights to use company property, such as internet access and computer equipment, for personal use.
- An agreement that outlines the organization's monitoring activities.

EXPLANATION

The acceptable use agreement identifies the employee's rights to use company property, such as internet access and computer equipment, for personal use.

The non-compete agreement prohibits an employee from working for a competing organization for a specified time after the employee leaves the organization. The employee monitoring agreement outlines the organization's monitoring activities. The non-disclosure agreement is a legal contract between the organization and the employee that specifies that the employee is not to disclose the organization's confidential information.

REFERENCES

LabSim for Network Pro, Section 12.3.

Question 29: ✔ Correct

A new law was recently passed that states that all businesses must keep a history of the emails sent between members of the board of directors. You need to ensure that your organization complies with this law.

Which document type would you update first in response to this new law?

- ➡ Policy
- Procedure
- Configuration documentation
- Change documentation

EXPLANATION

Based on the new law, you would likely need to update your policy statement first. A policy is a document that describes the overall goals and requirements for a network. Policies are often written in response to regulations.

After you have updated the policy to identify that the new law will be followed, you would likely need to update procedure documents to identify how the policy (and the law) will be implemented. Next, you might make the necessary changes on specific devices and then update the configuration and change documents for those devices to reflect the new configuration and the actions you took.

REFERENCES

LabSim for Network Pro, Section 12.1.

Question 30: ✔ Correct

Which of the following is not a valid response to a risk discovered during a risk analysis?

- Mitigation
- Assignment
- Denial
- Acceptance

EXPLANATION

Denial, or ignoring risk, is not a valid response. Denying risk rather than properly addressing risk is a negligent activity that can be used against an organization in court if a security breach occurs that damages investors or the public.

Valid responses to risk are acceptance, assignment, and mitigation.

REFERENCES

LabSim for Network Pro, Section 12.2.

Question 31: ✔ Correct

Which business document is a contract that defines the tasks, time frame, and deliverables that a vendor must perform for a client?

- Interconnection security agreement
- Memorandum of understanding
- Master service agreement
- ➡ Statement of work

EXPLANATION

A statement of work is a contract that defines the tasks, time frame, and deliverables that a vendor agrees to before it provides services to a client. A statement of work usually includes specific requirements and a pricing structure for the work performed.

A master service agreement is a contract that defines terms that will govern future agreements between two parties. A memorandum of understanding provides a brief summary of which parties in the relationship are responsible for performing specific tasks. An interconnection security agreement documents how the information systems of each party in the relationship will be connected and how they will share data.

REFERENCES

LabSim for Network Pro, Section 12.3.

Question 32: ✔ Correct

Which of the following is defined as a contract that prescribes the technical support or business parameters that a provider will bestow to its client?

- Mutual aid agreement
- ➡ Service level agreement
- Certificate practice statement
- Final audit report

EXPLANATION

A service level agreement is defined as a contract that prescribes the technical support or business parameters that a provider will bestow to its client.

A mutual aid agreement is an agreement between two organizations to support each other in the event of a disaster. A final audit report is the result of an external auditor's inspection and analysis of an organization's security status. A certificate practice statement defines the actions and promises of a certificate service authority.

REFERENCES

LabSim for Network Pro, Section 12.3.

Question 33: ✔ Correct

Which of the following is an example of an internal threat?

- A delivery man is able to walk into a controlled area and steal a laptop.
- ➡ A user accidentally deletes the new product designs.
- A server backdoor allows an attacker on the internet to gain access to the intranet site.
- A water pipe in the server room breaks.

EXPLANATION

Internal threats are intentional or accidental acts by employees, including:

- Malicious acts such as theft, fraud, or sabotage.
- Intentional or unintentional actions that destroy or alter data.
- Disclosing sensitive information through snooping or espionage.

External threats are the events originating outside of the organization that typically focus on compromising the organization's information assets. Examples are hackers, fraud perpetrators, and viruses. Natural events are the events that may reasonably be expected to occur over time. Examples are a fire or a broken water pipe.

REFERENCES

LabSim for Network Pro, Section 12.2.

Question 34: ✔ Correct

Which of the following network strategies connects multiple servers together so that if one server fails, the others immediately take over its tasks, preventing a disruption in service?

- Storage area networks (SANs)
- Adapter bonding
- Mirroring
- ➡ Clustering

EXPLANATION

Clustering connects multiple servers together using special software. If one of the servers in the cluster fails, the other servers immediately take over the tasks the failed server was working on, resulting in no downtime for the end user.

Adapter bonding increases the fault tolerance of a single server system by implementing multiple network boards that function as a single adapter. Mirroring also increases fault tolerance by creating a mirror copy of the server hard drive on one or more other hard drives. Storage area networks are usually used in conjunction with clustering to provide a common disk system that all servers in the cluster share.

REFERENCES

LabSim for Network Pro, Section 12.2.

Question 35: ✔ Correct

You want to make sure that the correct ports on a firewall are open or closed. Which document should you check?

- Baseline
- ➡ Configuration documentation
- Policy
- Wiring schematic

EXPLANATION

Configuration documentation identifies specific configuration information for a device. For example, a configuration document for a firewall might include information about the IP addresses assigned to each interface and opened firewall ports. Configuration documentation has two goals:

- Document the configuration so that the device can be restored to the original configuration.
- Document the configuration so that the current configuration can be compared to the desired configuration.

A wiring schematic is a type of network diagram that focuses on the physical connections between devices. A baseline is a snapshot of the performance statistics of the network or devices. A policy is a document that describes the overall goals and requirements for a network. A policy identifies what should be done, but may not necessarily define how the goal is to be reached.

REFERENCES

LabSim for Network Pro, Section 12.1.

Question 36: ✔ Correct

What is a service level agreement (SLA)?

- An agreement to support another company in the event of a disaster.
- A contract with a legal entity to limit your asset loss liability.
- A contract with an ISP for a specific level of bandwidth.
- ➡ A guarantee of a specific level of service.

EXPLANATION

An SLA is a guarantee of a specific level of service from a vendor. That service may be communication links, hardware, or operational services. An SLA is a form of insurance against disasters or security intrusions that may affect your organization's mission critical business functions.

An agreement to support another company in the event of a disaster is known as a mutual aid agreement. A contract with a legal entity to limit your asset loss liability is an insurance policy. A contract with an ISP for a specific level of bandwidth is a service contract.

REFERENCES

LabSim for Network Pro, Section 12.3.

Question 37: ✔ Correct

Which type of documentation would you consult to find the location of RJ45 wall jacks and their endpoints in the intermediate distribution closet?

- Procedure
- ➡ Wiring schematic
- Policy
- Baseline

EXPLANATION

A wiring schematic is a type of network diagram that focuses on the physical connections between devices. The wiring diagram typically shows:

- The location of drop cables and ports within offices or cubicles.
- The path that wires take between wiring closets and offices.
- A labeling scheme that matches endpoints in offices and cubicles with specific switch ports or punch down block locations.

A baseline is a record that shows normal network statistics. A policy is a document that describes the overall goals and requirements for a network. A policy identifies what should be done, but may not necessarily define how the goal is to be reached. A procedure is a step-by-step process outlining how to implement a specific action. The design of a procedure is guided by goals defined in a policy, but go beyond the policy by identifying specific steps that are to be implemented.

REFERENCES

LabSim for Network Pro, Section 12.1.

Question 38: ✔ Correct

You manage the website for your company. The Web1 server hosts the website. This server has the following configuration:

- Dual core processor
- Dual power supplies
- RAID 5 volume
- One RAID controller
- Two 1000 Mbps network adapters

Which component is a single point of failure for the website?

- Disk storage
- Power supply
- Network adapter
- ➡ Disk controller

EXPLANATION

A single point of failure means that failure in one component will cause the entire website to be unavailable. In this scenario, the disk controller is a single point of failure. If the disk controller fails, content for the website will be unavailable.

To prevent a single point of failure, provide redundant components. Dual power supplies, multiple network connections, and fault tolerant volumes (RAID 1, RAID 5, or RAID 0 + 1) can all sustain a failure in one component and continue to function.

REFERENCES

LabSim for Network Pro, Section 12.2.

Question 39: ✔ Correct

You plan to implement a new security device on your network. Which of the following policies outlines the process you should follow before implementing that device?

- ➡ Change management
- Resource allocation
- Acceptable use
- SLA

EXPLANATION

A change and configuration management policy provides a structured approach to secure company assets and make changes to company assets. Change management:

- Establishes hardware, software, and infrastructure configurations that are to be deployed universally throughout the corporation.
- Tracks and documents significant changes to the infrastructure.
- Assesses the risk of implementing new processes, hardware, or software.
- Ensures that proper testing and approval processes are followed before changes are allowed.

An acceptable use policy (AUP) identifies the employees' rights to use company property, such as internet access and computer equipment, for personal use. A resource allocation policy outlines how resources are allocated. Resources could include staffing, technology, or budgets. Service level agreements (SLAs), sometimes called maintenance contracts, guarantee a network client a certain quality of a service from the provider.

REFERENCES

LabSim for Network Pro, Section 12.1.

Question 40: ✔ Correct

You have installed anti-virus software on computers at your business. Within a few days, however, you notice that one computer has a virus. When you question the computer's user, she says she did install some software a few days ago, but it was supposed to be a file compression utility. She admits she did not scan the file before running it.

What should you add to your security measures to help prevent this from happening again?

- Proxy server
- ➡ User awareness training
- Close unused firewall ports
- Account lockout

EXPLANATION

Many anti-virus prevention measures are ineffective if users take actions that put their computers at risk (such as downloading and running files or copying unscanned files to their computers). If users are educated about malware and about the dangers of downloading software, the overall security of the environment improves.

A proxy server controls access to the internet based on username, URL, or other criteria. Account lockout helps prevent attackers from guessing passwords. Firewall ports might be used by some malware, but will not prevent malware introduced by downloading and installing a file.

REFERENCES

LabSim for Network Pro, Section 12.3.

Copyright © 2021 TestOut Corporation All rights reserved.