

## Product Management Portfolio

My product focus is making operational data easier to trust and use. I have more than six years of experience in business intelligence, research and process improvement, with a technical foundation in SQL and analytics platforms.

I connect business needs with useful reporting tools and clear measures of value. This portfolio combines my professional experience with an independent product concept that demonstrates how I would investigate a problem, choose an initial solution and measure adoption.

### Selected product work

| Case study                 | Product management focus                                                 |
|----------------------------|--------------------------------------------------------------------------|
| ALVAC reporting platform   | Internal analytics users, workflow improvement and business value        |
| ERCO safety analytics      | Reporting trust, operational workflows and data quality                  |
| Foursight decision support | Research synthesis, uncertainty and scenario evaluation                  |
| Metric Hub concept         | Discovery, strategy, prioritization, requirements, wireframes and growth |

### What I bring to a product team

Business requirements and stakeholder communication; KPI definition and product analytics; technical fluency in data workflows; clear presentation of evidence, assumptions and trade-offs.

### Tools and learning

SQL, Power BI, Tableau and Excel for analysis; Jira and Confluence for organizing work; Git for version control. Product analytics learning includes Pendo Product Analytics Basics and Practitioner.

### Areas of interest

Data and BI platforms, internal business tools and operational products where reliable information helps users make better decisions.

The professional case studies retain my actual job titles. Metric Hub is a concept exercise with proposed research and targets and is presented separately from employment outcomes.

# PROFESSIONAL CASE STUDY 01

## Reporting as an internal data product

**Organization:** ALVAC Company Limited

**Role and employment period:** Business Intelligence Analyst | September 2018 to December 2022

## User problem

Operational reporting across 25 locations is needed to give management a consistent view of performance. Manual preparation and fragmented reporting made it harder to get useful information into decision makers' hands.

## My contribution

- Developed Power BI reporting across 25 locations to make operational performance more accessible.
- Used SQL and Python to automate data preparation and reduce processing effort.
- Translated stakeholder reporting needs into KPIs, dashboards and analysis that supported operational decisions.

## Users and value

Management needed comparable performance views. Location stakeholders needed shared measures, while reporting teams needed repeatable analysis with less manual preparation.

## Reported outcomes

| Business measure     | Reported improvement          |
|----------------------|-------------------------------|
| Decision cycle time  | Approximately 65% reduction   |
| Data processing time | Approximately 60% reduction   |
| Reporting accuracy   | Approximately 20% improvement |

## Product assessment

The value of this reporting platform lies in the user's ability to get from a business question to an actionable view. My technical contribution supported both the visible dashboard and the preparation process behind it. Common KPI definitions and repeatable data preparation are central to maintaining that value as use expands.

## What I would investigate next

I would observe which recurring decisions depend on the platform, identify where users still request manual extracts, and measure repeat use alongside time saved. That evidence would guide the choice between better navigation, additional metrics and improvements to data reliability.

PROFESSIONAL CASE STUDY 02

Safety analytics and reporting trust

Organization: ERCO Worldwide

Role and employment period: Health Safety and Environmental Analyst | April 2023 to June 2024

User problem

Plant, safety and leadership stakeholders needed reliable incidents and environmental information to identify recurring issues. Inconsistent reporting creates additional review work and can make it harder to compare performance across operations.

My contribution

- Contributed to standardizing Incident Review Committee reporting and analysis.
- Developed Power BI dashboards and analyzed incident and safety trends.
- Used Power Automate controls to improve data quality and reporting consistency.

Product value across the workflow

| Workflow step                  | Value of the reporting work                                 |
|--------------------------------|-------------------------------------------------------------|
| Capture and review information | More consistent inputs and clearer reporting rules          |
| Identify patterns              | Dashboards and trend analysis make recurring issues visible |
| Discuss operational action     | Shared evidence helps stakeholders focus the review         |

Reported outcomes

| Measure                 | Reported result                                                        |
|-------------------------|------------------------------------------------------------------------|
| Reporting discrepancies | Approximately 5% reduction                                             |
| Data quality            | Approximately 30% improvement through workflow controls                |
| Safety violations       | Approximately 15% reduction associated with the wider improvement work |

Product assessment

Reporting quality depends on the full workflow, including data entry, validation and interpretation. My work contributed to those foundations. The safety outcome also depends on operational interventions; it should not be attributed to dashboard use alone.

**What I would investigate next**

I would trace an incident from submission to review to understand where users encounter unclear definitions or repeated corrections. I would prioritize the most frequent causes of rework and evaluate improvement through completion time, correction rate and stakeholder confidence in the information.

**PROFESSIONAL CASE STUDY 03**

**Research and analytics for business decisions**

**Organization:** FourSight Technologies Inc

**Role and employment period:** Research and Data Consultant | Jan 2025 to present

**User problem**

Business stakeholders need clear research and analysis to compare options, understand uncertainty and decide what to investigate next. Useful reporting connects the business question with the evidence needed to make that decision.

**My contribution**

- Synthesized research and data to support stakeholder evaluation of business questions.
- Prepared analytical reports and documentation to communicate findings and their business implications.
- Developed dashboards and analytical reporting using Power BI and Tableau.
- Compared scenarios to show how assumptions affect potential costs and benefits.

**Information products and user decisions**

| Output                             | User decision supported                                     |
|------------------------------------|-------------------------------------------------------------|
| Research synthesis                 | Which alternatives deserve further investigation            |
| Scenario comparison                | Which assumptions most affect cost and potential benefit    |
| Dashboards and technical reporting | What the available evidence indicates and where gaps remain |

**Product assessment**

This work demonstrates product skills that matter before implementation: turning an open question into a useful decision process. Organizing research into scenarios makes assumptions visible and helps stakeholders judge whether more evidence is needed.

## What I would investigate next

I would test whether stakeholders can interpret a scenario without additional explanation. I would compare the value of a guided assumptions editor, clearer scenario summaries and better access to supporting evidence. The next feature should address the point where a user's decision currently stalls.

Scenario analysis describes potential future outcomes rather than realized savings.

## METRIC HUB CONCEPT CASE STUDY

### Metric Hub problem and discovery plan

Independent product concept. Research, estimates and success targets are proposed; no launch or user study is claimed.

**Concept:** An internal workspace for finding approved metrics and preparing reusable weekly briefings

The starting hypothesis is that operations managers lose time assembling weekly reviews because they cannot easily confirm a metric's definition, freshness or owner. Metric Hub would bring those checks into the same workflow as preparing a briefing.

### Target user and job

Initial users are operations managers in a fictional business with multiple locations and an established BI team. The proposed pilot includes 30 managers from five locations. Operations leadership sponsors the product; analysts and data owners support the information behind it.

**When I prepare a weekly operations review, I want to find current, agreed metrics and resolve discrepancies so I can focus the meeting on decisions.**

### Hypotheses to test

| Hypothesis                                                | Evidence that would change the plan                                                                           |
|-----------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| Finding trustworthy metrics is a frequent obstacle        | Observed preparation shows most time is spent interpreting results or waiting for source corrections instead. |
| A reusable briefing is more useful than another dashboard | Managers already have an effective review workflow and prefer a smaller improvement inside it.                |
| Data owners can maintain definitions and freshness rules  | No accountable owner or sustainable update process can be agreed.                                             |

### Proposed research

Interview six managers, three analysts, two data owners and two leaders. Observe five real review-preparation sessions and inspect the reports participants use, with their permission. Ask about the last review they prepared, where they checked definitions and what happened when figures disagreed.

Synthesize recurring jobs, obstacles and workarounds. Compare findings across locations and record contradictory evidence. Interviews establish needs and context; they do not prove market demand or a quantified productivity gain.

**Decision Before Building**

Proceed to a prototype if the problem recurs across at least three observed workflows and data owners can support a pilot. If source quality is the dominant obstacle, prioritize that upstream problem before building a new interface.

**Product strategy and feature prioritization**

Independent product concept. Research, estimates and success targets are proposed; no launch or user study is claimed.

The proposed value is a shorter path from finding a metric to preparing a trustworthy weekly review. The initial product combines approved definitions, visible freshness and a reusable briefing. It uses existing reporting sources.

**Solution options**

| Option                                | Benefit                                                 | Trade-off                                                  |
|---------------------------------------|---------------------------------------------------------|------------------------------------------------------------|
| Improve existing dashboard navigation | Smaller change to the current workflow                  | May leave definitions and briefing preparation scattered   |
| Build Metric Hub                      | Connects metric trust with recurring review preparation | Adds a destination that users and owners must maintain     |
| Automate full briefing generation     | Could remove more preparation work                      | Depends on strong data quality and reliable interpretation |

**Illustrative RICE ranking**

Score = Reach × Impact × Confidence ÷ Effort. Reach is pilot users affected per month; impact uses a relative 1–3 scale; confidence is a fraction; effort is person-weeks. These estimates require research and engineering review.

| Feature                       | Reach | Impact | Conf | Effort | Score |
|-------------------------------|-------|--------|------|--------|-------|
| Approved metric directory     | 30    | 3      | 0.80 | 2.0    | 36.0  |
| Saved and shared briefings    | 24    | 3      | 0.70 | 3.0    | 16.8  |
| Route data issues to an owner | 12    | 2      | 0.80 | 1.5    | 12.8  |
| Weekly reminders              | 18    | 1      | 0.50 | 1.0    | 9.0   |
| AI generated summaries        | 20    | 2      | 0.30 | 4.0    | 3.0   |

| Feature              | Reach | Impact | Conf | Effort | Score |
|----------------------|-------|--------|------|--------|-------|
| Custom chart builder | 6     | 2      | 0.40 | 4.0    | 1.2   |

### Initial release decision

Include the approved directory, saved briefings and issue routing. Together they let a manager find a metric, judge whether it is usable, prepare a review and report a problem. Access controls and freshness checks are release requirements rather than optional ranked features.

### Trade-offs and validation

Defer reminders until evidence shows users forget an otherwise useful workflow. Defer AI summaries and custom chart creation while the team validates trust and repeat use. RICE supports discussion; dependencies, research quality and usability still determine sequencing. The initial effort estimates total 6.5 person-weeks and is not a delivery commitment.

### Product requirements and acceptance criteria

Independent product concept. Research, estimates and success targets are proposed; no launch or user study is claimed.

**Goal:** Help managers prepare a valid weekly briefing from approved operational metrics

**Initial scope:** One pilot team, 12 approved metrics, saved briefings, permission-aware sharing and issue routing

**Outside the first release:** New source systems, arbitrary calculations, predictive models, AI recommendations and external customer access

### Core user stories

| User story                   | Acceptance criteria                                                                                                                                           |
|------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Find and understand a metric | An authorized user can search approved metrics and see the definition, unit, filters, source, owner and last successful refresh time.                         |
| Prepare a reusable briefing  | A user can save selected metrics and filters in a draft, reopen it and edit the selection. A briefing needs at least one metric to be marked ready.           |
| Recognize unreliable data    | Freshness is checked against the owner's agreed threshold. A stale or failed metric shows a clear warning and blocks ready status until refreshed or removed. |
| Share with the right people  | Every open checks the recipient's current permissions. A restricted metric's value remains hidden; a shared link does not grant data access.                  |
| Report a data issue          | The user can describe the problem and submit it to the metric owner. The system shows confirmation, issue status and a reference number.                      |

## Important edge cases

A failed refresh retains the last successful timestamp and a warning. Missing data is shown as unavailable, never as zero. Changed filters remain visible in saved briefings. A revoked permission takes effect when a briefing is reopened. Duplicate submissions show the existing issue reference.

## Release readiness

Product confirms the workflow; data owners approve definitions and freshness thresholds; engineering validates behavior and access controls. Pilot release requires no unresolved critical access or data-integrity defects and successful completion of the core usability tasks.

## Dependencies

Approved access to the existing reporting layer, accountable metric owners, a reliable freshness signal, a support route and a way to record product events. If any dependency is missing, revise the pilot scope before committing to delivery.

## Concept wireframes and usability plan

Independent product concept. Research, estimates and success targets are proposed; no launch or user study is claimed.

The proposed flow is to find an approved metric, review its definition and freshness, add it to a briefing, and mark the briefing ready. The second screen shows the recovery path when a selected metric is stale.

**METRIC HUB**

**Find a trusted metric**

**On time completion**  
**94.2%**  
Updated today at 08:00

**Definition**  
Completed on time / all completed

**Owner**  
Operations Analytics

**Scope:** all locations

**Add to briefing**

**METRIC HUB**

**Review a saved briefing**

**Weekly operations review**  
Draft | 2 metrics selected

**On time completion**  
94.2% | Updated today at 08:00

**Backlog**  
**Data is 3 days old**  
[Report issue](#) [Remove metric](#)

**1 metric needs attention**  
Refresh or remove stale data to continue.

**Mark ready**

Concept screens with illustrative data. They show intended behavior, not a working or shipped product.

## Design decisions

- Place the definition, owner and timestamp next to the value so users can assess trust before using it.

- Keep an incomplete briefing as a draft, with a clear explanation of what prevents ready status.
- Offer issue reporting and removal at the point of failure so the user has a next action.

### Proposed usability test

Ask six operations managers to find a metric and its owner, save a briefing, identify stale data and recover from it. Observe without coaching. Advance if at least five of six complete the main flow without help and all six recognize the stale-data warning. Investigate every failure before the pilot.

This small study tests usability. It does not establish adoption, retention or business impact.

### Product metrics and pilot evaluation

Independent product concept. Research, estimates and success targets are proposed; no launch or user study is claimed.

**Primary value metric:** Weekly managers who complete at least one valid review briefing

Count distinct pilot users with a server-confirmed briefing\_ready event in a calendar week. A valid briefing has at least one authorized metric and no stale or failed metrics at completion. Repeat completions by the same user count once.

### Proposed pilot targets

| Measure          | Definition and target                                                                                          |
|------------------|----------------------------------------------------------------------------------------------------------------|
| Activation       | At least 21 of 30 invited users complete a valid briefing within seven days of invitation.                     |
| Weekly value     | At least 18 of 30 invited users complete a valid briefing during pilot week 4.                                 |
| Week 4 retention | At least 60% of users activated in their first seven days complete a valid briefing in pilot week 4.           |
| Preparation time | Reduce median preparation time by at least 30% from the observed baseline for comparable weekly reviews.       |
| Guardrails       | No confirmed unauthorized exposure; fewer than 5% of submitted ready attempts fail because of a product error. |

### Event plan

| Event                    | Purpose and useful properties                               |
|--------------------------|-------------------------------------------------------------|
| metric_opened            | Discovery: metric ID, source surface and freshness state    |
| briefing_saved           | Draft creation: briefing ID and metric count                |
| briefing_ready_attempted | Completion attempt: attempt ID and validation outcome       |
| briefing_ready           | Successful value event: attempt ID, briefing ID and user ID |

| Event                | Purpose and useful properties                        |
|----------------------|------------------------------------------------------|
| data_issue_submitted | Trust friction: metric ID, issue category and status |

Use pseudonymous user identifiers, approved access and server timestamps. Deduplicate repeated events. Avoid recording raw metric values or free-text issue content in product analytics.

### Evaluation and decision

Observe two baseline reporting cycles, then run a four-week pilot with 30 users. Compare preparation time for the same users and similar review tasks and interview non-adopters. This is a learning pilot; pre/post changes alone do not prove causation. Expand when value and retention targets are met and guardrails hold. Otherwise investigate where users drop out and revise the product.

### Outcome roadmap and launch decisions

Independent product concept. Research, estimates and success targets are proposed; no launch or user study is claimed.

The roadmap is organized around evidence the team needs. Timing is indicative and changes after discovery, technical assessment and pilot results.

| Horizon             | Outcome to establish                                                 | Decision gate                                                                                               |
|---------------------|----------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|
| Now<br>Weeks 1–4    | Validate the review-preparation problem and test the core workflow   | Proceed only with recurring observed need, accountable data owners and the usability criteria met.          |
| Next<br>Weeks 5–8   | Build the initial flow and begin a controlled pilot                  | Invite 10 users first. Expand to 30 after access, freshness and event checks pass.                          |
| Later<br>Weeks 9–12 | Complete four weeks of pilot learning and choose the next investment | Expand if value, retention and reliability targets hold; otherwise revise the weakest part of the workflow. |

### Launch and adoption

Recruit managers with a recurring weekly review task and an available data owner. Introduce the product through the existing operations review routine. Provide a short task-based walkthrough, an example briefing and an accessible support route. Collect feedback from users who return and those who stop using it.

### Decisions after the pilot

| What the evidence shows            | Product response                                                         |
|------------------------------------|--------------------------------------------------------------------------|
| Users cannot find relevant metrics | Improve search, naming or the initial metric set before adding features. |

| What the evidence shows                    | Product response                                                               |
|--------------------------------------------|--------------------------------------------------------------------------------|
| Users save drafts but do not complete them | Investigate stale data, unclear validation and the usefulness of the briefing. |
| Users complete once but do not return      | Check recurring value and existing workarounds before testing reminders.       |
| Users return and prepare reviews faster    | Expand gradually and test the next highest-value workflow.                     |

### Value and sustainability

For this internal product, assess value through staff time saved and useful recurring adoption. Estimate monthly time value as reporting cycles × measured hours saved per cycle × an agreed loaded hourly rate. Compare it with support, maintenance and platform costs; do not treat avoided effort as cash savings automatically.