```
// Paper 22 Problem-solving and Programming - PRE-RELEASE MATERIAL - 0478/22 - MAY/JUNE 2021
// TASK 1 VARIABLE DECLARATIONS
DECLARE UpTime : ARRAY[0:3] OF STRING
DECLARE UpSeats : ARRAY[0:3] OF INTEGER
DECLARE UpPassengers : ARRAY[0:3] OF INTEGER
DECLARE UpMoneyTotal : ARRAY[0:3] OF REAL
DECLARE DownTime : ARRAY[0:3] OF STRING
DECLARE DownSeats : ARRAY[0:3] OF INTEGER
DECLARE DownPassengers : ARRAY[0:3] OF INTEGER
DECLARE DownMoneyTotal : ARRAY[0:3] OF REAL
UpTime <- {"09:00", "11:00", "13:00", "15:00"}
UpSeats <- {480, 480, 480, 480}
UpPassengers <- {0, 0, 0, 0}
UpMoneyTotal <- {0.0, 0.0, 0.0, 0.0}</pre>
DownTime <- {"10:00", "12:00", "14:00", "16:00"}
DownSeats <- {480, 480, 480, 640}
DownPassengers \leftarrow \{0, 0, 0, 0\}
DownMoneyTotal <- {0.0, 0.0, 0.0, 0.0}
DECLARE index : INTEGER //for Loops
// TASK 1 ALGORITHM
PRINT ">>>>>
               TRAIN JOURNEY DISPLAY <><<<"
FOR index <- 0 TO 3
    PRINT ("Train No: ", index, "| Train Departure Hour: ", UpTime[index], "| Remaining Tickets: ", UpSeats[index])
    PRINT ("Train No: ", index, "| Train Return Hour: ", DownTime[index], "| Remaining Tickets: ", DownSeats[index])
    PRINT "----"
```

NEXT index

```
// TASK 2 VARIABLE DECLARATIONS
DECLARE FreeTickets <- 0 : INTEGER</pre>
DECLARE CONSTANT OneWayTicket <- 25.0 : REAL
DECLARE OneWayCost <- 0.0 : REAL
DECLARE choice : BOOLEAN
DECLARE NumOfPassengers, UpTrip, DownTrip, index : INTEGER
// TASK 2 ALGORITHM
PRINT "Do you want to buy ticket(s)? 'True' for yes and 'False' for no"
INPUT choice
WHILE choice != True AND choice != False DO
    PRINT "Enter 'True' for yes and 'False' for no: "
    INPUT choice
ENDWHILE
WHILE choice = True DO
    PRINT "Enter Train number corresponding to your departure hour: "
    INPUT UpTrip
    WHILE UpTrip < 0 OR UpTrip > 3 DO
        PRINT "Error! Enter train number from (0, 1, 2, 3): "
        INPUT UpTrip
    ENDWHILE
    PRINT "---- Return Hours Available ----"
    FOR index <- UpTrip TO 3
        PRINT "Train No:", index, " | Return Hour:", DownTime[index], " | Remaining Tickets:", DownSeats[index],
    NEXT index
    PRINT "Enter Train number corresponding to your Return hour: "
    INPUT DownTrip
    WHILE DownTrip < UpTrip OR DownTrip > 3 DO
        PRINT "Error! Enter Train number from the given list above: "
        INPUT DownTrip
    ENDWHILE
    PRINT "Enter number of passengers for trip: "
    INPUT NumOfPassengers
    WHILE NumOfPassengers <= 0 DO
        PRINT "Error! Enter number greater than 0: "
        INPUT NumOfPassengers
    ENDWHILE
    IF NumOfPassengers > UpSeat[UpTrip] OR NumOfPassengers > DownSeats[DownTrip]
        THEN
```

```
PRINT "Seats not available for chosen hours"
            PRINT "Please check the display below for available Seats =>"
        ELSE
            PRINT "/// SEATS BOOKED ///"
            IF NumOfPassengers >= 10 and NumOfPassengers <= 80</pre>
                THEN
                    FreeTickets <- NumOfPassengers DIV 10 // DIV is INTEGER DIVISION
                ELSE
                    FreeTickets <- 0
            ENDIF
            OneWayCost <- (NumOfPassengers - FreeTickets) * OneWayTicket</pre>
            UpPassengers[UpTrip] <- UpPassengers[UpTrip] + NumOfPassengers</pre>
            UpSeats[UpTrip] <- UpSeats[UpTrip] - NumOfPassengers</pre>
            UpMoneyTotal[UpTrip] <- UpMoneyTotal[UpTrip] + OneWayCost</pre>
            DownPassengers[DownTrip] <- DownPassengers[DownTrip] + NumOfPassengers</pre>
            DownSeats[DownTrip] <- DownSeats[DownTrip] - NumOfPassengers</pre>
            DownMoneyTotal[DownTrip] <- DownMoneyTotal[DownTrip] + OneWayCost</pre>
    ENDIF
   PRINT ">>>>>
                    TRAIN JOURNEY DISPLAY
    FOR index <- 0 TO 3
        IF UpSeats[index] != 0
            THEN
                PRINT ("Train No: ", index, "| Train Departure Hour: ", UpTime[index], "| Remaining Tickets: ", UpSeats[index])
            ELSE
                PRINT ("Train No: ", index, "| Train Departure Hour: ", UpTime[index], "| Closed!")
        ENDIF
        IF DownSeats[index] != 0
            THEN
                PRINT ("Train No: ", index, "| Train Return Hour: ", DownTime[index], "| Remaining Tickets: ", DownSeats[index])
            ELSE
                PRINT ("Train No: ", index, "| Train Return Hour: ", DownTime[index], "| Closed!")
        ENDIF
   NEXT index
   PRINT "Do you want to buy ticket(s)? 'True' for yes and 'False' for no"
   INPUT choice
   WHILE choice != True AND choice != False DO
        PRINT "Enter 'True' for yes and 'False' for no: "
       INPUT choice
   ENDWHILE
ENDWHILE
```

```
// TASK 3 VARIABLE DECLARATIONS
DECLARE TotalAmount <- 0.0 : REAL
DECLARE TotalPassengers, MostPassengers <- 0 : INTEGER</pre>
DECLARE MaxTrain : STRING
DECLARE index : INTEGER
// TASK 3 ALGORITHM
PRINT "---- END OF THE DAY ----"
FOR index <- 0 TO 3
    PRINT ("Train No: ", index, "| Train Departure Hour: ", UpTime[index], "| Number of passengers: ", UpPassengers[index],
           "| Total money: ", UpMoneyTotal[index])
    PRINT ("Train No: ", index, "| Train Return Hour: ", DownTime[index], "| Number of passengers: ", DownPassengers[index],
           "| Total money: ", DownMoneyTotal[index])
    PRINT "" // EMPTY LINE
NEXT index
FOR index <- 0 TO 3
    TotalPassengers <- TotalPassengers + UpPassengers[index]</pre>
    TotalAmount <- TotalAmount + (UpMoneyTotal[index] * 2)</pre>
NEXT index
FOR index <- 0 TO 3
    IF UpPassengers[index] > MostPassengers
        THEN
            MostPassengers <- UpPassengers[index]</pre>
            MaxTrain <- UpTime[index]</pre>
    ENDIF
    IF DownPassengers[index] > MostPassengers
        THEN
            MostPassengers <- DownPassengers[index]</pre>
            MaxTrain <- DownTime[index]</pre>
    ENDIF
NEXT index
PRINT "Total money earned today:", TotalAmount
PRINT "Total passengers travelled today:", TotalPassengers
PRINT "The train journey with the highest number of passengers today:", MaxTrain
```