

**Cement and Concrete Reference Laboratory
Inspection Request Form**

Please return this request to:

Mr. Jan Prowell, Director
Cement and Concrete Reference Laboratory
4441 Buckeystown Pike, Suite C
Frederick, Maryland 21704

Do not email or fax credit card information

ccrl@astm.org

Please set up vendor/accounting information as:

ASTM International
GST/HST No.: R129162244
Attn: CCRL
100 Barr Harbor Drive
West Conshohocken, PA 19428-2959

Please review and complete:

Name of Laboratory University of Arkansas
Main Phone Number (479) 575-2220
Alternative phone (optional) (479) 575-3997 _____
Fax Number (479) 575-7639
Lab Contact #1 Dr. Stacy Williams
E-Mail Address sgwill@uark.edu
Mailing Address 700 Research Center Blv, #3515
Fayetteville, Arkansas

Lab Contact #2 Mrs. Frances Griffith
E-Mail Address fgriffi@uark.edu
Physical Address 700 Research Center Blv, #3515
(if different than Mailing) Fayetteville, Arkansas

Valid e-mail addresses are mandatory for the transmittal of vital information.

Indicate the type(s) of inspection:

Cement ☐
Incl. C1157* ☐
Concrete ☐
Aggregate ☐
Pozzolan ☐
Slag Cement ☐
Rebar ☐
Masonry: ☐
CMU ☐
Brick ☐
Mortar ☐
Incl. C1019 ☐
AASHTO R18** ☐

«Last inspection included these item(s).

For a listing of test methods & practices inspected for each type see the second page of this form.

*Must request cement inspection with this option. Includes C186, C1012 & C1038

** Only for AAP accredited labs not inspected by AMRL. Must be performed with an Additional Quality System (C1077, C1222 or C1093)

Circle any of the following additional test methods you would like to include in the inspection. An additional fee is charged for each optional test method requested. Please consult fee schedule for details.

C29, C42, C70, C78, C87, C88, C115, C123, C131/C535, C142, C157, C174, C186, C192, C215, C227, C232, C233, C234, C289, C293, C295, C341, C403, C418, C441, C457, C469, C495, C496, C512, C531, C567, C586, C597, C641, C642, C666, C671, C672, C682, C684, C779, C780 (cubes), C780 (cylinders), C789, C801, C803, C805, C873, C876, C882, C900, C918, C937, C939, C940, C942, C944, C953, C1012, C1038, C1040, C1074, C1084, C1090, C1105, C1137, C1138, C1140, C1152, C1170, C1176, C1202, C1218, C1260, C1293, C1314, C1383, C1399, C1404, C1542, C1552, C1567, C1581, C1583, C1603, C1609, C1611, C1621, C1645, D75 & D2419

Comments: _____

Signed

Stacy Williams

Dated

2/17/14

Questions? Please contact us at ccrl@astm.org or (240) 436-4800 or visit our website at www.ccrl.us. **Do not email or fax credit card information**

****FOR OFFICE USE ONLY****

Request No. _____

Lab No. 3188

Seq. No. 1195

Prev. Insp. No. K353

Prepayment \$ _____

CC ☐ CH ☐ N ☐

Oracle No. _____

AAP ☐ ACI ☐

Recorder Initials _____

PO # _____