Clipboard

Windows programming

cuu duong than cong . com



cuu duong than cong . com

Set text to clipboard

```
if (OpenClipboard(hWnd))
{
   EmptyClipboard();
   LPCWSTR source = L"Kiểm tra chuỗi tiếng Việt";
   int len = wcslen(source) + 1;
   // Copy dữ liệu vào vùng nhớ của Clipboard
   HGLOBAL clipbuffer = GlobalAlloc(GMEM_DDESHARE, len * sizeof(wchar_t));
   LPWSTR buffer = (LPWSTR) GlobalLock(clipbuffer);
   wcscpy_s(buffer, len, source);
   GlobalUnlock(clipbuffer);
   // Chính thức đưa vào clipboard
   SetClipboardData(CF_UNICODETEXT, clipbuffer);
   CloseClipboard();
```

Get text

```
if (OpenClipboard(hWnd))
{
    if (IsClipboardFormatAvailable(CF_UNICODETEXT))
        HANDLE hClipboardData = GetClipboardData(CF_UNICODETEXT);
        LPCWSTR buffer = (LPCWSTR)GlobalLock(hClipboardData);
        MessageBox(0, buffer, L"Data", 0);
        GlobalUnlock(hClipboardData);
   CloseClipboard();
```



cuu duong than cong . com

Get image

```
if (OpenClipboard(hWnd))
{
   HBITMAP hBitmap = (HBITMAP)GetClipboardData(CF_BITMAP);
   BITMAP bitmap;
   GetObject(hBitmap, sizeof(BITMAP), &bitmap);
   HDC hdc = GetDC(hWnd); // Tạo DC ảo chứa bitmap
   HDC memDC = CreateCompatibleDC(hdc);
   SelectObject(memDC, hBitmap);
   BitBlt(hdc, 0, 0, bitmap.bmWidth, bitmap.bmHeight, memDC, 0, 0, SRCCOPY);
   DeleteDC(memDC);
   ReleaseDC(hWnd, hdc); u duong than cong . com
   CloseClipboard();
```

Set image

SetClipboardData(CF_BITMAP, hBitmap);

cuu duong than cong . com

cuu duong than cong . com

Use our own format

cuu duong than cong . com

cuu duong than cong . com

Get clipboard notification

cuu duong than cong . com

Register & message handler

- SetClipboardViewer()
- WM_DRAWCLIPBOARD

cuu duong than cong . com

cuu duong than cong . com