Question 1
Not yet answered
Marked out of 1.00
Consider some statements:
[1] Dynamically access incoming requests from the user before the servlet processes the request
[2] Access the outgoing response from the web resources before it reaches the user
[3] Intercept the requests and response that flow between a client and a Servlet/JSP
[4] Was introduced as a Web component in Java servlet specification version 2.3
What these statements are saying about?
○ a. back end services
○ b. web server
○ c. container
o d. filter
Clear my choice

Question 2 Not yet answered	
Not yet answered	
Marked out of 1.00	
William C. Cl. I. 2	

Which structure of war file does?

- a. None of the others
- b. WEB-INF directory, resources that browser can access depending permission putting outside WEB-INF directory, and/or META-INF directory
- c. WEB-INF directory, and META-INF directory
- od. WEB-INF directory, all directory putting outside WEB-INF directory that is shown in IDE tool, lib directory with jar files that are added, and/or META-INF directory

Question 3
Not yet answered
Marked out of 1.00
Consider the code:
String sql="select ORDERID,ORDERDATE,STATUS from ORDERS where STATUS=?" PrepareStatement pst=cn.prepareStatement(sql); //MISSING
ResultSet rs=pst.executeQuery();
What statement is used insert to [MISSING] to get orders that is processing?
○ a. pst.setInt(1,"processing");
○ b. pst.getString("STATUS");
○ c. pst.setString(1,"processing");
○ d. pst.setString("processing");

Question 4
Not yet answered
Marked out of 1.00
What way is used to transfer data from the resource (jsp or servlet) to the other resource?
○ a. request.sendRedirect(url);
○ b. request.dispatcher(url).send();
○ c. request.getRequestDispatcher(url).forward(request,response);
○ d. response.sendRedirect(url);
Question 5
Not yet answered
Marked out of 1.00
Which following function in core library taglib of JSTL is used to make the urlrewriting technique?
○ a. set and/or param
○ b. import and/or param
○ c. None of the others
○ d. url and/or param

Question 8
Not yet answered
Marked out of 1.00
Which method does container generate code with scriptlets and expression?
○ a. None of the others
○ b. service
○ cjspForward
○ djspService
Question 9
Not yet answered
Marked out of 1.00
What attribute presents value that contains some target resource in the web application (e.g. Servlet or JSP)?
○ a. action
○ b. multidata
○ c. encryption
○ d. method

Question 10	
Not yet answered	
Marked out of 1.00	
What is the meaning of param keyword in EL?	
○ a. param is a briefcase of Request Parameter	
○ b. param is a briefcase of request.getParameter	
○ c. param is a briefcase of Parameters of Context Scope, Config, and Request Scope	
○ d. None of the others	
«	>>