IMSDA Events — registration lists, rosters and public journeys

Reviewed October 21, 2026 against main 72a6cb214185cd7b74696f8913535f85330b690f. This is a source, existing-test and issue review. It is not a production-browser inspection, a complete audit of every domain or a claim that an observed production record failed. Proposed layouts remain recommendations; the earlier accepted four-role direction remains authoritative for role separation.

What should stay

• The registration hub uses **party/registration cards**, not a spreadsheet. Keep its readable overview and existing detail dialog. The attendee list is **one row per attendee**; the club roster is **one row per club-year member**. Those are different populations, not interchangeable table layouts.

• Keep the delivered table alignment, card labels, Honors compact controls and phone work from closed #811/#996/#997/#1004. Keep the delivered attendee list/CSV (#784) and director export builder with saved formats (#490). Do not reopen those as missing features.

• Public discovery already includes the home page, calendar, list/map club finder, Start a new club entry and account entry. #437/#1014 are delivered. The current new-club application is Pathfinder-only; finding a club does not create membership or approve a new club.

• Calendar month/upcoming, categories, closure/deadline/cancellation meaning, import/recurrence/subscription and registration linking already exist. #444/#445/#1086 are delivered. Several calendar dates/sites can link to one registration event.

• Event pages already have differentiated form choices, lifecycle-aware CTAs, club-specific information, content blocks, assets, per-section publication, resource links and local block/card previews. #720/#471 are delivered. This is a useful foundation, not an empty page awaiting the full site builder.

Findings and ownership

Priority	Finding	Evidence / distinction	Owner
P1	Public sharing links use the unsaved event slug/name.	copyEmbedCode reads draft.slug/draft.name; the Open public event page URL and displayed embed path also read draft.slug. A successful server response separately maintains savedDraft. An organizer can copy an unpublished address before Save or after a failed Save.	Focused corrective issue; event settings/sharing.
P2	Registration result order text can contradict the active server sort.	The page preserves the service's canonical search order, while PeopleWorkspace always renders the constant submitted-date-descending note. sort=name and sort=submitted.asc are supported. This is misleading copy; it does not prove the query sorts incorrectly.	Focused corrective issue under #75; build on delivered #180.
P2	The attendee table shows 13 columns regardless of the task.	Names, status, meal/dietary, group/church, childcare, volunteer and contact fields compete. Sorting/phone controls and permission gating already exist. Task-oriented column profiles belong to the open saved-view contract, not a new table engine.	Expand #181; preserve #784.
P2	Club roster density and row actions can be easier to learn.	Seven core columns plus optional birth date/screening/Honors/actions; Edit/Remove are 13px glyphs inside controls with person-specific accessible names. These are labelled for assistive technology; sighted novice discoverability is the gap.	Expand #1112; #1101 remains the separate dirty-editor fix.

Priority	Finding	Evidence / distinction	Owner
P2	A crowded calendar day has no direct path to all its items.	Month cells render the first three items, then plain +N more text. Day numbers are spans. All in-month items remain in the agenda below; do not call them lost. At 760px chips become noninteractive dots and agenda links deliberately remain the accessible route (#996).	Bounded presentation follow-up under #107.
P2	Club search understates its supported search terms and gives little result/map feedback.	Matching supports town, ZIP, club and church names; label says only town/ZIP. No explicit result total or Clear search action. A publicly listed club with no coordinates remains in the list, but no count explains that distinction.	Bounded follow-up to delivered #437; no public-field expansion.
P2	Event customization is split across settings, content and form presentation.	Settings holds public metadata/links and sharing; Public content holds sections/assets/placement; the registration builder owns forms. Per-block preview exists; a composed page plus state review is still future work.	Expand #448/#283/#284, with #247–#251 retaining the full builder.
P3	Link purpose and icon language should be consistent across the journey.	Calendar uses ExternalLink for an offsite new-tab action; event sharing also uses it for a same-site page in a new tab. Club Edit/Remove icons have no visible text. Public supportContact is text beside a generic conference contact link.	Use one documented icon/link vocabulary through current owners; no indiscriminate icon replacement.

Registration, attendee and roster column plan

These are proposed default priorities for already-authorized data. They are not new permission bundles or an instruction to expose every column to every role.

View	Lead information	Secondary / task-specific information	Primary action
Registration hub	Registrant/contact, code, included-person count, registration state, location, submitted time	Existing financial/payment/history detail and explicit authorized tasks. Optional compact table may be a later saved display mode; keep cards available.	Open registration.
General attendee list	Attendee name, registration state, confirmation link, type, group/church	Meal, dietary flag, childcare, volunteer and contact columns according to the selected authorized task view.	Open the linked registration.
Meal planning	Name, meal preference, dietary-needs flag, group/church, confirmation	Free-text dietary details only where existing health permission allows them. Never expand health access through a saved view or kitchen label.	Authorized export/detail.
Director club roster	Name, age, attendee type, current class, actionable missing-detail/status summary	Role, gender, permitted screening summary and Honors detail remain discoverable. Birth date stays behind the current explicit authorized reveal.	Edit person. Secondary labelled actions.
Coordinator club roster	Name, age, type/class and authorized summary fields	Existing permitted screening/record detail; retain the coordinator subset and narrow Team-approval exception elsewhere.	Open view-only record.

Column configuration uses stable field IDs, readable labels, show/hide/order and Reset to default. Do not persist array indexes or translated labels as field identity. Restoring a saved view rechecks permissions and marks removed/unsupported fields. Duplicate names require confirmation/group context, not DOB added by default. Long values wrap; phone cards retain the same semantic labels. Sorting never disappears solely because the header row becomes hidden.

Counts must say **registrations**, **attendees**, **club members**, **selected records**, or **work items**. The registration hub's local search/filter applies to its loaded page during server search; selection can include hidden-by-local-filter records

and already says so. Preserve that behavior and explicit Select all N shown. The current registrations CSV URL only carries location, not every server/local filter or selection. Label its actual scope today; any matching-query export implementation belongs to #181/#182 and its authorization/preview contract. Attendee CSV already serializes the attendee query and uses the same column definition; keep that strength. Director roster-export saved formats are separate from staff saved views.

Icon and action vocabulary

Meaning	Visible label / treatment
Open record/destination	Use a normal link or labelled Open/View action; avoid making a whole row look editable in a read-only role.
Edit	Pencil plus **Edit** in a dense row, or a named Actions menu. Keep person-specific accessible names.
Remove / erase	Secondary menu or clearly labelled destructive action, separated from Edit. Preserve the existing confirmation naming erased details and the Inactive alternative. No one-click erasure.
Sort	Shared header treatment and actual aria-sort; retain accessible sort-by/direction on phone cards. Never use an arrow alone to explain the order.
Export/download	Download plus **Download CSV** or **Export [population]**; name the scope and format.
Copy/share	Copy plus **Copy event link**, **Copy form link** or **Copy embed code**. These are different outputs. Success/error is announced; copied feedback resets when its source changes.
External destination / new tab	Explain the actual destination and whether a new tab opens. A same-origin public preview can say **Open public page — new tab**. An offsite icon must not imply record editing.
More actions	Labelled **Actions**, context-aware accessible name, keyboard disclosure, Escape and focus return. Reuse the delivered ActionsMenu pattern.

Use the existing Lucide family and button tokens. A 13–18px icon can sit in a 44px phone target; icon size and target size are different. Decorative icons are hidden from assistive technology. Status text and color remain together. Avoid hover-only explanations, arbitrary new glyphs for the same action, and green badges that imply financial/attendance/approval completion interchangeably.

Calendar and club-finding journeys

Calendar: keep month as a quick overview and Upcoming/agenda as the readable route. For a day with five items, provide a real **View all 5 events for [full date]** action linking/focusing a dated agenda section. It must preserve month/category and expose all five public items; use the same public projection rather than a duplicate feed. Dates outside the selected month need a defined destination if actionable. Phone dots must not become invisible focusable targets again. Category and selected-day counts need clear scope. Closures, deadlines, postponed/cancelled items, offsite information and registration availability retain distinct meanings. Do not add text search here as a substitute for the still-open event directory #106.

Find a club: use “Search town, ZIP, club or church” and show “N publicly listed clubs found; M shown on the map.” A result without coordinates remains fully usable in the list with “Map location unavailable” when relevant. Provide Clear search, no-match recovery and an accessible selection/result announcement without moving focus on every keystroke. Consider a compact List / Map control on phones so a 360px map does not always come before the task; both views must use the same filter/selection. Keep same-church shared pins and list selection working. A map failure should leave the list usable with an honest unavailable/retry message; do not report map success because Leaflet loaded while tiles failed.

The public projection deliberately excludes personal names, contact phone/email, street/meeting address and description. Do not add directors' private contact details, precise locations, directions, member rosters or health/screening data to improve a card. A conference-help link may reuse an existing approved public contact destination. Adding new published contact/location fields needs its own publication/consent owner. Preserve the

existing Start a new club callout and its Pathfinder-only wording.

Event customization and destination map

Organizer task	Current home	Recommendation / boundary
Event identity, dates/timezone, tagline/subtitle, support, lifecycle	Event settings	Keep live domain ownership; show public-page links and where each value appears. Saving is separate from publishing/unpublishing.
Hero, text, notices, steps, image/resource blocks, assets	Public content	Add an outline with section title/type, placement and saved/draft/public status. Preserve existing accessible move controls, fixed hero rules and local previews. Avoid presenting a flat stored order as the final rendered order when hero/resources/registration/prose have special placement.
Registration questions, choices, conditions and payment configuration	Registration builder	Link to the relevant form; do not copy the form renderer into the page editor. #1062 and its children remain the builder work.
Consistent colors/type/logo/spacing across event and registration channels	#283 then #284	Resolve constrained, versioned tokens; distinguish event-level defaults and explicit form overrides. Do not introduce arbitrary CSS, a second theme store or global changes to imitate one event.
Composed page/device/state preview	#284 / later #247–#251	Clearly labelled synthetic states; public and embedded renderers share rules. Preview does not publish, reserve, charge or grant access. Never make an unpublished event public merely to preview it.
Public links / embeds	Settings sharing today	Show saved event URL, each published form URL, supported embed code and optional external details URL with purpose/scope. Use persisted values; separate draft preview.
Multi-page navigation, custom domains, redirects, scheduled publish/rollback	#84/#247–#251	Keep planned. Do not make these prerequisites for improving the current page/content workflow.

The current link chain is: **Home/calendar** `/events/[eventSlug]` **the actual permitted form or club entry route**. Standard form /register/[eventSlug]/[formSlug], eligible general-link /register/[eventSlug]/general, group /register/[eventSlug]/group, director club entry, and account/private management are different routes with different authority. /register/[eventSlug] already resolves a real event to its landing page. Several calendar items can lead to the same event while retaining their own dates.

A practical organizer review checks draft, published/open, not-yet-open, closed, full/waitlist and archived/unavailable events, plus cancelled/postponed calendar items where the owning domain supports them; zero/one/several forms; direct payment versus sponsoring-church/group billing; external details absent/present; resource asset available/revoked; allowed/disallowed embedding; ordinary account and genuine director entry. Avoid publicly sharing private management tokens or staff preview links. Link checks never submit a live registration or payment.

Suggested delivery sequence

1. Correct the saved-address sharing bug and false sort-order note independently.

2. Extend #1112 with labelled roster actions, clear default column priorities and task filters; keep #1101 independent.

3. Add bounded calendar crowded-day and club-finder feedback follow-ups without reopening delivered foundations.

4. Extend #181's stable column/query/export contract; use truthful scope labels before the persistence framework ships.

5. Use #448 to settle the public-setup entry point; attach the outline/link inventory to #283/#284's existing theme/preview work. #448's existing open scope decision remains explicit.

#98 remains the ordered roadmap. No new codex-ready labels, feature activation, role expansion, production configuration, merge or deployment is implied by this review.

GitHub follow-ups

• #1114 — Complete review and ownership index

• #1115 — Use saved settings for public share links and embed code

• #1116 — Show the effective registration search sort

• #1117 — Calendar crowded-day navigation

• #1118 — Club-finder results, map coverage and phone navigation

Existing issues expanded in place: #181 (column/query/export contract), #1112 (roster columns and visible row actions), #1074 (icon and destination language), #448 (public-setup entry), #283 (theme continuity), #284 (composed state/device preview). Their current owners and unsatisfied decisions remain authoritative.

Source references

• Registration cards, filter/export/selection, fixed order note, canonical search ordering.

• Attendee column contract and CSV, current attendee table and phone sort.

• Roster columns and person actions, existing remove confirmation.

• Calendar day overflow and agenda, phone chip accessibility, public item links.

• Finder search and result list, strict public projection, map behavior.

• Saved settings response, draft embed copy, public sharing panel.

• Content editor and per-section publication, public page form/section composition, landing visibility and form routes.

• Shared Actions menu, shared sortable headers.