

Started on Sunday, 6 November 2016, 11:27 PM

State Finished

Completed on Sunday, 6 November 2016, 11:27 PM

Time taken 28 secs

Grade 100.00 out of 100.00

Question 1

Correct

Mark 15.00 out of 15.00

P9.03_6ed

Consider the sinusoidal voltage $v(t) = 170 \cos(120 \pi t - 60^\circ)$ V. $v(t)$ without symbols is (170 cos(120 pi t – 60 degrees))

- a) What is the maximum amplitude of the voltage? $V_m =$ ✓✓ V
- b) What is the frequency of $v(t)$ in hertz? $f =$ ✓ Hz
- c) What is the frequency of $v(t)$ in radians per second? ω (omega) = ✓ rad/sec
- d) What is the phase angle in radians? ϕ (phi) = ✓ radians
- e) What is the phase angle in degrees? ϕ (phi) = ✓° (Degrees)
- f) What is the period in milliseconds? $T =$ ✓ ms (milli sec)
- g) What is the first time after $t = 0$ that $v(t) = 170$ V? $t =$ ✓ ms (milli sec)

Numeric Answer

- a) $V_m = 170$ V
- b) $f = 60$ Hz
- c) ω (omega) = 376.99 radians/sec
- d) ϕ (phi) = -1.047 radians
- e) ϕ (phi) = -60 Degrees
- f) $T = 16.67$ ms
- g) $t = 2.778$ ms

Correct

Marks for this submission: 15.00/15.00.

Question 2

Correct

Mark 15.00 out of 15.00

Ex9.01_9ed

A sinusoidal current has maximum amplitude of $I_{\text{peak}} = 90 \text{ A}$.

The current passes through one complete cycle in $T = 11.50 \text{ ms}$ (milli sec).

a) What is the rms value of the current?

$$I_{\text{rms}} = 63.65 \text{ A}_{\text{rms}}$$

b) What is the frequency f in hertz?

$$f = 86.96 \text{ Hz}$$

c) What is the frequency ω in radians per second?

$$\omega = 546.39 \text{ rad/sec}$$

Numeric Answer

a) $I_{\text{rms}} = 63.640 \text{ A}_{\text{rms}}$

b) $f = 86.957 \text{ Hz}$

c) $\omega = 546.364 \text{ rad/sec}$

Correct

Marks for this submission: 15.00/15.00.

Question 3

Correct

Mark 15.00 out of 15.00

P9.02_9ed

At $t = -2 \text{ ms}$ (milli sec), a sinusoidal voltage is known to be zero and going positive.

[Hint: The easiest representation of the waveform at $t = -2 \text{ ms}$ is the sine and not the cosine form.]

The voltage is next zero at $t = 8 \text{ ms}$ (milli sec).

It is also known that the voltage is 80.9 V at $t = 0$.

a) What is the frequency of $v(t)$ in hertz?

$$f = 50 \text{ Hz}$$

b) What are the following parameters of the voltage $v(t)$ in the cosine form expression?

The frequency of the voltage source?

$$\omega (\text{omega}) = 314.159 \text{ radians/sec}$$

The phase angle ϕ_v (ϕ_i)?

$$\phi_v (\phi_i) = -54^\circ (\text{Degree})$$

The maximum voltage V_m ?

$$V_m = 137.64 \text{ V}$$

Numeric Answer

$f = 50 \text{ Hz}$

$\omega (\text{omega}) = 314.16 \text{ radians/sec}$

$\phi_v (\phi_i) = -54 \text{ Degrees}$

$V_m = 137.64 \text{ V}$

Correct

Marks for this submission: 15.00/15.00.

Question 4

Correct

Mark 15.00 out of 15.00

P9.03_9ed

A sinusoidal current is zero at $t = -625 \mu\text{s}$ (micro sec) and increasing at a rate of $8,000 \pi$ (pi) A/sec [Hint: rate of current change = di/dt].

The maximum amplitude of the current is 20 A.

a) What is the frequency of $i(t)$ in radians per second?

$$\omega \text{ (omega)} = 1256.637 \checkmark \text{ rad/sec}$$

b) What the following parameters of the current $i(t)$ cosine form expression?

The period of the current source?

$$T = 5 \checkmark \text{ ms (millisec)}$$

The phase angle ϕ_i (ϕ_i)?

$$\phi_i \text{ (phi}_i\text{)} = -45 \checkmark^\circ \text{ (Degrees)}$$

Numeric Answer

$$\omega \text{ (omega)} = 1,256.64 \text{ rad/sec}$$

$$T = 5 \text{ ms (millisec)}$$

$$\phi_i \text{ (phi}_i\text{)} = -45 \text{ Degrees}$$

Correct

Marks for this submission: 15.00/15.00.

Question 5

Correct

Mark 15.00 out of 15.00

T9.03

Given $v(t) = 53 \cos(1,000 t + 73^\circ)$ Volts

a) Find the frequency in hertz for this voltage.

$$f = 159.36 \checkmark \text{ Hz}$$

a) Find the rms value of the voltage.

$$V_{\text{rms}} = 37.48 \checkmark \text{ Vrms}$$

c) Find the voltage $v(t)$ at $t = 2 \text{ ms}$ (milli sec).

$$v(t = 2 \text{ ms}) = -52.56 \checkmark \text{ V}$$

Numeric Answer

$$\text{a) } f = 159.1549 \text{ Hz}$$

$$\text{b) } V_{\text{rms}} = 37.4767 \text{ Vrms}$$

$$\text{c) } v(t = 2 \text{ ms}) = -52.5355 \text{ V}$$

Correct

Marks for this submission: 15.00/15.00.

Question 6

Correct

Mark 15.00 out of
15.00

T9.04

Given $v(t) = 100 \sin(500 t - 23^\circ)$ Volts

a) Translate the voltage into the cosine form.

$$v(t) = 100 \checkmark \cos(500 \checkmark t + -113 \checkmark^\circ) \text{ Volts}$$

b) Find the rms value of the voltage.

$$V_{\text{rms}} = 70.71 \checkmark \text{ Vrms}$$

c) Find the voltage $v(t)$ at $t = 5$ ms (milli sec).

$$v(t = 5 \text{ ms}) = 86.32 \checkmark \text{ V}$$


Numeric Answera) $v(t) = 100 \cos(500 t - 113^\circ)$ Voltsb) $V_{\text{rms}} = 70.7107$ Vrmsc) $v(t = 5 \text{ ms}) = 86.3928$ V**Correct**

Marks for this submission: 15.00/15.00.

Question 7

Correct

Mark 10.00 out of 10.00



P9.09_10ed

The voltage applied to this circuit at $t = 0$ (when the switch closes) is $v_s(t) = 75 \cos(4,000t - 60^\circ)$ Volts

Also given that $R = 400 \, \Omega$ (Ohm) and $L = 75 \, \text{mH}$ (milli Henry)

The initial inductor current is zero for $t < 0^-$.

For $t = 750 \, \mu\text{sec}$ (micro sec) after the switch closed, find the following values.

a) Find the numerical value of the transient response of i .

$$i_{\text{transient}} = \boxed{.329} \checkmark \text{ mA (milli Amp)}$$

b) Find the numerical value of the steady state response of i .

$$i_{\text{steady_state}} = \boxed{38.75} \checkmark \text{ mA (milli Amp)}$$

c) Find the total response i .

$$i_{\text{total}} = \boxed{38.75} \checkmark \text{ mA (milli Amp)}$$

Numeric answer

a) $i_{\text{transient}} = 0.3286 \, \text{mA}$ (milli Amp)

b) $i_{\text{steady_state}} = 38.779 \, \text{mA}$ (milli Amp)

c) $i_{\text{total}} = 39.1076 \, \text{mA}$ (milli Amp)

Correct

Marks for this submission: 10.00/10.00.