Q Count number of occurances

Prime number

sum of n even number

inverted pattern

Binary to decimal

leap year

Q. Procedure

declare two variables a and b

set a to non-zero value

set b to 0

try block:

attempt to divide a by b and store the result in another variable result

exception:

Catch the Arithmetic exception

display an error message

end try. catch block

Q. Array Bound of exception

Procedure

Initialize arr[]: {5, 6, 7, 8, 9}

Set a variable index to a value greater than the array's length

try block:

Attempt to access the array element at
exception

catch ArrayIndexOutOfBoundException
display error message
end try catch block
end Procedure

② Procedure
define NegativeValuesException extending exception
Constructor:
Send message to parent class
main.

define check positive (int number)
if number < 0
throw Negative value Exception
try:
call check Positive (number)
if no exception is thrown "Number is valid"
catch Negativevalue Exception.
display the error

② declare
int a = 3
float b = 4.56
double c = 5.6473467

char d : 'a'

bool e : true

display the data types separately

Q) Procedure:

Initialize variables

key : make : model year

Constructor

input: make , model , year

Set class variable to input variable

Method PrintCar Details

Output: display make model and year of the car

main:

Create an object of Car with make, model and year

call printDetails and display the details

Q

Create a matrix A with dimension 1 x 9

Create Matrix B with dimension 1 x 9

for i in range from 0 to 8

Set matrix A[0][i] to i+1

for i in range from 9 to 1

int matrix A[a][i] to i

for i from a to 3

Print matrix A[a][i]

for i from 4 to 1

Print matrix B[a][i]

Q)

Procedure

Initialize accountnumber, balance

Constructor

input accountnumber, initial balance set account number and balance to input value

Method deposit:

input amount

if amount <= balance

balance = - amount

else

display insufficent balance

main:

Create object of Bank Account with account number and initial Balance

display the balance

(a) declare the Scanner class to get input
get the operator and operand
if operator : sum
display the sum
else if operator : difference
return the difference between the numbers
else if operator : *
return the product
else if operator : /
return the quotient
display the result.

(b) Procedure

declare Scanner class
initialize base : 4
exponent : 3
using the intait function
assign pow : Mather . pow (base , exponent)
display the result
end procedure

Procedure:

assign n = length

expected sum = n/(n+1)/2

actual - sum = sum (numbers)

missing number = expected - sum - actual - sum

return missing number

end Procedure