Project Report

Title: BLOOD DONATION

BACHELOR OF TECHNOLOGY

Computer science and Engineering

Submitted to

Ms. Nausheen Fatima LOVELY PROFESSIONAL UNIVERSITY PHAGWARA, PUNJAB



SUBMITTED BY :-DURGA VARUN Reg. No:-12203905 Roll No:-05

ACKNOWLEDGEMENT

At every outset I express my gratitude to almighty lord for showering his grace and blessings upon me to complete this project.


Although our name appears on the cover of this book, many people had contributed in some form or the other form to this project Development.

We could not done his project without the assistance or support of each of the following we thank you all.

I wish to place on my record my deep sense of gratitude to my project guide Prof. NAUSHEEN FATIMA for his constant motivation and valuable help through the project work. I would like to thank my entire department of Information Technology for their solitude help to complete my project work. I also extend my thanks to other Faculties for their Cooperation during my Course. Finally I would like to thank my friends for their cooperation to complete this project.

DESIGN AND SOURCE CODE:-

BLOOD DONATION						
		DONOR LOGIN:	PASSWORD:	LOGIN		
REGISTER	WHY DONATE BLOOD	WHO CAN GIVE BLOOD	REFER A FRIEND	CONTACT US		
State: Andhra Pradesh City: VIJAYAWADA Area: Ben circle Groups A+ Search			Blood			
	do, but it can make a big difference in t	he lives of others. s about an hour. The donation itself is only about 8-10 n	ninutes on average.			
WHERE WOULD YOU	LIKE TO DONATE ?					
		Search				
Give Feed Back						



Why Donate Blood?

A blood donation is truly an altruistic gift that an individual can give to others in need. In only 45-60 minutes, an eligible individual can donate one unit of blood that can be separated into four individual components that could help save multiple lives. From one unit of blood, red blood cells can be extracted and used to treat patients who lost blood due to trauma or those who are recovering from surgery. Plasma, the liquid part of blood, is typically administered to patients with requiring treatment to improve blood clotting. Platelets, a third component, clot the blood when cuts or other open wounds occur, and are often used in the treatment of patients with cancer or those undergoing organ transplants. Finally, cryoprecipitated anti-hemophilic factor (AHF) is also used for clotting factors. A study supported by AABB's National Blood Foundation (TRANSFUSION 2002;42:122S) surveyed more than 5,000 blood donors to find out more about why they donate blood. Nearly 75% of the respondents said that they give blood to help others. Respondents also said that giving blood makes them feel good about themselves, supports their local communities and hospitals, supports their community, and "pays back" society for the times when they or their families have needed blood transfusions in the past. AABB encourages those who are eligible to donate blood or blood components regularly to ensure that this lifesaving resource is available for patients whenever and wherever it is needed. GIVE BLOOD

Basic Eligibility Guidelines

Age: You must be at least 17 years old to donate to the general blood supply. There is no upper age limit for blood donation as long as you are well with no restrictions or limitations to your activities.

High Blood Pressure: Acceptable as long as your blood pressure is below 180 systolic (first number) and below 100 diastolic (second number) at the time of donation. Medications for high blood pressure do not disqualify you from donating.

Body Piercing: You must not donate if you have had a tongue, nose, belly button or genital piercing in the past 12 months. Donors with pierced ears are eligible.

Cold and Flu: Wait if you have a fever or a productive cough (bringing up phlegm). Wait if you do not feel well on the day of donation. Wait until you have completed antibiotic treatment for sinus, throat or lung infection.

Diabetes: Acceptable as long as it is well controlled, whether medication is taken or not.

Diet: A meal is recommended at least four hours prior to donation. Drink plenty of fluids.

MSM: Men who have had sex with other men, at any time since 1977 (the beginning of the AIDS epidemic in the United States) are currently deferred as blood donors. This is because MSM are, as a group, at increased risk for HIV, hepatitis B and certain other infections that can be transmitted by transfusion.

Tattoos: One-vear deferral.

Weight: You must weigh at least 110 pounds to be eligible for blood donation for your own safety. Blood volume is in proportion to body weight. Donors who weigh less than 110 pounds may not tolerate the removal of the required volume of blood as well as those who weigh more than 110 pounds. There is no upper weight limit as long as your weight is not higher than the weight limit of the donor bed or lounge you are using. You can discuss any upper weight limitations of beds and lounges with your local health historian.

Other criteria that will be assessed at the time of donation include, but are not limited to: Hemoglobin, Travel, Cancer, Medications, Hepatitis, and HIV Risk: Intravenous drug abusers: HIV, HBV, HCV and HTLV

Transplant patients: animal tissue or organs

People who have recently traveled to or lived abroad in certain countries may be excluded because they are at risk for transmitting agents such as malaria or variant Creutzfeldt-Jakob Disease

UCSF Benioff Children's Hospitals medical specialists have reviewed this information. It is for educational purposes only and is not intended to replace the advice of your child's doctor or other health care provider. We encourage you to discuss any questions or concerns you may have with your child's provider.

REFER A FRIEND Refer a friend

Contact Form Name Email Subject Message Write your message here	Contact Us	
	Name Email Subject Message	Phone 6309889519 Email Address

SOURCE CODE:-

```
<html>
   <head>
       <title>BLOOD DONATION</title>
       <style>
            img{
                height: 300px;
                width: 500px;
                margin-left: 950px;
            body{
                border-style: double;
                background-color:green;
            h3{
                text-align: center;
                color: red;
            #bac1{
                border-style:dotted;
                margin: 10px;
                padding: 10px;
            #dj{
                margin: 10px;
                padding: 10px;
            #abc{
                border-style:dotted;
                margin: 10px;
                padding: 10px;
                padding-left: 750px;
            #uk{
                border-style:dotted;
                margin: 10px;
                padding: 10px;
            form{
                text-align: center;
                max-width: 340px;
                margin: auto;
                border-style: double;
                border-color: rgb(0, 179, 255);
```

```
border-radius: 70px;
               margin-left: 20px;
       h1{
           text-align: center;
           color:red;
       h2{
           text-align:left;
           color:black;
p{
   color:blue;
.0ne{
   margin-left: 180px;
.00{
   margin-left: 180px;
.aa{
   margin-left: 180px;
.al{
   margin-left: 180px;
       </style>
   </head>
   <body >
       <div id="abc">
           <label for="DONOR LOGIN">DONOR LOGIN:</label>
           <input type="DONOR LOGIN" id="DONOR LOGIN" name="DONOR</pre>
LOGIN">     
           <label for="PASSWORD">PASSWORD:</label>
           <input type="PASSWORD" id="PASSWORD"</pre>
name="PASSWORD">     
           <button style="background-color: rgb(244, 117, 117);">LOGIN</button>
       </div>
       <div id="dj"><a href="REGISTER.html"target="_blank"><button>REGISTER</button></a>
       <a class="One" href="WHY DONATE BLOOD.html"target="_blank"><button>WHY DONATE
BLOOD</button></a>
       <a class="oo" href="WHO CAN GIVE BLOOD.html"target="_blank"><button>WHO CAN GIVE
BLOOD</button></a>
```

```
<a class="aa" href="REFER A FRIEND.html"target=" blank"><button>REFER A
FRIEND</button></a>
       <a class="al" href="CONTROL.html"target=" blank"><button>CONTACT
<form><div>
           <h3>FIND A DONOR</h3><br>
           <label for="State">State:</label>
           <select name="State" id="State">
                <option value="Andhra Pradsh">Andhra Pradesh</option>
               <option value="Punjab">Punjab</option>
               <option value="Gujarat">Gujarat</option>
               <option value="Assam">Assam</option>
               <option value="Arunachal Pradesh">Arunachal Pradesh</option>
               <option value="Telangana">Telangana
            </select>
       </div><br>
       <div>
       <label for="City">City:</label>
            <select name="City" id="City">
                <option value="VIJAYAWADA">VIJAYAWADA</option>
               <option value="Jalandhar">Jalandhar</option>
                <option value="Ahmedabad">Ahmedabad</option>
               <option value="Silchar">Silchar</option>
               <option value="Itanagar">Itanagar</option>
               <option value="Hyderabad">Hyderabad</option>
            </select>
       </div><br>
       <div>
       <label for="Area">Area:</label>
            <select name="Area" id="Area">
               <option value="Ben circle">Ben circle</option>
               <option value="Model Town">Model Town</option>
               <option value="Surat">Surat</option>
               <option value="East kameng">East kameng</option>
               <option value="Itanagar">Itanagar</option>
               <option value="Hyderabad">Hyderabad</option>
            </select>
       </div><br>
       <div>
       <label for="Groups">Groups:</label>
            <select name="Groups" id="Groups">
               <option value="A+">A+</option>
               <option value="A-">A-</option>
               <option value="B+">B+</option>
               <option value="B-">B-</option>
               <option value="AB+">AB+</option>
               <option value="AB-">AB-</option>
               <option value="0+">0+</option>
               <option value="0-">0-</option>
            </select>
        </div><br>
```

```
<div>
            <button style="background-color: rgb(110, 219, 240);">Search </button>
            </div>
            </form>
            <img src="blood donation.jpg"></img>
        <div style="border-style:dotted" id="bac1">
        <h2>DONATION PROCESS</h2>
        <pl><pl><B>Donating blood is a simple thing to do, but it can make a big difference in</pl>
the lives of others.<br>> The donation process from the time you arrive until the time you
leave takes about an hour. The donation itself is only about 8-10 minutes on
average.</div>
        <div id="uk"><h2>WHERE WOULD YOU LIKE TO DONATE ? </h2> <br><br><br>
            <button style="background-color: rgb(104, 229, 245); font-size: 20px;</pre>
">Search</button></div><br><br>
        <button style="font-size: 20px;">Give Feed Back</button>
    </body>
<html>
    <head>
        <title>REGISTER</title>
        <style>
            form{
                text-align: center;
                max-width: 300px;
                margin: auto;
                border-style: groove;
                border-color: red;
                color: greenyellow;
            body{
                background-image: url("blood\ donation1.jpg");
                background-repeat: no-repeat;
                background-size: cover;
           </style>
        <form style="background-color:transparent; ">
        <div>
            <br>
            <label for="Name">Name:</label>
            <input type="Name" ID="Name" name="Name" man="80" mix="80">
        </div>
        <br>
        <div>
            <label for="contact">contact:</label>
```

```
</div>
       <br>
       <div>
           <label for="Email">Email:</label>
           <input type="Email" ID="Email" name="Email">
       </div>
       <br>
       <div>
           <label for="Age">Age:</label>
           <input type="Age" ID="Age" name="Age">
       </div>
       <br>
       <label for="Gender">Gender:</label>
       <label for="Male">Male:</label>
       <input type="radio" name="title" value="Male.">
       <label for="Female">Female:</label>
       <input type="radio" name="title" value="Female.">
       <label for="Other">Other:</label>
       <input type="radio" name="title" value="Other.">
       </div>
       <br>
       <div>
           <label for="Groups">Groups:</label>
           <select name="Groups" id="Groups">
               <option value="A+">A+</option>
               <option value="A-">A-</option>
               <option value="B+">B+</option>
               <option value="B-">B-</option>
               <option value="AB+">AB+</option>
               <option value="AB-">AB-</option>
               <option value="0+">0+</option>
               <option value="0-">0-</option>
           </select>
       </div>
       <br>
       <div>
           <button>Register</putton>
       </div>
       <br>
   </form>
   </head>
<html>
   <head>
       <title>WHY DONATE BLOOD</title>
       <style>
           h1{
```

<input type="contact" ID="contact" name="contact">

```
text-align: center;
}

p{
    border-style:groove;
    border-width: 5px;
    border-color: blue;
    border-radius: 70px;
    padding: 70px;
    background-color: whitesmoke;
}

    text-align: center;
}

border-style:groove;
border-width: 5px;
border-radius: 70px;
padding: 70px;
background-color: whitesmoke;
}

<
```

From one unit of blood, red blood cells can be extracted and used to treat patients who lost blood due to trauma or those who are recovering from surgery. Plasma, the liquid part of blood, is typically administered to patients with requiring treatment to improve blood clotting. Platelets, a third component, clot the blood when cuts or other open wounds occur, and are often used in the treatment of patients with cancer or those undergoing organ transplants. Finally, cryoprecipitated anti-hemophilic factor (AHF) is also used for clotting factors.

A study supported by AABB's National Blood Foundation (TRANSFUSION 2002;42:122S) surveyed more than 5,000 blood donors to find out more about why they donate blood. Nearly 75% of the respondents said that they give blood to help others. Respondents also said that giving blood makes them feel good about themselves, supports their local communities and hospitals, supports their community, and "pays back" society for the times when they or their families have needed blood transfusions in the past.

AABB encourages those who are eligible to donate blood or blood components regularly to ensure that this lifesaving resource is available for patients whenever and wherever it is needed.

```
background-attachment: fixed;
          body{
              background-image: url('C:\Users\paras\Pictures\Saved Pictures\bloodpiccss-
1.jpg');
          }q
              border-style:groove ;
              border-width: 5px;
              border-color:rgb(154, 211, 30);
              border-radius: 70px;
              padding: 70px;
              background-color: whitesmoke;
       </style>
   </head>
   <body>
       <h1>Basic Eligibility Guidelines</h1>
   Age: You must be at least 17 years old to donate to the
general blood supply. There is no upper age limit for blood donation as long as you are well
High Blood Pressure: Acceptable as long as your blood pressure is below 180
systolic (first number) and below 100 diastolic (second number) at the time of donation.
Medications for high blood pressure do not disqualify you from donating. <pr></pr>
          Body Piercing: You must not donate if you have had a tongue, nose, belly button
Cold and Flu: Wait if you have a fever or a productive cough (bringing up
phlegm). Wait if you do not feel well on the day of donation. Wait until you have completed
antibiotic treatment for sinus, throat or lung infection.<br><br>
          Diabetes: Acceptable as long as it is well controlled, whether medication is
taken or not.<br><br>></pr>
          Diet: A meal is recommended at least four hours prior to donation. Drink plenty
of fluids.<br><br>
          MSM: Men who have had sex with other men, at any time since 1977 (the beginning
of the AIDS epidemic in the United States) are currently deferred as blood donors. This is
because MSM are, as a group, at increased risk for HIV, hepatitis B and certain other
infections that can be transmitted by transfusion.<br><br>>
          Tattoos: One-year deferral.<br><br>
```

Weight: You must weigh at least 110 pounds to be eligible for blood donation for

your own safety. Blood volume is in proportion to body weight. Donors who weigh less than 110

Other criteria that will be assessed at the time of donation include, but are not limited to:

Hemoglobin, Travel, Cancer, Medications, Hepatitis, and HIV Risk:

Intravenous drug abusers: HIV, HBV, HCV and HTLV

Transplant patients: animal tissue or organs

People who have recently traveled to or lived abroad in certain countries may be excluded because they are at risk for transmitting agents such as malaria or variant Creutzfeldt-Jakob Disease

```
</html>
<html>
    <head>
        <title>REFER A FRIEND</title>
        <style>
            body{
                background-color: grey;
        </style>
    </head>
    <body ></body>
        <div class="container">
            <h1>REFER A FRIEND</h1><br>
            <a href="mailto:@gmail.com"> Refer a friend</a>
        </div>
    </body>
</html>
<html>
    <head>
        <title>rt</title>
        <style>
            /* start: global styles */
body {
    font-family: "Roboto", "Helvetica", "Sans-serif";
    margin: 0;
    padding: 0;
    font-size: 1rem;
    font-weight: 400;
    color: #777;
    line-height: 1.7;
```

```
outline: none;
:not(.slick-track):not(.slick-list) {
    transition: 0.4s;
.container {
    max-width: 1140px;
    margin: 0 auto;
    padding: 0 20px;
.flex {
    display: flex;
    justify-content: space-between;
h1, h2, h3, h4, h5 {
    margin: 0;
    padding: 0;
h1, h2 {
    font-family: "Playfair Display", serif;
    font-weight: 800;
h1 {
    font-size: 3rem;
    line-height: 1.2;
    margin-bottom: 1rem;
h2 {
    font-size: 2.5rem;
    color: #f69314;
    margin-bottom: 1rem;
    line-height: 1.2;
h3 {
    font-size: 1.4rem;
    font-weight: 300;
    font-size: 1.2rem;
```

```
font-weight: 300;
h5 {
    font-size: 1rem;
    font-family: "Playfair Display", serif;
}
p {
    margin: 0 0 1rem;
button.rounded {
    background: #f69314;
    border: none;
    color: #fff;
    font-size: 16px;
    border-radius: 30px;
    padding: 10px 30px;
    line-height: 1.5;
    cursor: pointer;
p.large-paragraph {
    font-size: 1.25rem;
    font-weight: 300;
#header-hero-container {
    min-height: 600px;
    height: calc(100vh);
    position: relative;
header {
    background: transparent;
    padding: 1rem 0;
    border-bottom: 1px solid rgba(255, 255, 255, 0.1);
    position: fixed;
    width: 100%;
    z-index: 3;
#logo {
    font-family: "Roboto", "Helvetica", "Sans-serif";
    font-size: 1.7rem;
    font-weight: 800;
    color: #fff;
    text-decoration: none;
    position: relative;
    top: 4px;
```

```
.hamburger-menu {
    background-color: transparent;
    border: 1px solid #fff;
    padding: 3px 5px;
    width: 30px;
    cursor: pointer;
    margin-top: 10px;
    display: none;
.hamburger-menu .strip {
    display: block;
    height: 1px;
    background-color: #fff;
    margin: 4px 0;
header ul {
    list-style-type: none;
header ul li {
    display: inline-block;
    margin: 0 15px;
#close-flyout {
    display: none;
header ul li a {
   color: #999;
    font-size: 16px;
    text-decoration: none;
header ul.is-sticky li a {
    color: #000;
header ul li a:hover,
header ul li a.active {
    color: #fff;
header ul.is-sticky li a:hover,
header ul.is-sticky li a.active {
    color: #f69314;
```

```
#hero {
    background: url('https://onclickwebdesign.com/wp-content/uploads/hero 1.jpg') center
center no-repeat;
    background-size: cover;
    position: absolute;
    top: 0;
    left: 0;
    z-index: 1;
    height: 100%;
    width: 100%;
#hero .fade {
    position: absolute;
    width: 100%;
    height: 100%;
    top: 0;
    left: 0;
    background: rgba(52, 58, 64, 0.9);
    z-index: 1;
#hero .hero-text {
    position: absolute;
    top: 50%;
    margin: -75px auto 0;
    left: 0;
    right: 0;
    z-index: 2;
    color: #fff;
    width: 500px;
    text-align: center;
#hero .hero-text p {
    line-height: 1.5em;
    font-weight: 300;
    font-size: 1rem;
#how-it-works {
    padding: 3rem 0;
    background: #f8f9fa;
    text-align: center;
#how-it-works h2 {
    margin-bottom: 3rem;
```

```
#how-it-works .flex > div {
    width: 30%;
#how-it-works h4 {
    color: #343a40;
    margin-top: 1rem;
#how-it-works span.fas {
    color: #f69314;
    font-size: 35px;
#properties {
    margin: 4rem 0 8rem;
    position: relative;
#properties h2 {
    margin-bottom: 3rem;
#properties .container {
    position: relative;
#properties .container:before {
    content: "/";
    position: absolute;
    right: 80px;
    top: 18px;
    color: #999;
#properties-slider a.slick-arrow {
    color: #000;
    position: absolute;
    top: -78px;
    right: 0;
    text-transform: uppercase;
    letter-spacing: 0.1rem;
    text-decoration: none;
#properties-slider a.slick-prev {
    right: 80px;
#properties-slider .slick-slide {
    padding: 0 15px;
```

```
#properties-slider img {
    width: 100%;
    display: block;
#properties-slider .property-details {
    padding: 1rem;
#properties-slider .price {
    font-size: 1.2rem;
    color: #343a40;
    font-weight: 800;
    margin: 0 0 0.5rem 0;
#properties-slider .property-details span {
    font-size: 0.8rem;
    padding-right: 15px;
#properties-slider .property-details span.baths {
    padding-left: 10px;
#properties-slider .property-details span.sqft {
    padding-right: 0;
    padding-left: 10px;
#properties-slider .property-details span.beds,
#properties-slider .property-details span.baths {
    border-right: 1px solid #888;
#properties-slider .property-details address {
    font-size: 0.8rem;
    font-style: normal;
    margin-top: 0.5rem;
#properties button.rounded {
   display: block;
    margin: 2rem auto 0;
    width: 350px;
```

#agents {

```
margin: 4rem 0 6rem;
    padding: 0 0 6rem;
    border-bottom: 1px solid #ccc;
#agents p.large-paragraph {
    width: 50%;
    margin-bottom: 4rem;
#agents .flex {
    flex-wrap: wrap;
    padding: 0;
#agents .card {
   width: 32%;
    background: #f0f0f0;
    margin-bottom: 2rem;
#agents .card img {
    width: 100%;
#agents .card h3 {
    font-family: "Playfair Display", serif;
    color: #000;
#agents .card h3,
#agents .card p {
    padding-left: 1rem;
#the-best {
    margin: 2rem 0;
#the-best .flex > img {
   width: 47%;
#the-best .flex > div {
    width: 40%;
#the-best ul {
    padding-left: 20px;
    margin-bottom: 4rem;
```

```
#the-best ul li {
    margin: 10px 0;
#services {
    background: #f8f9fa;
    padding: 6rem 0;
    margin: 8rem 0;
    border-bottom: 1px solid #dee2e6;
#services h2 {
    text-align: center;
    margin-bottom: 3rem;
#services .flex {
    flex-wrap: wrap;
#services .flex > div {
    width: 30%;
    margin-bottom: 2rem;
#services .flex > div .fas {
    color: #f69314;
    font-size: 40px;
    float: left;
    margin-top: 15px;
    width: 20%;
    text-align: center;
#services .flex > div .services-card-right {
    float: right;
    width: 75%;
#services .flex > div a {
    color: #f69314;
    text-decoration: none;
#services .flex > div a:hover {
    text-decoration: underline;
#testimonials {
    margin-bottom: 8rem;
```

```
#testimonials h2 {
    text-align: center;
#testimonials-slider .slick-slide {
    text-align: center;
#testimonials-slider blockquote {
   font-size: 1.5rem;
    font-style: italic;
    margin: 1rem auto 3rem;
    max-width: 740px;
#testimonials-slider .testimonials-caption {
    width: 200px;
    margin: 0 auto;
#testimonials-slider .testimonials-caption img {
    float: left;
    border-radius: 30px;
    width: 60px;
.testimonials-caption p {
    position: relative;
    top: 13px;
    font-size: 1.2rem;
#testimonials-slider .slick-arrow {
    text-decoration: none;
    position: absolute;
    font-size: 40px;
    color: #222;
    top: 50%;
    margin-top: -35px;
    z-index: 1;
#testimonials-slider .slick-next {
    right: 0;
#contact {
    background: #f8f9fa;
    padding: 4rem 0 8rem;
```

```
#contact h2 {
    text-align: center;
    margin-bottom: 4rem;
#form-container {
   width: 58%;
    background: #fff;
    padding: 3rem;
    box-sizing: border-box;
    height: 0%;
#form-container h3 {
    color: #000;
    font-family: "Playfair Display", serif;
    margin-bottom: 2rem;
#form-container label {
    display: block;
    color: #000;
    margin-top: 1rem;
#form-container input,
#form-container textarea {
    display: block;
    border-radius: 20px;
    padding: 10px;
    border: 1px solid #ced4da;
    width: 100%;
    box-sizing: border-box;
    height: 43px;
    font-family: "Roboto", "Helvetica", "Sans-serif";
    font-size: 1rem;
    color: #495057;
#form-container textarea {
    height: 170px;
    margin-bottom: 2rem;
    resize: none;
#address-container {
    width: 38%;
    background: #fff;
    padding: 1.5rem;
    box-sizing: border-box;
```

```
height: 0%;
#address-container label {
    font-weight: 700;
    display: block;
    margin-top: 2rem;
#address-container label:first-child {
    margin-top: 0;
#address-container address {
    margin-bottom: 1.5rem;
    font-style: normal;
#address-container a {
   text-decoration: none;
    color: #f69314;
#address-container a:hover {
    text-decoration: underline;
footer {
    background: #333;
    padding: 8rem 0;
footer .flex {
    padding-bottom: 6rem;
    border-bottom: 1px solid #777;
footer h5 {
    color: #fff;
    margin-bottom: 1rem;
    font-weight: 300;
footer h5.follow-us {
    margin-top: 1rem;
footer .footer-about {
    width: 47%;
```

```
footer .footer-about p {
    width: 65%;
footer .footer-quick-links {
   width: 16%;
footer .footer-quick-links ul {
   list-style-type: none;
    padding: 0;
   margin: 0;
footer .footer-quick-links ul li {
   margin: 10px 0;
footer .footer-quick-links ul li a {
    color: #777;
    text-decoration: none;
footer .footer-quick-links ul li a:hover {
    color: #fff;
footer .footer-subscribe {
    width: 35%;
#subscribe-container {
    position: relative;
footer .footer-subscribe input {
    border-radius: 30px;
    height: 43px;
    font-family: "Roboto", "Helvetica", "Sans-serif";
    border: 1px solid #6c757d;
    background-color: transparent;
    font-size: 1rem;
    padding: 10px;
    color: #fff;
    box-sizing: border-box;
    width: 80%;
footer button.right-rounded {
    border-top-right-radius: 30px;
    border-bottom-right-radius: 30px;
```

```
background: #f69314;
    font-size: 16px;
    color: #000;
    padding: 10px 30px 9px;
    line-height: 1.5;
    cursor: pointer;
    border: none;
    position: absolute;
    right: 0;
footer button.right-rounded:hover {
    background: #fff;
footer .footer-subscribe ul {
    list-style-type: none;
    padding: 0;
    margin: 0;
footer .footer-subscribe ul li {
   display: inline-block;
    margin: 0 16px;
footer .footer-subscribe ul li:first-child {
    margin-left: 0;
footer .footer-subscribe ul li a {
    text-decoration: none;
    color: #777;
footer .footer-subscribe ul li a:hover {
    color: #fff;
footer small {
   margin-top: 3rem;
   font-size: 1rem;
    display: block;
    text-align: center;
footer small a {
    color: #777;
    text-decoration: none;
```

```
footer small a:hover {
    color: #fff;
@media (max-width: 991px) {
    #logo {
        top: 1px;
    #nav-toggle {
        display: block;
    nav ul {
        position: fixed;
        background: #fff;
        right: -100%;
        top: 0;
        margin: 0;
        padding: 2rem;
        height: 100%;
        width: 300px;
        box-sizing: border-box;
        box-shadow: 5px 0 10px 3px #999;
    #close-flyout {
        position: absolute;
        right: 2rem;
        top: 1.5rem;
        font-size: 30px;
        color: #777;
        cursor: pointer;
        display: block;
        line-height: 1;
        margin: 0;
    nav ul li {
        display: block;
        margin: 20px 0;
    nav ul li:first-child {
        margin-top: 50px;
    nav ul li a {
        font-size: 20px;
        color: #212529;
```

```
nav ul li a.active,
   nav ul li a:hover {
       color: #f69314;
@media (max-width: 767px) {
   h1 {
       font-size: 2rem;
   h2 {
       font-size: 1.75rem;
   h3 {
       font-size: 1.2rem;
    .large-paragraph {
       font-size: 1rem;
    p {
       font-size: 0.8rem;
    .container {
       max-width: 540px;
    #hero .hero-text {
       width: 400px;
    #agents .card {
       width: 49%;
    #the-best .flex > img {
       display: none;
    #the-best .flex > div {
       width: 100%;
    #testimonials-slider p {
       font-size: 1.2rem;
```


```
#properties .container:before {
   top: 2px;
   font-size: 0.85rem;
#properties-slider a.slick-arrow {
   font-size: 0.85rem;
#properties button.rounded {
   width: 300px;
#services .flex > div {
   width: 48%;
#contact .flex {
   flex-wrap: wrap;
#form-container {
   width: 100%;
   padding: 2rem;
#address-container {
   width: 100%;
   margin-top: 2rem;
footer {
   padding: 6rem 0;
footer .flex {
   flex-wrap: wrap;
footer .flex > div {
   width: 100%;
   margin-top: 1rem;
footer .flex > div:first-child {
   margin-top: 0;
footer .footer-about p {
   font-size: 1rem;
   width: 100%;
```

```
footer .footer-subscribe input {
        width: 90%;
    footer h5.follow-us {
        margin-top: 2rem;
@media (max-width: 500px) {
    #hero .hero-text {
        width: 330px;
    #agents {
        margin: 4rem 0 3rem;
        padding: 0 0 3rem;
    #agents .card {
        width: 100%;
    #agents p.large-paragraph {
        width: 100%;
    #how-it-works .flex {
        display: block;
    #how-it-works .flex > div {
        width: 100%;
        margin-top: 2rem;
    #properties button.rounded {
        width: 250px;
    #services {
        padding: 4rem 0 3rem;
        margin: 4rem 0;
    #services .flex > div {
        width: 100%;
```

```
#testimonials {
       margin-bottom: 4rem;
    #testimonials-slider p {
       font-size: 1rem;
    #testimonials-slider .slick-arrow {
        display: none !important;
    #contact {
       padding: 4rem 0;
    #contact h2 {
       margin-bottom: 2rem;
    #form-container {
       padding: 1.5rem;
    footer {
       padding: 4rem 0;
@media (max-width: 400px) {
 #hero .hero-text {
    max-width: 275px;
    width: 100%;
 #properties button.rounded {
     max-width: 250px;
    width: 100%;
 nav ul {
   width: 200px;
       </style>
    <body>
    <form>
    <section id="contact">
        <div class="container">
```

```
<h2>Contact Us</h2>
          <div class="flex">
              <div id="form-container">
                  <h3>Contact Form</h3>
                  <form>
                      <label for="name">Name</label>
                      <input type="text" id="name" />
                      <label for="email">Email</label>
                      <input type="text" id="email" />
                      <label for="subject">Subject</label>
                      <input type="text" id="subject" />
                      <label for="message">Message</label>
                      <textarea id="message">Write your message here..</textarea>
                      <button class="rounded">Send Message</button>
                  </form>
              </div>
              <div id="address-container">
                  <label>Address</label>
                  <address>
                  </address>
                  <label>Phone</label>
                  <a href="#">6309889519</a>
                  <label>Email Address
                  <a href="#">varundurga80@gmail.com</a>
              </div>
          </div>
      </div>
  </section>
  </form>
  </body>
/html>
```

Result page/Output:-



Conclusion

Blood donation is the one way to a person in healthy life. This is because during the blood donation our body will be replaced new blood cell which have a better protein, from this program awareness of important of blood donation will increase.

In concionenjoyed the project, 1 found very ring to see how blood is collected and donated men given on the units at the focity work of was impressed at the sense of community at the driveabo enjoyed using uning in a non cinical sing monitoring donor for mose who do not toerate the donation process well.