- 1. A company prodces two types of goods, A and B, that require gold and silver. Each unit of type A requires 3g of silver and 1g of gold, while that of type B requires 1 g of silver and 2 g of gold. The company can use at the most 9 g of silver and 8 g of gold. If each unit of type A brings a profit of ₹ 120 and that of type B ₹ 150, then find the number of units of each type that the company should produce to maximise profit. Formulate the above LPP and solve it graphically. Also, find the maximum profit.
- 2. Find the maximum value of 7x + 6y subject to the constraints:

$$x + y >= 2 \tag{1}$$

$$2x + 3y \le 6 \tag{2}$$

$$x >= 0 \text{ and } y <= 0 \tag{3}$$

- 3. (a) A window is in the form of a rectangle mounted by a semi-circular opening. The total perimeter of the window is 10 m. Find the dimensions of the rectangular part of the window to admit maximum light through the whole opening.
 - (b) Divide the number8 into two positive numbers such that the sum of the cube of one and the square of the other is minimum.
- 4. Find the maximum and the minimum values of

$$z = 5x + 2y$$

subject to the constraints:

$$-2x - 3y <= -6 \tag{4}$$

$$x - 2y \le 6... \tag{5}$$

$$6x + 4y \le 24 \tag{6}$$

$$-3x + 2y \le 3 \tag{7}$$

$$x \ge 0, y \ge 0 \tag{8}$$

5. Based on the given shadedd region as the feasible region in the graph, at which point(s) is the objective function Z = 3x + 9y maximum?




Figure 1: graph

- (A) Point B
- (B) Point C
- (C) Point D
- (D) every point on the line segment CD
- 6. The least value of the function $f(x) = 2\cos x + x$ in the closed interval $[0, \frac{\pi}{2}]$
 - (A) 2
 - (B) $\frac{\pi}{6} + \sqrt{3}$
 - (C) $\frac{\pi}{2}$
 - (D) The least value does not exist
- 7. In the given graph, the feasible region for a LLP is shaded. The objective function

$$Z = 2x - 3y \tag{9}$$

, will be minimum at.





Figure 2: graph



(d) (6,5)

8. A linear programming problem is as follows: minimize

$$Z = 30x + 50y, (10)$$

subject to the constraints,

$$3x + 5y >= 15 \tag{11}$$

$$2x + 3y \ll 18 \tag{12}$$

$$x >= 0, y >= 0 \tag{13}$$

In the feasible region the minimum value of Z occurs at

- (A) a unique point
- (B) no point
- (C) infinitely many points
- (D) two points only
- 9. The area of a trapezium defined by function f and given by $f(x) = (10 + x) + \sqrt{(100 x^2)}$, Then the area when it is maximised is:
 - (A) $75cm^2$
 - (B) $7\sqrt{3}cm^2$
 - (C) $75\sqrt{3}cm^2$
 - (D) $5cm^2$
- 10. For an objective function Z = ax + by, where a, b > 0 the corner points of the feasible region is determined by set of constraints (linear inequalities are) (0, 20), (10, 10), (30, 30) and (0, 40) the condition a and b such that the maximum Z occurs at both the points (30, 30) and (0, 40) is;

$$-3a = 0$$

(B)
$$a = 3b$$

$$(C)$$

$$a + 2b = 0$$

$$(D) 2a - b = 0$$

11. In a linear programming problem, the constraints on the decision variables ${\bf x}$ and ${\bf y}$ are

$$x - 3y >= 0 \tag{14}$$

$$y >= 0, \tag{15}$$

$$0 <= x <= 3, \tag{16}$$

the feasible region

- (A) is not in the first quadrant
- (B) is bounded in the first quadrant
- (C) is unbounded in the first quadrant
- (D) does not exist