Functions in JS

Block of code that performs a specific task, can be invoked whenever needed



Functions in JS

Function Definition

```
function functionName() {
 //do some work
function functionName(param1, param2 ...) {
 //do some work
```

Function Call

functionName();

Arrow Functions

Compact way of writing a function

```
const functionName = ( param1, param2 ...) => {
  //do some work
}
```

```
const sum = ( a, b ) => {
  return a + b;
}
```

Let's Practice

Qs. Create a function using the "function" keyword that takes a String as an argument & returns the number of vowels in the string.

Qs. Create an arrow function to perform the same task.

Higher order function/methods(HOF/HOM)

forEach Loop in Arrays

it is fun which passes fun as an argument or return function ex foreach

arr.forEach(callBackFunction)

CallbackFunction: Here, it is a function to execute for each element in the array

*A callback is a function passed as an argument to another function.

```
arr.forEach((val) => {
  console.log(val);
})
```

Let's Practice

Qs. For a given array of numbers, print the square of each value using the forEach loop.



Some More Array Methods

Map

Creates a new array with the results of some operation. The value its callback returns are used to form new array

```
arr.map( callbackFnx( value, index, array ) )
```

```
let newArr = arr.map( ( val ) => {
    return val * 2;
})
```

Some More Array Methods

Filter

Creates a new array of elements that give true for a condition/filter.

Eg: all even elements

```
let newArr = arr.filter(((val) => {
    return val % 2 === 0;
})
```

Some More Array Methods

Reduce

Performs some operations & reduces the array to a single value. It returns that single value.

JavaScript Demo: Array.reduce() 1 const array1 = [1, 2, 3, 4]; 2 // 0 + 1 + 2 + 3 + 4 const initialValue = 0; const sumWithInitial = array1.reduce((accumulator, currentValue) => accumulator + currentValue, initialValue,); 9 console.log(sumWithInitial); 11 // Expected output: 10

Let's Practice

Qs. We are given array of marks of students. Filter our of the marks of students that scored 90+.

Qs. Take a number n as input from user. Create an array of numbers from 1 to n. Use the reduce method to calculate sum of all numbers in the array. Use the reduce method to calculate product of all numbers in the array.