
(38) "Sadi Gali Full Song" N
Online C++ Compiler (Editor)
C++ Pattern Condition
Ask Gemini
programiz.com/cpp-programming/online-compiler/
Ask Google
ENDS IN 7 DAYS

BLACK FRIDAY
Buy 1 year, get 1 year
Tools
Color
Transparency
100%
Size
15%
Controls
Programiz
C++ Online Compiler
PRO ›

main.cpp

Clear

Run ▶

```
1
2  #include <iostream>
3  using namespace std;
4  int main() {
5
6      int n=5;
7      for(int i=1;i<=n;i++){
8          for(int j=1;j<=n;j++){
9              if(i+j>=n+1)
10                 cout<<"* ";
11             else
12                 cout<<"  ";
13         }
14         cout<<endl;
15     }
16     return 0;
17 }
```

* and 1 space

2 spaces


Output

```
    *
   * *
  * * *
 * * * *
* * * * *
```

32°C Sunny
Search
ENG IN
42%
12:06 PM 11/8/2026

(38) "Sadi Gali Full Song" N
Online C++ Compiler (Editor)
C++ Pattern Condition
Ask Gemini
programiz.com/cpp-programming/online-compiler/
Ask Google

ENDS IN 7 DAYS



BLACK FRIDAY
Buy 1 year, get 1 year

Tools | Color | Transparency 100% | Size 15% | Controls

Programiz
C++ Online Compiler



Tata Croma
Croma | A Tata Enterprise
Your Pro upgrade awaits. Visit your nearest Croma store and get exclusive benefits on iPhone 18 Pro.

PRO ›

main.cpp

Clear | Run ▶

```
1
2  #include <iostream>
3  using namespace std;
4  int main() {
5
6      int n=5;
7      for(int i=1;i<=n;i++){
8          for(int j=1;j<=n;j++){
9              if(i+j>=n+1)
10                 cout<<"* ";
11             else
12                 cout<<" ";
13         }
14         cout<<endl;
15     }
16     return 0;
17 }
```

* and 1 space

1 space

Output

```
    *
   * *
  * * *
 * * * *
* * * * *
```

32°C Sunny
Search
ENG IN
42%
12:07 PM 11/8/2026

(38) Piyu Bole | Parineeta | S
Online C++ Compiler (Editor)
C++ Pattern Condition
Ask Gemini
programiz.com/cpp-programming/online-compiler/
Ask Google
ENDS IN 7 DAYS
BLACK FRIDAY
Buy 1 year, get 1 year
Tools
Color
Transparency
100%
Size
15%
Controls
Programiz
C++ Online Compiler
PRO ›

main.cpp

Clear

Run ▶

```
1
2  #include <iostream>
3  using namespace std;
4  int main() {
5
6      int n=5;
7      for(int i=1;i<=n;i++){
8          for(int j=1;j<=n;j++){
9              if(i+j>=n+1)
10                 cout<<"* ";
11             else
12                 cout<<"";
13         }
14         cout<<endl;
15     }
16     return 0;
17 }
```

* and 1 space

no space


Output

```
*
* *
* * *
* * * *
* * * * *
```

32°C Sunny
Search
ENG IN
43%
12:07 PM 11/8/2026

(38) Piyu Bole | Parineeta | S
Online C++ Compiler (Editor)
C++ Pattern Condition
Ask Gemini
programiz.com/cpp-programming/online-compiler/
Ask Google

ENDS IN 7 DAYS



BLACK FRIDAY
Buy 1 year, get 1 year

Tools | Color | Transparency 100% | Size 15% | Controls

Programiz
C++ Online Compiler



Tata Croma
Croma | A Tata Enterprise
Your Pro upgrade awaits. Visit your nearest Croma store and get exclusive benefits on iPhone 18 Pro.

PRO ›

main.cpp

Clear | Run ▶

```cpp

#include <iostream>
using namespace std;
int main() {

    int n=5;
    for(int i=1;i<=n;i++){
        for(int j=1;j<=n;j++){
            if(i<=j)
            cout<<"* ";
            else
                cout<<"";
        }
        cout<<endl;
    }
    return 0;
}
```

* and 1 space

no space

Output


```
* * * * *
* * * *
* * *
* *
*
```

32°C Sunny
Search
ENG IN
46%
12:10 PM 11/8/2026

(38) Tera Deedar Hua (From | Online C++ Compiler (Editor) | C++ Pattern Condition | Ask Gemini

programiz.com/cpp-programming/online-compiler/

ENDS IN 7 DAYS



BLACK FRIDAY
Buy 1 year, get 1 year

Tools | Color | Transparency 100% | Size 15% | Controls

Programiz
C++ Online Compiler



Tata Croma
Croma | A Tata Enterprise
Your Pro upgrade awaits. Visit your nearest Croma store and get exclusive benefits on iPhone 18 Pro.

PRO ›

main.cpp

Clear | Run ▶

```cpp

#include <iostream>
using namespace std;
int main() {

    int n=5;
    for(int i=1;i<=n;i++){
        for(int j=1;j<=n;j++){
            if(i<=j)
            cout<<"* ";
            else
                cout<<" ";
        }
        cout<<endl;
    }
    return 0;
}
```

* and 1 space

1 space

Output

```
* * * * *
 * * * *
  * * *
   * *
    *
```

32°C Sunny | Search | ENG IN | 50% | 12:12 PM 11/8/2026

(38) Tera Deedar Hua (From
Online C++ Compiler (Editor)
C++ Pattern Condition
Ask Gemini
programiz.com/cpp-programming/online-compiler/
Ask Google
ENDS IN 7 DAYS
BLACK FRIDAY
Buy 1 year, get 1 year
Tools
Color
Transparency
100%
Size
15%
Controls
Programiz
C++ Online Compiler
PRO ›

main.cpp

Clear

Run ▶

```cpp

#include <iostream>
using namespace std;
int main() {

    int n=5;
    for(int i=1;i<=n;i++){
        for(int j=1;j<=n;j++){
            if(i<=j)
            cout<<"* ";
            else
                cout<<"  ";
        }
        cout<<endl;
    }
    return 0;
}
```

* and 1 space


2 spaces

Output

```
* * * * *
  * * * *
    * * *
      * *
        *
```

32°C
Sunny
Search
ENG
IN
50%
12:13 PM
11/8/2026

(38) Ambarsariya (Lyrical) Fu
Online C++ Compiler (Editor)
C++ Pattern Condition
Ask Gemini
programiz.com/cpp-programming/online-compiler/
Ask Google



main.cpp

Clear | Run ▶

```
1  #include <iostream>
2  using namespace std;
3  int main() {
4      int n = 5;
5      for(int k = 0; k < n*n; k++) {
6
7          int i = k/n + 1;
8          int j = k%n + 1;
9
10         if(i<=j)
11             cout << "* ";
12         else
13             cout << "  ";
14
15         if(j == n)
16             cout << endl;
17     }
18     return 0;
19 }
```

Important to generate i (rows) and j (columns)

condition

* and 1 space

2 spaces

Output

```
* * * * *
  * * * *
    * * *
      * *
        *
```

Pattern using Single Loop

32°C Sunny
Search
ENG IN
63%
12:23 PM 11/8/2026

(38) Ambarsariya (Lyrical) Fu
Online C++ Compiler (Editor)
C++ Pattern Condition
Ask Gemini
programiz.com/cpp-programming/online-compiler/
Ask Google
ENDS IN 7 DAYS
BLACK FRIDAY
Buy 1 year, get 1 year
Tools
Color
Transparency
100%
Size
15%
Controls
Programiz
C++ Online Compiler
Exchange Bonus Up to ₹12,000*
iPhone 18 Pro
croma | A TATA Enterprise
Tata Croma
Croma | A Tata Enterprise
Your Pro upgrade awaits. Visit your nearest Croma store and get exclusive benefits on iPhone 18 Pro.
PRO ›

main.cpp

Clear

Run ▶

```cpp
#include <iostream>
using namespace std;
int main() {
    int n = 5;
    for(int k = 0; k < n*n; k++) {

        int i = k/n + 1;
        int j = k%n + 1;

        if(i<=j)
            cout << "* ";
        else
            cout << " ";

        if(j == n)
            cout << endl;
    }
    return 0;
}
```

Important to generate i (rows) and j (columns)

condition

* and 1 space

1 space

Output

```
* * * * *
 * * * *
  * * *
   * *
    *
```


Pattern using Single Loop

32°C Sunny
Search
ENG IN
64%
12:24 PM 11/8/2026

(38) Ambarsariya (Lyrical) Fu | Online C++ Compiler (Editor) | C++ Pattern Condition | Ask Gemini

programiz.com/cpp-programming/online-compiler/

ENDS IN 7 DAYS



BLACK FRIDAY
Buy 1 year, get 1 year

Tools | Color | Transparency 100% | Size 15% | Controls

Programiz
C++ Online Compiler

PRO >

main.cpp | Clear | Run ▶

```
#include <iostream>
using namespace std;
int main() {
    int n = 5;
    for(int k = 0; k < n*n; k++) {

        int i = k/n + 1;
        int j = k%n + 1;

        if(i<=j)
            cout << "* ";
        else
            cout << "";

        if(j == n)
            cout << endl;
    }
    return 0;
}
```

Important to generate i (rows) and j (columns)

condition

* and 1 space

no space

Output


```
* * * * *
* * * *
* * *
* *
*
```

Pattern using Single Loop

32°C Sunny | Search | ENG IN | 65% | 12:24 PM 11/8/2026

(38) Ambarsariya (Lyrical) Fu
Online C++ Compiler (Editor)
C++ Pattern Condition
Ask Gemini
programiz.com/cpp-programming/online-compiler/
Ask Google

ENDS IN 7 DAYS



BLACK FRIDAY
Buy 1 year, get 1 year

Tools | Color | Transparency 100% | Size 15% | Controls

Programiz
C++ Online Compiler



Tata Croma
Croma | A Tata Enterprise
Your Pro upgrade awaits. Visit your nearest Croma store and get exclusive benefits on iPhone 18 Pro.

PRO ›

main.cpp

Clear | Run ▶

```
1  #include <iostream>
2  using namespace std;
3  int main() {
4      int n = 5;
5      for(int k = 0; k < n*n; k++) {
6
7          int i = k/n + 1;
8          int j = k%n + 1;
9
10         if(i+j>=n+1)
11             cout << "* ";
12         else
13             cout << "";
14
15         if(j == n)
16             cout << endl;
17     }
18     return 0;
19 }
```

Important to generate i (rows) and j (columns)

condition

* and 1 space

no space

Output

```
*
* *
* * *
* * * *
* * * * *
```


Pattern using Single Loop

32°C Sunny
Search
ENG IN
65%
12:25 PM 11/8/2026

(38) Ambarsariya (Lyrical) Fu | Online C++ Compiler (Editor) | C++ Pattern Condition | Ask Gemini

programiz.com/cpp-programming/online-compiler/

ENDS IN 7 DAYS



BLACK FRIDAY
Buy 1 year, get 1 year

Tools | Color | Transparency 100% | Size 15% | Controls

Programiz
C++ Online Compiler

PRO >

main.cpp | Clear | Run ▶

```
1  #include <iostream>
2  using namespace std;
3  int main() {
4      int n = 5;
5      for(int k = 0; k < n*n; k++) {
6
7          int i = k/n + 1;
8          int j = k%n + 1;
9
10         if(i+j>=n+1)
11             cout << "* ";
12         else
13             cout << " ";
14
15         if(j == n)
16             cout << endl;
17     }
18     return 0;
19 }
```

Important to generate i (rows) and j (columns)

condition

* and 1 space

1 space

Output

```
    *
   * *
  * * *
 * * * *
* * * * *
```

Pattern using Single Loop

32°C Sunny | Search | ENG IN | 66% | 12:25 PM 11/8/2026

(38) Ambarsariya (Lyrical) Fu
Online C++ Compiler (Editor)
C++ Pattern Condition
Ask Gemini
programiz.com/cpp-programming/online-compiler/
Ask Google
ENDS IN 7 DAYS
BLACK FRIDAY
Buy 1 year, get 1 year
Tools
Color
Transparency
100%
Size
15%
Controls

Programiz
C++ Online Compiler

PRO ›

main.cpp

Clear | Run ▶

```cpp
#include <iostream>
using namespace std;
int main() {
    int n = 5;
    for(int k = 0; k < n*n; k++) {

        int i = k/n + 1;
        int j = k%n + 1;

        if(i+j>=n+1)
            cout << "* ";
        else
            cout << "  ";

        if(j == n)
            cout << endl;
    }
    return 0;
}
```

Important to generate i (rows) and j (columns)

condition

* and 1 space


2 spaces

Output

```
        *
      * *
    * * *
  * * * *
* * * * *
```

Pattern using Single Loop

32°C Sunny
Search
ENG IN
66%
12:26 PM 11/8/2026

(38) Lyrical Video: "Maula M | Online C++ Compiler (Editor) | C++ Pattern Condition | Ask Gemini
programiz.com/cpp-programming/online-compiler/ | Ask Google
ENDS IN 7 DAYS

BLACK FRIDAY
Buy 1 year, get 1 year
Tools | Color | Transparency 100% | Size 15% | Controls

Programiz
C++ Online Compiler

PRO ›

main.cpp | Clear | Run ▶

```cpp
#include <iostream>
using namespace std;
int main() {
    int n = 5;
    for(int k = 0; k < n*n; k++) {

        int i = k/n + 1;
        int j = k%n + 1;

        if(j<=n-i+1)
            cout << j<<" ";
        else
            cout << "";

        if(j == n)
            cout << endl;
    }
    return 0;
}
```

Important to generate i (rows) and j (columns)

condition

print j (column) and 1 space

no space

Output

```
1 2 3 4 5
1 2 3 4
1 2 3
1 2
1
```

Pattern using Single Loop

32°C Sunny | Search | ENG IN | 86% | 12:43 PM 11/8/2026

(38) "Senorita Zindagi Na M
Online C++ Compiler (Editor)
C++ Pattern Condition
Ask Gemini
programiz.com/cpp-programming/online-compiler/
Ask Google
ENDS IN 7 DAYS
BLACK FRIDAY
Buy 1 year, get
Tools
Color
Transparency
100%
Size
15%
Controls
Programiz
C++ Online Compiler
Install
Programiz PRO ›

main.cpp

Clear | Run ▶

```cpp
#include <iostream>
using namespace std;
int main() {
    int n = 4;
    for(int k = 0; k < n*n; k++) {

        int i = k/n + 1;
        int j = k%n + 1;

        if(i+j>=n+1){
            if(j%2==0)
                cout <<"1 ";
            else
                cout<<"0 ";
        }
        else
            cout << "";
        if(j == n)
            cout << endl;
    }
    return 0;
}
```

Important to generate i (rows) and j (columns)

condition to print triangle

condition to print 1


no space

Output

```
1
0 1
1 0 1
0 1 0 1
```

Pattern using Single Loop

35°C Sunny
Search
ENG IN
72%
3:00 PM 11/8/2026

(38) Nazm Nazm - Lyrical | Online C++ Compiler (Editor) | C++ Pattern Condition | Ask Gemini
programiz.com/cpp-programming/online-compiler/ Ask Google
ENDS IN 7 DAYS

BLACK FRIDAY
Buy 1 year, get 1 year FREE
Tools Color Transparency 100% Size 15% Controls
Programiz
C++ Online Compiler
SLAT 2027 Mock Exam
Ace Your Preparation for Symbiosis Law Entrance - Apply for SLAT 2027 Official Mock Test SLAT Test
Apply Now
Install
Programiz PRO

main.cpp

Clear Run

```cpp
#include <iostream>
using namespace std;
int main() {
    int n=6;
     for(int k=0;k<n*n;k++){

        int i=k/n+1;
        int j=k%n+1;

        char ch='A'+i-1;

        if(i+j>=n+1)
            cout<<ch<<" ";
        else
            cout<<" ";

        if(n==j)
            cout<<endl;
     }
     return 0;
}
```

Important to generate i (rows) and j (columns)

character that will increament when i (row) will increament

traingle condition

print character and 1 space

1 space

Output

```
     A
   B B
  C C C
 D D D D
E E E E E
F F F F F F
```

Pattern using Single Loop

35°C Sunny Search ENG IN 55% 3:20 PM 11/8/2026

(38) Gym Class Heroes: Stereo | Online C++ Compiler (Editor) | C++ Pattern Condition | New tab | Ask Gemini
programiz.com/cpp-programming/online-compiler/ Ask Google
ENDS IN 7 DAYS
BLACK FRIDAY
Buy 1 year, get 1 yea
Tools Color Transparency 100% Size 15% Controls
Programiz
C++ Online Compiler
Install Programiz PRO ›

main.cpp

Clear Run ▶

```cpp
using namespace std;

int main() {
    int n = 7;
    for(int k = 0; k < n*n; k++) {

        int i = k/n + 1;
        int j = k%n + 1;


        char ch = 'A' + j - i;

        if(i <= j ) {
            if(j <= n-i+1)
                cout << ch << " ";
            else
                cout << "  ";
        }
        else
            cout << "  ";

        if(j == n)
            cout << endl;
    }
    return 0;
}
```

Important to generate i (rows) and j (columns)

maintain character

increases leading spaces

decreases character from end

print character and 1 space

2 spaces

2 spaces

Output

```
A B C D E F G
  A B C D E
    A B C
      A
```

Pattern using Single Loop

30°C Clear Search ENG IN 24% 9:06 PM 11/8/2026

(38) Gym Class Heroes: Stereo | Online C++ Compiler (Editor) | C++ Pattern Condition | New tab | Ask Gemini
programiz.com/cpp-programming/online-compiler/ Ask Google
ENDS IN 7 DAYS
BLACK FRIDAY
Buy 1 year, get 1 y
Tools Color Transparency 100% Size 15% Controls
Programiz
C++ Online Compiler
Programiz PRO ›

main.cpp

Clear Run ▶

```cpp

int main() {
    int n = 5;

    for(int k = 0; k < n*n; k++) {

        int i = k/n + 1;
        int j = k%n + 1;


        if(i>=j)
                cout <<n-j+1<< " ";
        else
            cout << "";

        if(j == n)
            cout << endl;
    }



    return 0;
}
```

Important to generate i (rows) and j (columns)

condition to print triangle

5-1+1=5
5-2+1=4
5-3+1=3
5-4+1=2
5-5+1=1

Output

```
5
5 4
5 4 3
5 4 3 2
5 4 3 2 1
```


Pattern using Single Loop

30°C Clear Search ENG IN 13% 9:30 PM 11/8/2026

(38) Gym Class Heroes: Stereo | Online C++ Compiler (Editor) | C++ Pattern Condition | New tab | Ask Gemini

programiz.com/cpp-programming/online-compiler/

ENDS IN 7 DAYS



BLACK FRIDAY
Buy 1 year, get 1 y

Tools | Color | Transparency 100% | Size 15% | Controls

Programiz
C++ Online Compiler

Programiz PRO ›

main.cpp

Clear | Run ▶

```
3
4  int main() {
5      int n = 5;
6
7      for(int k = 0; k < n*n; k++) {
8
9          int i = k/n + 1;
10         int j = k%n + 1;
11
12
13         if(j<=n-i+1)
14                 cout <<n-j+1<< " ";
15         else
16             cout << "";
17
18         if(j == n)
19             cout << endl;
20     }
21
22
23
24     return 0;
25 }
26
27
28
```

Important to generate i (rows) and j (columns)

condition to print triangle

Output

```
5 4 3 2 1
5 4 3 2
5 4 3
5 4
5
```

Pattern using Single Loop

5-1+1=5
5-2+1=4
5-3+1=3
5-4+1=2
5-5+1=1

30°C Clear | Search | ENG IN | 10% | 9:41 PM 11/8/2026

(38) Gym Class Heroes: Stereo | Online C++ Compiler (Editor) | C++ Pattern Condition | New tab | Ask Gemini
programiz.com/cpp-programming/online-compiler/ Ask Google
ENDS IN 7 DAYS
BLACK FRIDAY
Buy 1 year, get 1 year FREE
Tools Color Transparency 100% Size 15% Controls
Programiz
C++ Online Compiler
Install Programiz PRO ›

main.cpp

Clear Run ▶

```
3
4  int main() {
5      int n = 5;
6
7      for(int k = 0; k < n*n; k++) {
8
9          int i = k/n + 1;
10         int j = k%n + 1;
11
12
13         if(i<=j)
14             cout <<j-i+1<< " ";
15         else
16             cout << " ";
17
18         if(j == n)
19             cout << endl;
20     }
21
22
23
24     return 0;
25 }
26
27
28
```

Important to generate i (rows) and j (columns)

condition to print triangle

1 space

Output

```
1 2 3 4 5
 1 2 3 4
  1 2 3
   1 2
    1
```

Pattern using Single Loop

1-1+1=1
2-1+1=2
3-1+1=3
4-1+1=4
5-1+1=‘5

2-2+1=1
3-2+1=2
4-2+1=3
5-2+1=4

3-3+1=1
...

29°C Clear Search ENG US 10% 9:51 PM 11/8/2026

(38) Gym Class Heroes: Stereo | Online C++ Compiler (Editor) | C++ Pattern Condition | New tab | Ask Gemini
programiz.com/cpp-programming/online-compiler/ Ask Google
ENDS IN 7 DAYS
BLACK FRIDAY
Buy 1 year, get 1 year FREE
Tools Color Transparency 100% Size 15% Controls
Programiz
C++ Online Compiler
Install Programiz PRO ›

main.cpp Clear Run ▶

```
3
4  int main() {
5      int n = 5;
6
7      for(int k = 0; k < n*n; k++) {
8
9          int i = k/n + 1;
10         int j = k%n + 1;
11
12
13         if(i>=j)
14               cout <<i-j+1<< " ";
15         else
16             cout << "";
17
18         if(j == n)
19             cout << endl;
20     }
21
22
23
24     return 0;
25 }
26
27
28
```

Important to generate i (rows) and j (columns)

condition to print triangle

Output

```
1
2 1
3 2 1
4 3 2 1
5 4 3 2 1
```

Pattern using Single Loop

1-1+1=1

2-1+1=2
2-2+1=1

3-1+1=3
3-2+1=2
3-3+1=1

.
.
.
,

Watch countless free episodes
Sponsored by Netshort Download now
Watch countless free episodes
Sponsored by Netshort Download now

29°C Clear Search ENG US 18% 9:57 PM 11/8/2026

(38) Gym Class Heroes: Stereo | Online C++ Compiler (Editor) | C++ Pattern Condition | New tab | Ask Gemini
programiz.com/cpp-programming/online-compiler/ Ask Google
ENDS IN 7 DAYS
BLACK FRIDAY
Buy 1 year, get 1 year FREE
Tools Color Transparency 100% Size 15% Controls
Programiz
C++ Online Compiler
Install Programiz PRO ›

main.cpp

Clear Run ▶

```cpp
int main() {
    int n =4 ;

    for(int k = 0; k < n*n; k++) {

        int i = k/n + 1;
        int j = k%n + 1;


        if(i>=j)
          if(j%2==0)
              cout << "0 ";
            else
            cout<<"1 ";
        else
            cout << "";

        if(j == n)
            cout << endl;
    }



    return 0;
}
```

Important to generate i (rows) and j (columns)

condition to print triangle

Output

```
1
1 0
1 0 1
1 0 1 0
```

Pattern using Single Loop

29°C Clear
Search
ENG US 31% 10:08 PM 11/8/2026