


Deployment Assist Tool (DAT)

Automated DevSecOps Scan Report & AI Remediation Manifest

Generated: 28/5/2026, 1:45:40 pm



Detailed Findings & AI Remediation Data

This section is structured to provide explicit context to AI assistants (CodeX, Claude, Copilot) for automated remediation.

Hadolint Findings

Description: Using latest is prone to errors if the image will ever update. Pin the version explicitly to a release tag

Location: testing_data/Dockerfile:1

```
// AI REMEDIATION MANIFEST
Target_File: testing_data/Dockerfile
Target_Line: 1
Issue_Type: DL3007
Severity: MEDIUM

Instruction: Fix the vulnerability described below.
"Using latest is prone to errors if the image will ever update. Pin the version
explicitly to a release tag"
```

Description: Pin versions in apt get install. Instead of `apt-get install <package>` use `apt-get install <package>=<version>`

Location: testing_data/Dockerfile:5

```
// AI REMEDIATION MANIFEST
Target_File: testing_data/Dockerfile
Target_Line: 5
Issue_Type: DL3008
Severity: MEDIUM

Instruction: Fix the vulnerability described below.
"Pin versions in apt get install. Instead of `apt-get install <package>` use `apt-
get install <package>=<version>`"
```

LOW**DL3015**

Hadolint

Description: Avoid additional packages by specifying `--no-install-recommends`

Location: testing_data/Dockerfile:5

```
// AI REMEDIATION MANIFEST
Target_File: testing_data/Dockerfile
Target_Line: 5
Issue_Type: DL3015
Severity: LOW
```

Instruction: Fix the vulnerability described below.
"Avoid additional packages by specifying `--no-install-recommends`"

LOW**DL3009**

Hadolint

Description: Delete the apt lists (/var/lib/apt/lists) after installing something

Location: testing_data/Dockerfile:5

```
// AI REMEDIATION MANIFEST
Target_File: testing_data/Dockerfile
Target_Line: 5
Issue_Type: DL3009
Severity: LOW
```

Instruction: Fix the vulnerability described below.
"Delete the apt lists (/var/lib/apt/lists) after installing something"

Description: Use the `-y` switch to avoid manual input `apt-get -y install <package>`

Location: testing_data/Dockerfile:5

```
// AI REMEDIATION MANIFEST
Target_File: testing_data/Dockerfile
Target_Line: 5
Issue_Type: DL3014
Severity: MEDIUM

Instruction: Fix the vulnerability described below.
"Use the `-y` switch to avoid manual input `apt-get -y install <package>`"
```

Trivy (FS) Findings

Description: body-parser (1.18.2) is vulnerable.

Location: testing_data/package-lock.json

```
// AI REMEDIATION MANIFEST
Target_File: testing_data/package-lock.json
Target_Line: N/A
Issue_Type: CVE-2024-45590
Severity: HIGH

Instruction: Fix the vulnerability described below.
"body-parser (1.18.2) is vulnerable."

Suggested_Remedies: Update to 1.20.3
```

LOW

CVE-2024-47764

Trivy

Description: cookie (0.3.1) is vulnerable.

Location: testing_data/package-lock.json

```
// AI REMEDIATION MANIFEST
Target_File: testing_data/package-lock.json
Target_Line: N/A
Issue_Type: CVE-2024-47764
Severity: LOW

Instruction: Fix the vulnerability described below.
"cookie (0.3.1) is vulnerable."

Suggested_Remedey: Update to 0.7.0
```

MEDIUM

CVE-2024-29041

Trivy

Description: express (4.16.0) is vulnerable.

Location: testing_data/package-lock.json

```
// AI REMEDIATION MANIFEST
Target_File: testing_data/package-lock.json
Target_Line: N/A
Issue_Type: CVE-2024-29041
Severity: MEDIUM

Instruction: Fix the vulnerability described below.
"express (4.16.0) is vulnerable."

Suggested_Remedey: Update to 4.19.2, 5.0.0-beta.3
```

LOW**CVE-2024-43796**

Trivy

Description: express (4.16.0) is vulnerable.**Location:** testing_data/package-lock.json

```
// AI REMEDIATION MANIFEST
Target_File: testing_data/package-lock.json
Target_Line: N/A
Issue_Type: CVE-2024-43796
Severity: LOW

Instruction: Fix the vulnerability described below.
"express (4.16.0) is vulnerable."

Suggested_Remedy: Update to 4.20.0, 5.0.0
```

HIGH**CVE-2020-8203**

Trivy

Description: lodash (4.17.15) is vulnerable.**Location:** testing_data/package-lock.json

```
// AI REMEDIATION MANIFEST
Target_File: testing_data/package-lock.json
Target_Line: N/A
Issue_Type: CVE-2020-8203
Severity: HIGH

Instruction: Fix the vulnerability described below.
"lodash (4.17.15) is vulnerable."

Suggested_Remedy: Update to 4.17.19
```

HIGH**CVE-2021-23337**

Trivy

Description: lodash (4.17.15) is vulnerable.**Location:** testing_data/package-lock.json

```
// AI REMEDIATION MANIFEST
Target_File: testing_data/package-lock.json
Target_Line: N/A
Issue_Type: CVE-2021-23337
Severity: HIGH

Instruction: Fix the vulnerability described below.
"lodash (4.17.15) is vulnerable."

Suggested_Remedey: Update to 4.17.21
```

HIGH**CVE-2026-4800**

Trivy

Description: lodash (4.17.15) is vulnerable.**Location:** testing_data/package-lock.json

```
// AI REMEDIATION MANIFEST
Target_File: testing_data/package-lock.json
Target_Line: N/A
Issue_Type: CVE-2026-4800
Severity: HIGH

Instruction: Fix the vulnerability described below.
"lodash (4.17.15) is vulnerable."

Suggested_Remedey: Update to 4.18.0
```

HIGH**NSWG-ECO-516**

Trivy

Description: lodash (4.17.15) is vulnerable.**Location:** testing_data/package-lock.json

```
// AI REMEDIATION MANIFEST
Target_File: testing_data/package-lock.json
Target_Line: N/A
Issue_Type: NSWG-ECO-516
Severity: HIGH

Instruction: Fix the vulnerability described below.
"lodash (4.17.15) is vulnerable."

Suggested_Remedey: Update to >=4.17.19
```

MEDIUM**CVE-2020-28500**

Trivy

Description: lodash (4.17.15) is vulnerable.**Location:** testing_data/package-lock.json

```
// AI REMEDIATION MANIFEST
Target_File: testing_data/package-lock.json
Target_Line: N/A
Issue_Type: CVE-2020-28500
Severity: MEDIUM

Instruction: Fix the vulnerability described below.
"lodash (4.17.15) is vulnerable."

Suggested_Remedey: Update to 4.17.21
```


MEDIUM

CVE-2025-13465

Trivy

Description: lodash (4.17.15) is vulnerable.

Location: testing_data/package-lock.json

```
// AI REMEDIATION MANIFEST
Target_File: testing_data/package-lock.json
Target_Line: N/A
Issue_Type: CVE-2025-13465
Severity: MEDIUM

Instruction: Fix the vulnerability described below.
"lodash (4.17.15) is vulnerable."

Suggested_Remedey: Update to 4.17.23
```

MEDIUM

CVE-2026-2950

Trivy

Description: lodash (4.17.15) is vulnerable.

Location: testing_data/package-lock.json

```
// AI REMEDIATION MANIFEST
Target_File: testing_data/package-lock.json
Target_Line: N/A
Issue_Type: CVE-2026-2950
Severity: MEDIUM

Instruction: Fix the vulnerability described below.
"lodash (4.17.15) is vulnerable."

Suggested_Remedey: Update to 4.18.0
```

HIGH**CVE-2024-45296**

Trivy

Description: path-to-regexp (0.1.7) is vulnerable.

Location: testing_data/package-lock.json

```
// AI REMEDIATION MANIFEST
Target_File: testing_data/package-lock.json
Target_Line: N/A
Issue_Type: CVE-2024-45296
Severity: HIGH

Instruction: Fix the vulnerability described below.
"path-to-regexp (0.1.7) is vulnerable."

Suggested_Remedey: Update to 1.9.0, 0.1.10, 8.0.0, 3.3.0, 6.3.0
```

HIGH**CVE-2024-52798**

Trivy

Description: path-to-regexp (0.1.7) is vulnerable.

Location: testing_data/package-lock.json

```
// AI REMEDIATION MANIFEST
Target_File: testing_data/package-lock.json
Target_Line: N/A
Issue_Type: CVE-2024-52798
Severity: HIGH

Instruction: Fix the vulnerability described below.
"path-to-regexp (0.1.7) is vulnerable."

Suggested_Remedey: Update to 0.1.12
```

HIGH**CVE-2026-4867**

Trivy

Description: path-to-regexp (0.1.7) is vulnerable.

Location: testing_data/package-lock.json

```
// AI REMEDIATION MANIFEST
Target_File: testing_data/package-lock.json
Target_Line: N/A
Issue_Type: CVE-2026-4867
Severity: HIGH

Instruction: Fix the vulnerability described below.
"path-to-regexp (0.1.7) is vulnerable."

Suggested_Remedey: Update to 0.1.13
```

HIGH**CVE-2022-24999**

Trivy

Description: qs (6.5.1) is vulnerable.

Location: testing_data/package-lock.json

```
// AI REMEDIATION MANIFEST
Target_File: testing_data/package-lock.json
Target_Line: N/A
Issue_Type: CVE-2022-24999
Severity: HIGH

Instruction: Fix the vulnerability described below.
"qs (6.5.1) is vulnerable."

Suggested_Remedey: Update to 6.10.3, 6.9.7, 6.8.3, 6.7.3, 6.6.1, 6.5.3, 6.4.1,
6.3.3, 6.2.4
```

MEDIUM

CVE-2025-15284

Trivy

Description: qs (6.5.1) is vulnerable.

Location: testing_data/package-lock.json

```
// AI REMEDIATION MANIFEST
Target_File: testing_data/package-lock.json
Target_Line: N/A
Issue_Type: CVE-2025-15284
Severity: MEDIUM

Instruction: Fix the vulnerability described below.
"qs (6.5.1) is vulnerable."

Suggested_Remedey: Update to 6.14.1
```

LOW

CVE-2024-43799

Trivy

Description: send (0.16.0) is vulnerable.

Location: testing_data/package-lock.json

```
// AI REMEDIATION MANIFEST
Target_File: testing_data/package-lock.json
Target_Line: N/A
Issue_Type: CVE-2024-43799
Severity: LOW

Instruction: Fix the vulnerability described below.
"send (0.16.0) is vulnerable."

Suggested_Remedey: Update to 0.19.0
```

LOW**CVE-2024-43800**

Trivy

Description: serve-static (1.13.0) is vulnerable.

Location: testing_data/package-lock.json

```
// AI REMEDIATION MANIFEST
Target_File: testing_data/package-lock.json
Target_Line: N/A
Issue_Type: CVE-2024-43800
Severity: LOW

Instruction: Fix the vulnerability described below.
"serve-static (1.13.0) is vulnerable."

Suggested_Remedy: Update to 1.16.0, 2.1.0
```

Jest Coverage Findings

HIGH**LOW-TEST-COVERAGE**

Jest

Description: Overall line coverage (33.33%) is below the required threshold (80%).

```
// AI REMEDIATION MANIFEST
Target_File: Global/Dependency
Target_Line: N/A
Issue_Type: LOW-TEST-COVERAGE
Severity: HIGH

Instruction: Fix the vulnerability described below.
"Overall line coverage (33.33%) is below the required threshold (80%)."
```

MEDIUM**FILE-LOW-COVERAGE**

Jest

Description: File coverage (33.33%) is below threshold.

Location: testing_data/app/math.js

```
// AI REMEDIATION MANIFEST
Target_File: testing_data/app/math.js
Target_Line: N/A
Issue_Type: FILE-LOW-COVERAGE
Severity: MEDIUM
```

Instruction: Fix the vulnerability described below.
"File coverage (33.33%) is below threshold."

Qodo Cover-Agent Findings

INFO**NO-API-KEY**

Cover-Agent

Description: Skipping Cover-Agent: No OPENAI_API_KEY or ANTHROPIC_API_KEY found.

```
// AI REMEDIATION MANIFEST
Target_File: Global/Dependency
Target_Line: N/A
Issue_Type: NO-API-KEY
Severity: INFO
```

Instruction: Fix the vulnerability described below.
"Skipping Cover-Agent: No OPENAI_API_KEY or ANTHROPIC_API_KEY found."

Keploy API Tests Findings

Description: No Keploy test suite found in ./keploy directory. Skipping.

```
// AI REMEDIATION MANIFEST
Target_File: Global/Dependency
Target_Line: N/A
Issue_Type: NO-KEPLOY-TESTS
Severity: INFO

Instruction: Fix the vulnerability described below.
"No Keploy test suite found in ./keploy directory. Skipping."
```

OSV-Scanner Findings

Description: Package body-parser@1.18.2 is vulnerable: body-parser vulnerable to denial of service when url encoding is enabled

Location: /Users/heisenberg/Projects/deployment_assist_tool/testing_data/package-lock.json

```
// AI REMEDIATION MANIFEST
Target_File:
/Users/heisenberg/Projects/deployment_assist_tool/testing_data/package-lock.json
Target_Line: N/A
Issue_Type: GHSA-qwcr-r2fm-qrc7
Severity: HIGH

Instruction: Fix the vulnerability described below.
"Package body-parser@1.18.2 is vulnerable: body-parser vulnerable to denial of service when url encoding is enabled"
```

Description: Package cookie@0.3.1 is vulnerable: cookie accepts cookie name, path, and domain with out of bounds characters

Location: /Users/heisenberg/Projects/deployment_assist_tool/testing_data/package-lock.json

```
// AI REMEDIATION MANIFEST
Target_File:
/Users/heisenberg/Projects/deployment_assist_tool/testing_data/package-lock.json
Target_Line: N/A
Issue_Type: GHSA-pxg6-pf52-xh8x
Severity: LOW
```

Instruction: Fix the vulnerability described below.
"Package cookie@0.3.1 is vulnerable: cookie accepts cookie name, path, and domain with out of bounds characters"

Description: Package express@4.16.0 is vulnerable: express vulnerable to XSS via response.redirect()

Location: /Users/heisenberg/Projects/deployment_assist_tool/testing_data/package-lock.json

```
// AI REMEDIATION MANIFEST
Target_File:
/Users/heisenberg/Projects/deployment_assist_tool/testing_data/package-lock.json
Target_Line: N/A
Issue_Type: GHSA-qw6h-vgh9-j6wx
Severity: LOW
```

Instruction: Fix the vulnerability described below.
"Package express@4.16.0 is vulnerable: express vulnerable to XSS via response.redirect()"

Description: Package express@4.16.0 is vulnerable: Express.js Open Redirect in malformed URLs

Location: /Users/heisenberg/Projects/deployment_assist_tool/testing_data/package-lock.json

```
// AI REMEDIATION MANIFEST
Target_File:
/Users/heisenberg/Projects/deployment_assist_tool/testing_data/package-lock.json
Target_Line: N/A
Issue_Type: GHSA-rv95-896h-c2vc
Severity: INFO

Instruction: Fix the vulnerability described below.
"Package express@4.16.0 is vulnerable: Express.js Open Redirect in malformed URLs"
```

Description: Package lodash@4.17.15 is vulnerable: Regular Expression Denial of Service (ReDoS) in lodash

Location: /Users/heisenberg/Projects/deployment_assist_tool/testing_data/package-lock.json

```
// AI REMEDIATION MANIFEST
Target_File:
/Users/heisenberg/Projects/deployment_assist_tool/testing_data/package-lock.json
Target_Line: N/A
Issue_Type: GHSA-29mw-wpgm-hmr9
Severity: INFO

Instruction: Fix the vulnerability described below.
"Package lodash@4.17.15 is vulnerable: Regular Expression Denial of Service (ReDoS) in lodash"
```

HIGH**GHSA-35jh-r3h4-6jhm**

OSV-Scanner

Description: Package lodash@4.17.15 is vulnerable: Command Injection in lodash

Location: /Users/heisenberg/Projects/deployment_assist_tool/testing_data/package-lock.json

```
// AI REMEDIATION MANIFEST
Target_File:
/Users/heisenberg/Projects/deployment_assist_tool/testing_data/package-lock.json
Target_Line: N/A
Issue_Type: GHSA-35jh-r3h4-6jhm
Severity: HIGH
```

Instruction: Fix the vulnerability described below.
"Package lodash@4.17.15 is vulnerable: Command Injection in lodash"

INFO**GHSA-f23m-r3pf-42rh**

OSV-Scanner

Description: Package lodash@4.17.15 is vulnerable: lodash vulnerable to Prototype Pollution via array path bypass in `\_.unset` and `\_.omit`

Location: /Users/heisenberg/Projects/deployment_assist_tool/testing_data/package-lock.json

```
// AI REMEDIATION MANIFEST
Target_File:
/Users/heisenberg/Projects/deployment_assist_tool/testing_data/package-lock.json
Target_Line: N/A
Issue_Type: GHSA-f23m-r3pf-42rh
Severity: INFO
```

Instruction: Fix the vulnerability described below.
"Package lodash@4.17.15 is vulnerable: lodash vulnerable to Prototype Pollution via array path bypass in `\_.unset` and `\_.omit`"

HIGH**GHSA-p6mc-m468-83gw**

OSV-Scanner

Description: Package lodash@4.17.15 is vulnerable: Prototype Pollution in lodash

Location: /Users/heisenberg/Projects/deployment_assist_tool/testing_data/package-lock.json

```
// AI REMEDIATION MANIFEST
Target_File:
/Users/heisenberg/Projects/deployment_assist_tool/testing_data/package-lock.json
Target_Line: N/A
Issue_Type: GHSA-p6mc-m468-83gw
Severity: HIGH
```

Instruction: Fix the vulnerability described below.
"Package lodash@4.17.15 is vulnerable: Prototype Pollution in lodash"

HIGH**GHSA-r5fr-rjxr-66jc**

OSV-Scanner

Description: Package lodash@4.17.15 is vulnerable: lodash vulnerable to Code Injection via `\_.template` imports key names

Location: /Users/heisenberg/Projects/deployment_assist_tool/testing_data/package-lock.json

```
// AI REMEDIATION MANIFEST
Target_File:
/Users/heisenberg/Projects/deployment_assist_tool/testing_data/package-lock.json
Target_Line: N/A
Issue_Type: GHSA-r5fr-rjxr-66jc
Severity: HIGH
```

Instruction: Fix the vulnerability described below.
"Package lodash@4.17.15 is vulnerable: lodash vulnerable to Code Injection via `\_.template` imports key names"

Description: Package lodash@4.17.15 is vulnerable: Lodash has Prototype Pollution Vulnerability in `\_.unset` and `\_.omit` functions

Location: /Users/heisenberg/Projects/deployment_assist_tool/testing_data/package-lock.json

```
// AI REMEDIATION MANIFEST
Target_File:
/Users/heisenberg/Projects/deployment_assist_tool/testing_data/package-lock.json
Target_Line: N/A
Issue_Type: GHSA-xxjr-mmjv-4gpg
Severity: INFO

Instruction: Fix the vulnerability described below.
"Package lodash@4.17.15 is vulnerable: Lodash has Prototype Pollution Vulnerability
in `_.unset` and `_.omit` functions"
```

Description: Package path-to-regexp@0.1.7 is vulnerable: path-to-regexp vulnerable to Regular Expression Denial of Service via multiple route parameters

Location: /Users/heisenberg/Projects/deployment_assist_tool/testing_data/package-lock.json

```
// AI REMEDIATION MANIFEST
Target_File:
/Users/heisenberg/Projects/deployment_assist_tool/testing_data/package-lock.json
Target_Line: N/A
Issue_Type: GHSA-37ch-88jc-xwx2
Severity: HIGH

Instruction: Fix the vulnerability described below.
"Package path-to-regexp@0.1.7 is vulnerable: path-to-regexp vulnerable to Regular
Expression Denial of Service via multiple route parameters"
```

HIGH**GHSA-9wv6-86v2-598j**

OSV-Scanner

Description: Package path-to-regexp@0.1.7 is vulnerable: path-to-regexp outputs backtracking regular expressions

Location: /Users/heisenberg/Projects/deployment_assist_tool/testing_data/package-lock.json

```
// AI REMEDIATION MANIFEST
Target_File:
/Users/heisenberg/Projects/deployment_assist_tool/testing_data/package-lock.json
Target_Line: N/A
Issue_Type: GHSA-9wv6-86v2-598j
Severity: HIGH
```

```
Instruction: Fix the vulnerability described below.
"Package path-to-regexp@0.1.7 is vulnerable: path-to-regexp outputs backtracking
regular expressions"
```

HIGH**GHSA-rhx6-c78j-4q9w**

OSV-Scanner

Description: Package path-to-regexp@0.1.7 is vulnerable: path-to-regexp contains a ReDoS

Location: /Users/heisenberg/Projects/deployment_assist_tool/testing_data/package-lock.json

```
// AI REMEDIATION MANIFEST
Target_File:
/Users/heisenberg/Projects/deployment_assist_tool/testing_data/package-lock.json
Target_Line: N/A
Issue_Type: GHSA-rhx6-c78j-4q9w
Severity: HIGH
```

```
Instruction: Fix the vulnerability described below.
"Package path-to-regexp@0.1.7 is vulnerable: path-to-regexp contains a ReDoS"
```

Description: Package qs@6.5.1 is vulnerable: qs's arrayLimit bypass in its bracket notation allows DoS via memory exhaustion

Location: /Users/heisenberg/Projects/deployment_assist_tool/testing_data/package-lock.json

```
// AI REMEDIATION MANIFEST
Target_File:
/Users/heisenberg/Projects/deployment_assist_tool/testing_data/package-lock.json
Target_Line: N/A
Issue_Type: GHSA-6rw7-vpxm-498p
Severity: INFO
```

```
Instruction: Fix the vulnerability described below.
"Package qs@6.5.1 is vulnerable: qs's arrayLimit bypass in its bracket notation
allows DoS via memory exhaustion"
```

Description: Package qs@6.5.1 is vulnerable: qs vulnerable to Prototype Pollution

Location: /Users/heisenberg/Projects/deployment_assist_tool/testing_data/package-lock.json

```
// AI REMEDIATION MANIFEST
Target_File:
/Users/heisenberg/Projects/deployment_assist_tool/testing_data/package-lock.json
Target_Line: N/A
Issue_Type: GHSA-hrpp-h998-j3pp
Severity: HIGH
```

```
Instruction: Fix the vulnerability described below.
"Package qs@6.5.1 is vulnerable: qs vulnerable to Prototype Pollution"
```

LOW

GHSA-m6fv-jmcg-4jfg

OSV-Scanner

Description: Package send@0.16.0 is vulnerable: send vulnerable to template injection that can lead to XSS

Location: /Users/heisenberg/Projects/deployment_assist_tool/testing_data/package-lock.json

```
// AI REMEDIATION MANIFEST
Target_File:
/Users/heisenberg/Projects/deployment_assist_tool/testing_data/package-lock.json
Target_Line: N/A
Issue_Type: GHSA-m6fv-jmcg-4jfg
Severity: LOW

Instruction: Fix the vulnerability described below.
"Package send@0.16.0 is vulnerable: send vulnerable to template injection that can lead to XSS"
```

LOW

GHSA-cm22-4g7w-348p

OSV-Scanner

Description: Package serve-static@1.13.0 is vulnerable: serve-static vulnerable to template injection that can lead to XSS

Location: /Users/heisenberg/Projects/deployment_assist_tool/testing_data/package-lock.json

```
// AI REMEDIATION MANIFEST
Target_File:
/Users/heisenberg/Projects/deployment_assist_tool/testing_data/package-lock.json
Target_Line: N/A
Issue_Type: GHSA-cm22-4g7w-348p
Severity: LOW

Instruction: Fix the vulnerability described below.
"Package serve-static@1.13.0 is vulnerable: serve-static vulnerable to template injection that can lead to XSS"
```

Promptfoo Findings

Description: Skipping Promptfoo: No LLM API key provided.

```
// AI REMEDIATION MANIFEST
Target_File: Global/Dependency
Target_Line: N/A
Issue_Type: NO-API-KEY
Severity: INFO
```

Instruction: Fix the vulnerability described below.
"Skipping Promptfoo: No LLM API key provided."

Semgrep Findings

Description: Avoid using console.log() in production code. Use a structured logging library like Winston or Pino.

Location: scripts/mock-feedback-analytics.js:3

```
// AI REMEDIATION MANIFEST
Target_File: scripts/mock-feedback-analytics.js
Target_Line: 3
Issue_Type: rules.dat-no-console-log
Severity: MEDIUM
```

Instruction: Fix the vulnerability described below.
"Avoid using console.log() in production code. Use a structured logging library like Winston or Pino."

MEDIUM**rules.dat-no-console-log**

Semgrep

Description: Avoid using console.log() in production code. Use a structured logging library like Winston or Pino.

Location: scripts/mock-feedback-analytics.js:4

```
// AI REMEDIATION MANIFEST
Target_File: scripts/mock-feedback-analytics.js
Target_Line: 4
Issue_Type: rules.dat-no-console-log
Severity: MEDIUM

Instruction: Fix the vulnerability described below.
"Avoid using console.log() in production code. Use a structured logging library
like Winston or Pino."
```

MEDIUM**rules.dat-no-console-log**

Semgrep

Description: Avoid using console.log() in production code. Use a structured logging library like Winston or Pino.

Location: scripts/mock-feedback-analytics.js:15

```
// AI REMEDIATION MANIFEST
Target_File: scripts/mock-feedback-analytics.js
Target_Line: 15
Issue_Type: rules.dat-no-console-log
Severity: MEDIUM

Instruction: Fix the vulnerability described below.
"Avoid using console.log() in production code. Use a structured logging library
like Winston or Pino."
```

MEDIUM**rules.dat-no-console-log**

Semgrep

Description: Avoid using console.log() in production code. Use a structured logging library like Winston or Pino.

Location: scripts/mock-feedback-analytics.js:16

```
// AI REMEDIATION MANIFEST
Target_File: scripts/mock-feedback-analytics.js
Target_Line: 16
Issue_Type: rules.dat-no-console-log
Severity: MEDIUM

Instruction: Fix the vulnerability described below.
"Avoid using console.log() in production code. Use a structured logging library
like Winston or Pino."
```

MEDIUM**rules.dat-no-console-log**

Semgrep

Description: Avoid using console.log() in production code. Use a structured logging library like Winston or Pino.

Location: scripts/mock-feedback-analytics.js:17

```
// AI REMEDIATION MANIFEST
Target_File: scripts/mock-feedback-analytics.js
Target_Line: 17
Issue_Type: rules.dat-no-console-log
Severity: MEDIUM

Instruction: Fix the vulnerability described below.
"Avoid using console.log() in production code. Use a structured logging library
like Winston or Pino."
```

MEDIUM**rules.dat-no-console-log**

Semgrep

Description: Avoid using console.log() in production code. Use a structured logging library like Winston or Pino.

Location: scripts/mock-feedback-analytics.js:18

```
// AI REMEDIATION MANIFEST
Target_File: scripts/mock-feedback-analytics.js
Target_Line: 18
Issue_Type: rules.dat-no-console-log
Severity: MEDIUM

Instruction: Fix the vulnerability described below.
"Avoid using console.log() in production code. Use a structured logging library
like Winston or Pino."
```

MEDIUM**rules.dat-no-console-log**

Semgrep

Description: Avoid using console.log() in production code. Use a structured logging library like Winston or Pino.

Location: scripts/mock-feedback-analytics.js:19

```
// AI REMEDIATION MANIFEST
Target_File: scripts/mock-feedback-analytics.js
Target_Line: 19
Issue_Type: rules.dat-no-console-log
Severity: MEDIUM

Instruction: Fix the vulnerability described below.
"Avoid using console.log() in production code. Use a structured logging library
like Winston or Pino."
```

MEDIUM**rules.dat-no-console-log**

Sengrep

Description: Avoid using console.log() in production code. Use a structured logging library like Winston or Pino.

Location: scripts/mock-feedback-analytics.js:21

```
// AI REMEDIATION MANIFEST
Target_File: scripts/mock-feedback-analytics.js
Target_Line: 21
Issue_Type: rules.dat-no-console-log
Severity: MEDIUM

Instruction: Fix the vulnerability described below.
"Avoid using console.log() in production code. Use a structured logging library
like Winston or Pino."
```

MEDIUM**rules.dat-no-console-log**

Sengrep

Description: Avoid using console.log() in production code. Use a structured logging library like Winston or Pino.

Location: scripts/mock-feedback-analytics.js:22

```
// AI REMEDIATION MANIFEST
Target_File: scripts/mock-feedback-analytics.js
Target_Line: 22
Issue_Type: rules.dat-no-console-log
Severity: MEDIUM

Instruction: Fix the vulnerability described below.
"Avoid using console.log() in production code. Use a structured logging library
like Winston or Pino."
```

MEDIUM**rules.dat-no-console-log**

Semgrep

Description: Avoid using console.log() in production code. Use a structured logging library like Winston or Pino.

Location: scripts/mock-feedback-analytics.js:23

```
// AI REMEDIATION MANIFEST
Target_File: scripts/mock-feedback-analytics.js
Target_Line: 23
Issue_Type: rules.dat-no-console-log
Severity: MEDIUM

Instruction: Fix the vulnerability described below.
"Avoid using console.log() in production code. Use a structured logging library
like Winston or Pino."
```

MEDIUM**rules.dat-no-console-log**

Semgrep

Description: Avoid using console.log() in production code. Use a structured logging library like Winston or Pino.

Location: scripts/mock-feedback-analytics.js:24

```
// AI REMEDIATION MANIFEST
Target_File: scripts/mock-feedback-analytics.js
Target_Line: 24
Issue_Type: rules.dat-no-console-log
Severity: MEDIUM

Instruction: Fix the vulnerability described below.
"Avoid using console.log() in production code. Use a structured logging library
like Winston or Pino."
```

MEDIUM**rules.dat-no-console-log**

Semgrep

Description: Avoid using console.log() in production code. Use a structured logging library like Winston or Pino.

Location: scripts/mock-feedback-analytics.js:26

```
// AI REMEDIATION MANIFEST
Target_File: scripts/mock-feedback-analytics.js
Target_Line: 26
Issue_Type: rules.dat-no-console-log
Severity: MEDIUM

Instruction: Fix the vulnerability described below.
"Avoid using console.log() in production code. Use a structured logging library
like Winston or Pino."
```

MEDIUM**rules.dat-no-console-log**

Semgrep

Description: Avoid using console.log() in production code. Use a structured logging library like Winston or Pino.

Location: scripts/mock-feedback-analytics.js:27

```
// AI REMEDIATION MANIFEST
Target_File: scripts/mock-feedback-analytics.js
Target_Line: 27
Issue_Type: rules.dat-no-console-log
Severity: MEDIUM

Instruction: Fix the vulnerability described below.
"Avoid using console.log() in production code. Use a structured logging library
like Winston or Pino."
```

MEDIUM**rules.dat-no-console-log**

Semgrep

Description: Avoid using `console.log()` in production code. Use a structured logging library like Winston or Pino.

Location: `scripts/mock-feedback-analytics.js:28`

```
// AI REMEDIATION MANIFEST
Target_File: scripts/mock-feedback-analytics.js
Target_Line: 28
Issue_Type: rules.dat-no-console-log
Severity: MEDIUM

Instruction: Fix the vulnerability described below.
"Avoid using console.log() in production code. Use a structured logging library
like Winston or Pino."
```

MEDIUM**rules.dat-no-console-log**

Semgrep

Description: Avoid using `console.log()` in production code. Use a structured logging library like Winston or Pino.

Location: `src/index.ts:32`

```
// AI REMEDIATION MANIFEST
Target_File: src/index.ts
Target_Line: 32
Issue_Type: rules.dat-no-console-log
Severity: MEDIUM

Instruction: Fix the vulnerability described below.
"Avoid using console.log() in production code. Use a structured logging library
like Winston or Pino."
```

MEDIUM**rules.dat-no-console-log**

Semgrep

Description: Avoid using `console.log()` in production code. Use a structured logging library like Winston or Pino.

Location: `src/index.ts:55`

```
// AI REMEDIATION MANIFEST
Target_File: src/index.ts
Target_Line: 55
Issue_Type: rules.dat-no-console-log
Severity: MEDIUM

Instruction: Fix the vulnerability described below.
"Avoid using console.log() in production code. Use a structured logging library
like Winston or Pino."
```

CRITICAL**rules.dat-no-process-exit**

Semgrep

Description: Avoid using `process.exit()` in application code. It abruptly terminates the Node.js process. Throw an error instead.

Location: `src/index.ts:63`

```
// AI REMEDIATION MANIFEST
Target_File: src/index.ts
Target_Line: 63
Issue_Type: rules.dat-no-process-exit
Severity: CRITICAL

Instruction: Fix the vulnerability described below.
"Avoid using process.exit() in application code. It abruptly terminates the Node.js
process. Throw an error instead."
```


MEDIUM**rules.dat-no-console-log**

Semgrep

Description: Avoid using console.log() in production code. Use a structured logging library like Winston or Pino.

Location: src/index.ts:105

```
// AI REMEDIATION MANIFEST
Target_File: src/index.ts
Target_Line: 105
Issue_Type: rules.dat-no-console-log
Severity: MEDIUM

Instruction: Fix the vulnerability described below.
"Avoid using console.log() in production code. Use a structured logging library
like Winston or Pino."
```

MEDIUM**rules.dat-no-console-log**

Semgrep

Description: Avoid using console.log() in production code. Use a structured logging library like Winston or Pino.

Location: src/index.ts:145

```
// AI REMEDIATION MANIFEST
Target_File: src/index.ts
Target_Line: 145
Issue_Type: rules.dat-no-console-log
Severity: MEDIUM

Instruction: Fix the vulnerability described below.
"Avoid using console.log() in production code. Use a structured logging library
like Winston or Pino."
```

MEDIUM**rules.dat-no-console-log**

Semgrep

Description: Avoid using console.log() in production code. Use a structured logging library like Winston or Pino.

Location: src/index.ts:147

```
// AI REMEDIATION MANIFEST
Target_File: src/index.ts
Target_Line: 147
Issue_Type: rules.dat-no-console-log
Severity: MEDIUM
```

Instruction: Fix the vulnerability described below.
"Avoid using console.log() in production code. Use a structured logging library like Winston or Pino."

MEDIUM**rules.dat-no-console-log**

Semgrep

Description: Avoid using console.log() in production code. Use a structured logging library like Winston or Pino.

Location: src/index.ts:149

```
// AI REMEDIATION MANIFEST
Target_File: src/index.ts
Target_Line: 149
Issue_Type: rules.dat-no-console-log
Severity: MEDIUM
```

Instruction: Fix the vulnerability described below.
"Avoid using console.log() in production code. Use a structured logging library like Winston or Pino."

Description: Avoid using `process.exit()` in application code. It abruptly terminates the Node.js process. Throw an error instead.

Location: `src/index.ts:150`

```
// AI REMEDIATION MANIFEST
Target_File: src/index.ts
Target_Line: 150
Issue_Type: rules.dat-no-process-exit
Severity: CRITICAL
```

Instruction: Fix the vulnerability described below.
"Avoid using `process.exit()` in application code. It abruptly terminates the Node.js process. Throw an error instead."

Description: Avoid using `console.log()` in production code. Use a structured logging library like Winston or Pino.

Location: `src/index.ts:154`

```
// AI REMEDIATION MANIFEST
Target_File: src/index.ts
Target_Line: 154
Issue_Type: rules.dat-no-console-log
Severity: MEDIUM
```

Instruction: Fix the vulnerability described below.
"Avoid using `console.log()` in production code. Use a structured logging library like Winston or Pino."

Description: Avoid using `process.exit()` in application code. It abruptly terminates the Node.js process. Throw an error instead.

Location: `src/index.ts:155`

```
// AI REMEDIATION MANIFEST
Target_File: src/index.ts
Target_Line: 155
Issue_Type: rules.dat-no-process-exit
Severity: CRITICAL
```

Instruction: Fix the vulnerability described below.
"Avoid using `process.exit()` in application code. It abruptly terminates the Node.js process. Throw an error instead."

Description: Avoid using `console.log()` in production code. Use a structured logging library like Winston or Pino.

Location: `src/index.ts:159`

```
// AI REMEDIATION MANIFEST
Target_File: src/index.ts
Target_Line: 159
Issue_Type: rules.dat-no-console-log
Severity: MEDIUM
```

Instruction: Fix the vulnerability described below.
"Avoid using `console.log()` in production code. Use a structured logging library like Winston or Pino."

MEDIUM**rules.dat-no-console-log**

Semgrep

Description: Avoid using console.log() in production code. Use a structured logging library like Winston or Pino.

Location: src/index.ts:163

```
// AI REMEDIATION MANIFEST
Target_File: src/index.ts
Target_Line: 163
Issue_Type: rules.dat-no-console-log
Severity: MEDIUM

Instruction: Fix the vulnerability described below.
"Avoid using console.log() in production code. Use a structured logging library
like Winston or Pino."
```

MEDIUM**rules.dat-no-console-log**

Semgrep

Description: Avoid using console.log() in production code. Use a structured logging library like Winston or Pino.

Location: src/index.ts:189

```
// AI REMEDIATION MANIFEST
Target_File: src/index.ts
Target_Line: 189
Issue_Type: rules.dat-no-console-log
Severity: MEDIUM

Instruction: Fix the vulnerability described below.
"Avoid using console.log() in production code. Use a structured logging library
like Winston or Pino."
```

MEDIUM**rules.dat-no-console-log**

Semgrep

Description: Avoid using `console.log()` in production code. Use a structured logging library like Winston or Pino.

Location: `src/index.ts:194`

```
// AI REMEDIATION MANIFEST
Target_File: src/index.ts
Target_Line: 194
Issue_Type: rules.dat-no-console-log
Severity: MEDIUM
```

Instruction: Fix the vulnerability described below.
"Avoid using `console.log()` in production code. Use a structured logging library like Winston or Pino."

MEDIUM**rules.dat-no-console-log**

Semgrep

Description: Avoid using `console.log()` in production code. Use a structured logging library like Winston or Pino.

Location: `src/index.ts:199`

```
// AI REMEDIATION MANIFEST
Target_File: src/index.ts
Target_Line: 199
Issue_Type: rules.dat-no-console-log
Severity: MEDIUM
```

Instruction: Fix the vulnerability described below.
"Avoid using `console.log()` in production code. Use a structured logging library like Winston or Pino."

MEDIUM**rules.dat-no-console-log**

Semgrep

Description: Avoid using `console.log()` in production code. Use a structured logging library like Winston or Pino.

Location: `src/index.ts:203`

```
// AI REMEDIATION MANIFEST
Target_File: src/index.ts
Target_Line: 203
Issue_Type: rules.dat-no-console-log
Severity: MEDIUM
```

Instruction: Fix the vulnerability described below.
"Avoid using `console.log()` in production code. Use a structured logging library like Winston or Pino."

MEDIUM**rules.dat-no-console-log**

Semgrep

Description: Avoid using `console.log()` in production code. Use a structured logging library like Winston or Pino.

Location: `src/index.ts:205`

```
// AI REMEDIATION MANIFEST
Target_File: src/index.ts
Target_Line: 205
Issue_Type: rules.dat-no-console-log
Severity: MEDIUM
```

Instruction: Fix the vulnerability described below.
"Avoid using `console.log()` in production code. Use a structured logging library like Winston or Pino."

MEDIUM**rules.dat-no-console-log**

Semgrep

Description: Avoid using `console.log()` in production code. Use a structured logging library like Winston or Pino.

Location: `src/index.ts:215`

```
// AI REMEDIATION MANIFEST
Target_File: src/index.ts
Target_Line: 215
Issue_Type: rules.dat-no-console-log
Severity: MEDIUM

Instruction: Fix the vulnerability described below.
"Avoid using console.log() in production code. Use a structured logging library
like Winston or Pino."
```

MEDIUM**rules.dat-no-console-log**

Semgrep

Description: Avoid using `console.log()` in production code. Use a structured logging library like Winston or Pino.

Location: `src/index.ts:217`

```
// AI REMEDIATION MANIFEST
Target_File: src/index.ts
Target_Line: 217
Issue_Type: rules.dat-no-console-log
Severity: MEDIUM

Instruction: Fix the vulnerability described below.
"Avoid using console.log() in production code. Use a structured logging library
like Winston or Pino."
```


MEDIUM**rules.dat-no-console-log**

Semgrep

Description: Avoid using console.log() in production code. Use a structured logging library like Winston or Pino.

Location: src/index.ts:219

```
// AI REMEDIATION MANIFEST
Target_File: src/index.ts
Target_Line: 219
Issue_Type: rules.dat-no-console-log
Severity: MEDIUM
```

Instruction: Fix the vulnerability described below.
"Avoid using console.log() in production code. Use a structured logging library like Winston or Pino."

MEDIUM**rules.dat-no-console-log**

Semgrep

Description: Avoid using console.log() in production code. Use a structured logging library like Winston or Pino.

Location: src/index.ts:236

```
// AI REMEDIATION MANIFEST
Target_File: src/index.ts
Target_Line: 236
Issue_Type: rules.dat-no-console-log
Severity: MEDIUM
```

Instruction: Fix the vulnerability described below.
"Avoid using console.log() in production code. Use a structured logging library like Winston or Pino."

Description: Avoid using `process.exit()` in application code. It abruptly terminates the Node.js process. Throw an error instead.

Location: `src/index.ts:237`

```
// AI REMEDIATION MANIFEST
Target_File: src/index.ts
Target_Line: 237
Issue_Type: rules.dat-no-process-exit
Severity: CRITICAL
```

Instruction: Fix the vulnerability described below.
"Avoid using `process.exit()` in application code. It abruptly terminates the Node.js process. Throw an error instead."

Description: Avoid using `console.log()` in production code. Use a structured logging library like Winston or Pino.

Location: `src/index.ts:239`

```
// AI REMEDIATION MANIFEST
Target_File: src/index.ts
Target_Line: 239
Issue_Type: rules.dat-no-console-log
Severity: MEDIUM
```

Instruction: Fix the vulnerability described below.
"Avoid using `console.log()` in production code. Use a structured logging library like Winston or Pino."

CRITICAL**rules.dat-no-process-exit**

Sengrep

Description: Avoid using `process.exit()` in application code. It abruptly terminates the Node.js process. Throw an error instead.

Location: `src/index.ts:240`

```
// AI REMEDIATION MANIFEST
Target_File: src/index.ts
Target_Line: 240
Issue_Type: rules.dat-no-process-exit
Severity: CRITICAL
```

Instruction: Fix the vulnerability described below.
"Avoid using `process.exit()` in application code. It abruptly terminates the Node.js process. Throw an error instead."

MEDIUM**rules.dat-no-console-log**

Sengrep

Description: Avoid using `console.log()` in production code. Use a structured logging library like Winston or Pino.

Location: `src/reporter.ts:13`

```
// AI REMEDIATION MANIFEST
Target_File: src/reporter.ts
Target_Line: 13
Issue_Type: rules.dat-no-console-log
Severity: MEDIUM
```

Instruction: Fix the vulnerability described below.
"Avoid using `console.log()` in production code. Use a structured logging library like Winston or Pino."

MEDIUM**rules.dat-no-console-log**

Semgrep

Description: Avoid using `console.log()` in production code. Use a structured logging library like Winston or Pino.

Location: `src/reporter.ts:14`

```
// AI REMEDIATION MANIFEST
Target_File: src/reporter.ts
Target_Line: 14
Issue_Type: rules.dat-no-console-log
Severity: MEDIUM

Instruction: Fix the vulnerability described below.
"Avoid using console.log() in production code. Use a structured logging library
like Winston or Pino."
```

MEDIUM**rules.dat-no-console-log**

Semgrep

Description: Avoid using `console.log()` in production code. Use a structured logging library like Winston or Pino.

Location: `src/reporter.ts:19`

```
// AI REMEDIATION MANIFEST
Target_File: src/reporter.ts
Target_Line: 19
Issue_Type: rules.dat-no-console-log
Severity: MEDIUM

Instruction: Fix the vulnerability described below.
"Avoid using console.log() in production code. Use a structured logging library
like Winston or Pino."
```

MEDIUM**rules.dat-no-console-log**

Semgrep

Description: Avoid using console.log() in production code. Use a structured logging library like Winston or Pino.

Location: src/reporter.ts:21

```
// AI REMEDIATION MANIFEST
Target_File: src/reporter.ts
Target_Line: 21
Issue_Type: rules.dat-no-console-log
Severity: MEDIUM

Instruction: Fix the vulnerability described below.
"Avoid using console.log() in production code. Use a structured logging library
like Winston or Pino."
```

MEDIUM**rules.dat-no-console-log**

Semgrep

Description: Avoid using console.log() in production code. Use a structured logging library like Winston or Pino.

Location: src/reporter.ts:25

```
// AI REMEDIATION MANIFEST
Target_File: src/reporter.ts
Target_Line: 25
Issue_Type: rules.dat-no-console-log
Severity: MEDIUM

Instruction: Fix the vulnerability described below.
"Avoid using console.log() in production code. Use a structured logging library
like Winston or Pino."
```

MEDIUM**rules.dat-no-console-log**

Semgrep

Description: Avoid using console.log() in production code. Use a structured logging library like Winston or Pino.

Location: src/reporter.ts:31

```
// AI REMEDIATION MANIFEST
Target_File: src/reporter.ts
Target_Line: 31
Issue_Type: rules.dat-no-console-log
Severity: MEDIUM

Instruction: Fix the vulnerability described below.
"Avoid using console.log() in production code. Use a structured logging library
like Winston or Pino."
```

MEDIUM**rules.dat-no-console-log**

Semgrep

Description: Avoid using console.log() in production code. Use a structured logging library like Winston or Pino.

Location: src/reporter.ts:33

```
// AI REMEDIATION MANIFEST
Target_File: src/reporter.ts
Target_Line: 33
Issue_Type: rules.dat-no-console-log
Severity: MEDIUM

Instruction: Fix the vulnerability described below.
"Avoid using console.log() in production code. Use a structured logging library
like Winston or Pino."
```

MEDIUM**rules.dat-no-console-log**

Semgrep

Description: Avoid using `console.log()` in production code. Use a structured logging library like Winston or Pino.

Location: `src/reporter.ts:39`

```
// AI REMEDIATION MANIFEST
Target_File: src/reporter.ts
Target_Line: 39
Issue_Type: rules.dat-no-console-log
Severity: MEDIUM

Instruction: Fix the vulnerability described below.
"Avoid using console.log() in production code. Use a structured logging library
like Winston or Pino."
```

MEDIUM**rules.dat-no-console-log**

Semgrep

Description: Avoid using `console.log()` in production code. Use a structured logging library like Winston or Pino.

Location: `src/reporter.ts:40`

```
// AI REMEDIATION MANIFEST
Target_File: src/reporter.ts
Target_Line: 40
Issue_Type: rules.dat-no-console-log
Severity: MEDIUM

Instruction: Fix the vulnerability described below.
"Avoid using console.log() in production code. Use a structured logging library
like Winston or Pino."
```

MEDIUM**rules.dat-no-console-log**

Semgrep

Description: Avoid using `console.log()` in production code. Use a structured logging library like Winston or Pino.

Location: `src/reporter.ts:41`

```
// AI REMEDIATION MANIFEST
Target_File: src/reporter.ts
Target_Line: 41
Issue_Type: rules.dat-no-console-log
Severity: MEDIUM

Instruction: Fix the vulnerability described below.
"Avoid using console.log() in production code. Use a structured logging library
like Winston or Pino."
```

MEDIUM**rules.dat-no-console-log**

Semgrep

Description: Avoid using `console.log()` in production code. Use a structured logging library like Winston or Pino.

Location: `src/reporter.ts:42`

```
// AI REMEDIATION MANIFEST
Target_File: src/reporter.ts
Target_Line: 42
Issue_Type: rules.dat-no-console-log
Severity: MEDIUM

Instruction: Fix the vulnerability described below.
"Avoid using console.log() in production code. Use a structured logging library
like Winston or Pino."
```


MEDIUM**rules.dat-no-console-log**

Semgrep

Description: Avoid using console.log() in production code. Use a structured logging library like Winston or Pino.

Location: src/reporter.ts:43

```
// AI REMEDIATION MANIFEST
Target_File: src/reporter.ts
Target_Line: 43
Issue_Type: rules.dat-no-console-log
Severity: MEDIUM

Instruction: Fix the vulnerability described below.
"Avoid using console.log() in production code. Use a structured logging library
like Winston or Pino."
```

MEDIUM**rules.dat-no-console-log**

Semgrep

Description: Avoid using console.log() in production code. Use a structured logging library like Winston or Pino.

Location: src/reporter.ts:44

```
// AI REMEDIATION MANIFEST
Target_File: src/reporter.ts
Target_Line: 44
Issue_Type: rules.dat-no-console-log
Severity: MEDIUM

Instruction: Fix the vulnerability described below.
"Avoid using console.log() in production code. Use a structured logging library
like Winston or Pino."
```

Description: Avoid using console.log() in production code. Use a structured logging library like Winston or Pino.

Location: src/reporter.ts:45

```
// AI REMEDIATION MANIFEST
Target_File: src/reporter.ts
Target_Line: 45
Issue_Type: rules.dat-no-console-log
Severity: MEDIUM

Instruction: Fix the vulnerability described below.
"Avoid using console.log() in production code. Use a structured logging library
like Winston or Pino."
```

Description: Detected calls to child_process from a function argument `command`. This could lead to a command injection if the input is user controllable. Try to avoid calls to child_process, and if it is needed ensure user input is correctly sanitized or sandboxed.

Location: src/runner.ts:18

```
// AI REMEDIATION MANIFEST
Target_File: src/runner.ts
Target_Line: 18
Issue_Type: javascript.lang.security.detect-child-process.detect-child-process
Severity: CRITICAL

Instruction: Fix the vulnerability described below.
"Detected calls to child_process from a function argument `command`. This could
lead to a command injection if the input is user controllable. Try to avoid calls
to child_process, and if it is needed ensure user input is correctly sanitized or
sandboxed. "
```

Description: Unresolved TODO, FIXME, or HACK comment found. Ensure this technical debt is tracked in Jira.

Location: testing_data/custom-rules-test.js:2

```
// AI REMEDIATION MANIFEST
Target_File: testing_data/custom-rules-test.js
Target_Line: 2
Issue_Type: rules.dat-no-todo-fixme
Severity: INFO

Instruction: Fix the vulnerability described below.
"Unresolved TODO, FIXME, or HACK comment found. Ensure this technical debt is
tracked in Jira."
```

Description: Avoid using console.log() in production code. Use a structured logging library like Winston or Pino.

Location: testing_data/custom-rules-test.js:3

```
// AI REMEDIATION MANIFEST
Target_File: testing_data/custom-rules-test.js
Target_Line: 3
Issue_Type: rules.dat-no-console-log
Severity: MEDIUM

Instruction: Fix the vulnerability described below.
"Avoid using console.log() in production code. Use a structured logging library
like Winston or Pino."
```

Description: Avoid using console.log() in production code. Use a structured logging library like Winston or Pino.

Location: testing_data/custom-rules-test.js:6

```
// AI REMEDIATION MANIFEST
Target_File: testing_data/custom-rules-test.js
Target_Line: 6
Issue_Type: rules.dat-no-console-log
Severity: MEDIUM

Instruction: Fix the vulnerability described below.
"Avoid using console.log() in production code. Use a structured logging library
like Winston or Pino."
```

Description: Avoid using process.exit() in application code. It abruptly terminates the Node.js process. Throw an error instead.

Location: testing_data/custom-rules-test.js:7

```
// AI REMEDIATION MANIFEST
Target_File: testing_data/custom-rules-test.js
Target_Line: 7
Issue_Type: rules.dat-no-process-exit
Severity: CRITICAL

Instruction: Fix the vulnerability described below.
"Avoid using process.exit() in application code. It abruptly terminates the Node.js
process. Throw an error instead."
```

MEDIUM**javascript.express.security.audit.xss.direct-response-write.direct-response-write**

Semgrep

Description: Detected directly writing to a Response object from user-defined input. This bypasses any HTML escaping and may expose your application to a Cross-Site-scripting (XSS) vulnerability. Instead, use 'resp.render()' to render safely escaped HTML.

Location: testing_data/index.js:9

```
// AI REMEDIATION MANIFEST
Target_File: testing_data/index.js
Target_Line: 9
Issue_Type: javascript.express.security.audit.xss.direct-response-write.direct-response-write
Severity: MEDIUM
```

Instruction: Fix the vulnerability described below.
"Detected directly writing to a Response object from user-defined input. This bypasses any HTML escaping and may expose your application to a Cross-Site-scripting (XSS) vulnerability. Instead, use 'resp.render()' to render safely escaped HTML."

CRITICAL**javascript.lang.security.audit.code-string-concat.code-string-concat**

Semgrep

Description: Found data from an Express or Next web request flowing to `eval`. If this data is user-controllable this can lead to execution of arbitrary system commands in the context of your application process. Avoid `eval` whenever possible.

Location: testing_data/index.js:15

```
// AI REMEDIATION MANIFEST
Target_File: testing_data/index.js
Target_Line: 15
Issue_Type: javascript.lang.security.audit.code-string-concat.code-string-concat
Severity: CRITICAL
```

Instruction: Fix the vulnerability described below.
"Found data from an Express or Next web request flowing to `eval`. If this data is user-controllable this can lead to execution of arbitrary system commands in the context of your application process. Avoid `eval` whenever possible."

MEDIUM**javascript.express.security.audit.xss.direct-response-write.direct-response-write**

Semgrep

Description: Detected directly writing to a Response object from user-defined input. This bypasses any HTML escaping and may expose your application to a Cross-Site-scripting (XSS) vulnerability. Instead, use 'resp.render()' to render safely escaped HTML.

Location: testing_data/index.js:16

```
// AI REMEDIATION MANIFEST
Target_File: testing_data/index.js
Target_Line: 16
Issue_Type: javascript.express.security.audit.xss.direct-response-write.direct-response-write
Severity: MEDIUM
```

Instruction: Fix the vulnerability described below.
"Detected directly writing to a Response object from user-defined input. This bypasses any HTML escaping and may expose your application to a Cross-Site-scripting (XSS) vulnerability. Instead, use 'resp.render()' to render safely escaped HTML."

Checkov Findings

HIGH**CKV_AWS_41**

Checkov (terraform)

Description: Ensure no hard coded AWS access key and secret key exists in provider

Location: /testing_data/main.tf:15

```
// AI REMEDIATION MANIFEST
Target_File: /testing_data/main.tf
Target_Line: 15
Issue_Type: CKV_AWS_41
Severity: HIGH
```

Instruction: Fix the vulnerability described below.
"Ensure no hard coded AWS access key and secret key exists in provider"

HIGH**CKV_AWS_260**

Checkov (terraform)

Description: Ensure no security groups allow ingress from 0.0.0.0:0 to port 80**Location:** /testing_data/main.tf:23

```
// AI REMEDIATION MANIFEST
Target_File: /testing_data/main.tf
Target_Line: 23
Issue_Type: CKV_AWS_260
Severity: HIGH
```

Instruction: Fix the vulnerability described below.
"Ensure no security groups allow ingress from 0.0.0.0:0 to port 80"

HIGH**CKV_AWS_24**

Checkov (terraform)

Description: Ensure no security groups allow ingress from 0.0.0.0:0 to port 22**Location:** /testing_data/main.tf:23

```
// AI REMEDIATION MANIFEST
Target_File: /testing_data/main.tf
Target_Line: 23
Issue_Type: CKV_AWS_24
Severity: HIGH
```

Instruction: Fix the vulnerability described below.
"Ensure no security groups allow ingress from 0.0.0.0:0 to port 22"

HIGH**CKV_AWS_23**

Checkov (terraform)

Description: Ensure every security group and rule has a description

Location: /testing_data/main.tf:23

```
// AI REMEDIATION MANIFEST
Target_File: /testing_data/main.tf
Target_Line: 23
Issue_Type: CKV_AWS_23
Severity: HIGH

Instruction: Fix the vulnerability described below.
"Ensure every security group and rule has a description"
```

HIGH**CKV_AWS_277**

Checkov (terraform)

Description: Ensure no security groups allow ingress from 0.0.0.0:0 to port -1

Location: /testing_data/main.tf:23

```
// AI REMEDIATION MANIFEST
Target_File: /testing_data/main.tf
Target_Line: 23
Issue_Type: CKV_AWS_277
Severity: HIGH

Instruction: Fix the vulnerability described below.
"Ensure no security groups allow ingress from 0.0.0.0:0 to port -1"
```


HIGH**CKV_AWS_25**

Checkov (terraform)

Description: Ensure no security groups allow ingress from 0.0.0.0:0 to port 3389

Location: /testing_data/main.tf:23

```
// AI REMEDIATION MANIFEST
Target_File: /testing_data/main.tf
Target_Line: 23
Issue_Type:  CKV_AWS_25
Severity:    HIGH
```

Instruction: Fix the vulnerability described below.
"Ensure no security groups allow ingress from 0.0.0.0:0 to port 3389"

HIGH**CKV_DOCKER_7**

Checkov (dockerfile)

Description: Ensure the base image uses a non latest version tag

Location: /testing_data/Dockerfile:1

```
// AI REMEDIATION MANIFEST
Target_File: /testing_data/Dockerfile
Target_Line: 1
Issue_Type:  CKV_DOCKER_7
Severity:    HIGH
```

Instruction: Fix the vulnerability described below.
"Ensure the base image uses a non latest version tag"

HIGH

CKV_DOCKER_2

Checkov (dockerfile)

Description: Ensure that HEALTHCHECK instructions have been added to container images

Location: /testing_data/Dockerfile:1

```
// AI REMEDIATION MANIFEST
Target_File: /testing_data/Dockerfile
Target_Line: 1
Issue_Type: CKV_DOCKER_2
Severity: HIGH

Instruction: Fix the vulnerability described below.
"Ensure that HEALTHCHECK instructions have been added to container images"
```

HIGH

CKV_DOCKER_3

Checkov (dockerfile)

Description: Ensure that a user for the container has been created

Location: /testing_data/Dockerfile:1

```
// AI REMEDIATION MANIFEST
Target_File: /testing_data/Dockerfile
Target_Line: 1
Issue_Type: CKV_DOCKER_3
Severity: HIGH

Instruction: Fix the vulnerability described below.
"Ensure that a user for the container has been created"
```

HIGH**CKV_SECRET_6**

Checkov (secrets)

Description: Base64 High Entropy String**Location:** /testing_data/Dockerfile:8

```
// AI REMEDIATION MANIFEST
Target_File: /testing_data/Dockerfile
Target_Line: 8
Issue_Type: CKV_SECRET_6
Severity: HIGH

Instruction: Fix the vulnerability described below.
"Base64 High Entropy String"
```

HIGH**CKV_SECRET_2**

Checkov (secrets)

Description: AWS Access Key**Location:** /testing_data/main.tf:18

```
// AI REMEDIATION MANIFEST
Target_File: /testing_data/main.tf
Target_Line: 18
Issue_Type: CKV_SECRET_2
Severity: HIGH

Instruction: Fix the vulnerability described below.
"AWS Access Key"
```

k6 Load Test Findings

Description: p95 Latency (43.55ms) is within acceptable limits.

```
// AI REMEDIATION MANIFEST
Target_File: Global/Dependency
Target_Line: N/A
Issue_Type: LATENCY-OK
Severity: INFO

Instruction: Fix the vulnerability described below.
"p95 Latency (43.55ms) is within acceptable limits."
```

Description: 100.00% of HTTP requests failed the status==200 check.

```
// AI REMEDIATION MANIFEST
Target_File: Global/Dependency
Target_Line: N/A
Issue_Type: HTTP-CHECKS-FAILED
Severity: HIGH

Instruction: Fix the vulnerability described below.
"100.00% of HTTP requests failed the status==200 check."
```