

WEB PROGRAMIRANJE PHP2 DOKUMENTACIJA PROJEKTA

"FIRST" (proceduralni PHP)

Student:

Dušica Cakić 22/13

Sadržaj

1.UVOD

KORIŠĆENI PROGRAMSKI JEZICI OPIS FUNKCIONALNOSTI

TEMPLATE

KORIŠĆENI CSS

2. ORGANIZACIJA

ORGANIZACIONA ŠEMA

Mapa sajta

SLIKE STRANICA I OPIS FUNKCIONALNOSTI

3. KODOVI

4.BAZA PODATAKA

1.Uvod

Korišćeni programski jezici


Pri izradi sajta koristila sam HTML, CSS, AJAX, javaScript, Bootstrap, PHP, mySQL bazu podataka.


Opis funkcionalnosti

Dinamički meni ,kao i sadržaj je zastupljen na svim stranicama sajta,galerija je na stranici gallery.php koja uz pomoć ajaxa prikazuje slike iz baze podataka,korisnik se loguje na stranici login.php i zavisno od uloge se redirektuje na odredjenu stranicu,anketa ,vesti na stranici news.php se dinamički ispisuju iz baze i omogućeno je straničenje pomoču ajaxa,kontakt forma na stranici contact-us.php omogućava slanje mejla administratoru sajta uz proveru forme regularnim izrazima,forum.php sadrži mogućnost ostavljanja komentara logovanim korisnicima,na stranici registration.php je omogućeno korisnicima sajta da se registruju a podaci s eproveravaju regularnim izrazima, na stranici buy.php se pretraga vrši pomoću ajaxa a sadržaj se dinamički ispisuje iz baze,admin panel za brisanje ,izmenu i dodavanje sadržaja sajta.

Template

```
<?php @session start();?>
<!DOCTYPE html>
<head>
<?php include('pages/header.php');?>
<section id="title" class="emerald">
   <section id="contact-page" class="container'</pre>
-
   <?php
 include('pages/bottomData.php');
 include('pages/footer.php');
-?>
<?php @session start();?>
<!DOCTYPE html>
<html lang="en">
<head>
<body>
 <?php include('pages/header.php');</pre>
       include('pages/slider.php');
       include('pages/greenNav.php');
       include('pages/bottomData.php');
       include('pages/footer.php');
?>
   <?php @session start();?>
     <!DOCTYPE html>
3
    ⊕<head>
4
26
    =<body>
27
      <?php include('pages/header.php');?>
28
29
    description id="title" class="emerald">
16
17
         <section id="privacy-policy" class="container" id="demo"</pre>
37
         </section><!--/#privacy-policy-->
38
    39
        <?php
90
     include('pages/bottomData.php');
91
      include('pages/footer.php');
92
```





Korišćeni CSS

CSS biblioteke:

Bootstrap.min.css

Font-awesome.min.css

Main.css


prettyFoto.css

Animate.css

Main.css

2. Organizacija

Organizaciona šema



Mapa sajta

```
<?xml version="1.0" encoding="UTF-8"?>
<urlset
    xmlns="http://www.sitemaps.org/schemas/sitemap/0.9"
    xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
    xsi:schemaLocation="http://www.sitemaps.org/schemas/sitemap/0.9
    http://www.sitemaps.org/schemas/sitemap/0.9/sitemap.xsd">
<url>
```

<loc>http://firstphp.dx.am/index.php</loc>


```
<lastmod>2018-02-16T00:44:27+00:00</lastmod>
<priority>1.00</priority>
</url>
<url>
<\!loc\!>\!http://firstphp.dx.am/buy.php\!<\!/loc\!>
<lastmod>2018-02-16T00:44:27+00:00</lastmod>
<priority>0.80</priority>
</url>
<url>
<loc>http://firstphp.dx.am/forum.php</loc>
<lastmod>2018-02-16T00:44:27+00:00</lastmod>
<priority>0.80</priority>
</url>
<url>
<loc>http://firstphp.dx.am/gallery.php</loc>
<lastmod>2018-02-16T00:44:27+00:00</lastmod>
<priority>0.80</priority>
</url>
<url>
<loc>http://firstphp.dx.am/contact-us.php</loc>
<lastmod>2018-02-16T00:44:27+00:00</lastmod>
<priority>0.80</priority>
</url>
<url>
<\!loc\!>\!http:\!/\!firstphp.dx.am/login.php\!<\!/loc\!>
<lastmod>2018-02-16T00:44:27+00:00</lastmod>
<priority>0.80</priority>
</url>
<url>
<loc>http://firstphp.dx.am/registration.php</loc>
<lastmod>2018-02-16T00:44:27+00:00</lastmod>
<priority>0.80</priority>
</url>
<url>
<loc>http://firstphp.dx.am/about-me.php</loc>
 <lastmod>2018-02-16T00:44:27+00:00</lastmod>
 <priority>0.80</priority>
```

```
</url>
<url>
<loc>http://firstphp.dx.am/news.php</loc>
<lastmod>2018-02-16T00:44:27+00:00</lastmod>
 <priority>0.80</priority>
</url>
<url>
<loc>http://firstphp.dx.am/admin.php</loc>
< last mod > 2018-02-16T00:44:27+00:00 < / last mod >
<priority>0.80</priority>
</url>
<url>
<\!loc\!>\!http://firstphp.dx.am/gallery.php?id\!=\!1<\!/loc\!>
< last mod > 2018-02-16T00:44:27+00:00 < / last mod >
<priority>0.64</priority>
</url>
<url>
<\!loc\!>\!http://firstphp.dx.am/gallery.php?id\!=\!2<\!/loc\!>
<lastmod>2018-02-16T00:44:27+00:00</lastmod>
<priority>0.64</priority>
</url>
<url>
<loc>http://firstphp.dx.am/gallery.php?id=3</loc>
<lastmod>2018-02-16T00:44:27+00:00</lastmod>
<priority>0.64</priority>
</url>
<url>
<loc>http://firstphp.dx.am/gallery.php?id=4</loc>
<lastmod>2018-02-16T00:44:27+00:00</lastmod>
<priority>0.64</priority>
</url>
<url>
<loc>http://firstphp.dx.am/news.php?page=2</loc>
<lastmod>2018-02-16T00:44:27+00:00</lastmod>
<priority>0.64</priority>
</url>
<url>
```


```
<loc>http://firstphp.dx.am/news.php?page=0</loc>
 <lastmod>2018-02-16T00:44:27+00:00</lastmod>
 <priority>0.51</priority>
</url>
<url>
 <loc>http://firstphp.dx.am/news.php?page=4</loc>
 < last mod > 2018-02-16T00:44:27+00:00 < / last mod >
 <priority>0.51</priority>
</url>
 <loc>http://firstphp.dx.am/news.php?page=6</loc>
 < last mod > 2018-02-16T00:44:27+00:00 < / last mod >
 <priority>0.41</priority>
</url>
<url>
 <loc>http://firstphp.dx.am/news.php?page=8</loc>
 < last mod > 2018-02-16T00:44:27+00:00 < / last mod >
 <priority>0.33</priority>
</url>
</urlset>
                                  Slike stranica i opis funkcionalnosti
```

Dinamički meni ,kao i sadržaj, je zastupljen na svim stranicama sajta.

Galerija je na stranici gallery.php koja uz pomoć ajaxa prikazuje slike iz baze podataka.




Korisnik se loguje na stranici login.php i zavisno od uloge se redirektuje na odredjenu stranicu.




Anketa

| Po Do you like cars? _{Yes} | You vote! Yes No | Address First street without number San Francisco, C94107 P. (123) 456-7890 | |
|---|------------------|--|-----|
| No | | Newsletter | |
| Too much | | Enter your email | Go! |
| Vote | | | |
| | | | |
| | | | |
| | | | |


Vesti na stranici news.php se dinamički ispisuju iz baze i omogućeno je straničenje pomoću ajaxa




Kontakt forma na stranici contact-us.php omogućava slanje mejla administratoru sajta uz proveru forme regularnim izrazima.




Forum.php sadrži mogućnost ostavljanja komentara logovanim korisnicima.




Na stranici registration.php je omogućeno korisnicima sajta da se registruju a podaci se proveravaju regularnim izrazima.





Na stranici buy.php se pretraga vrši pomoću ajaxa a sadržaj se dinamički ispisuje iz baze.



Admin panel za brisanje ,izmenu i dodavanje sadržaja sajta.







3. Kodovi

Buy.php

```
<?php @session_start();?>
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<meta name="description" content="">
<meta name="author" content="">
<title>Buy | First</title>
<link href="css/bootstrap.min.css" rel="stylesheet">
k href="css/font-awesome.min.css" rel="stylesheet">
<link href="css/prettyPhoto.css" rel="stylesheet">
<link href="css/animate.css" rel="stylesheet">
<link href="css/main.css" rel="stylesheet">
<!--[if lt IE 9]>
<script src="js/html5shiv.js"></script>
```

```
<script src="js/respond.min.js"></script>-->
<!--[endif]-->
<script type="text/javaScript">
  function pretraga(obj){
    var xhttp;
    if (obj == "") {
       document.getElementById("rezultatPretrage").innerHTML = "";
       return;
```

```
xhttp = new XMLHttpRequest();
xhttp.onreadystatechange = function() {
  if (this.readyState == 4 && this.status == 200) {
    document.getElementById("rezultatPretrage").innerHTML = this.responseText;
};
xhttp.open("GET", "search.php?q="+obj, true);
xhttp.send();
```

</script>

```
k rel="shortcut icon" href="images/ico/favicon.ico">
                       link rel="apple-touch-icon-precomposed" sizes="144x144" href="images/ico/apple-touch-
icon-144-precomposed.png">
                       k rel="apple-touch-icon-precomposed" sizes="114x114" href="images/ico/apple-touch-icon-precomposed" sizes="114x14" href="images/icon-precomposed" sizes="114x14" href="images/icon-precomposed" sizes="114x14" href="images/icon-precomposed" sizes="114x14" href="images/icon-precomposed" sizes="114x14" href="images/icon-precomposed" sizes=
icon-114-precomposed.png">
                      rel="apple-touch-icon-precomposed" sizes="72x72" href="images/ico/apple-touch-
icon-72-precomposed.png">
                      link rel="apple-touch-icon-precomposed" href="images/ico/apple-touch-icon-57-
precomposed.png">
           </head><!--/head-->
 <body>
```

<?php include('pages/header.php');?>

```
<section id="title" class="emerald">
 <div class="container">
   <div class="row">
     <div class="col-sm-6">
       <h1>Look at this...</h1>
       Here you will find all the necessary information about your favorite car
     </div>
     <div class="col-sm-6">
       <a href="index.html">Home</a>
```

```
<a href="#">Pages</a>
         All vehicles
       </div>
    </div>
  </div>
</section><!--/#title-->
<section id="career" class="container">
  <div class="center" id="pretragaAuta">
    <form method="post">
```

```
<select name="brand" onchange="pretraga(this.value)">
                  <option value="0">Choose...</option>
                  <?php include('conection.php');</pre>
                  $rezCar=mysqli_query($conn,"select * from cars")or die("error:select cars");
                  while( $redCar=mysqli_fetch_array($rezCar)){echo "<option</pre>
value="".$redCar['id']."">".$redCar['name']."</option>";}
```

?>

```
</select>

<select name="models" onchange="pretraga(this.value)">

<option value="0">Choose...</option>

<?php include('conection.php');</td>

$rezModel=mysqli_query($conn,"select * from models")or die("error:select models");

while($redModel=mysqli_fetch_array($rezModel)){echo "<option value="".$redModel['id']."'>".$redModel['name']."</option>";}
```

?>

```
</select>
    <select name="year" onchange="pretraga(this.value)">
        <option value="0">Choose...</option>
        <?php
        for($i=2000;$i<=2030;$i++){echo "<option value='$i'>$i</option>";}
        ?>
      </select>
 </form>
```

```
<br/>br/>
</div>
<div class=" col-sm-12" id="rezultatPretrage"></div>
<hr>
<div class="center">
  <div class="col-sm-12" >
     <div class="panel-group" id="accordion1">
       <div class="panel panel-default">
```

```
<div class="panel-heading">
                <h4 class="panel-title">
                   <a class="accordion-toggle" data-toggle="collapse" data-
parent="#accordion1" href="#collapseOne1">
                     Hyundai
                   </a>
                </h4>
              </div>
              <div id="collapseOne1" class="panel-collapse collapse">
                <div class="panel-body">
                   <?php
```

include('conection.php');

\$upitHyundai="select c.name as nameCars,m.name as modelsName,src,alt,year,price from cars c inner join models m ON c.id=m.cars_id inner join picture p ON m.picture_id=p.id WHERE c.name='Hyundai'";

 $\label{thm:conn} $$\operatorname{rezulatHyundai=mysqli_query(\$conn,\$upitHyundai)} \ or \ die("error : select hyundai".mysqli_error);$

 $while (\$redHyundai=mysqli_fetch_array (\$rezulatHyundai)) \{$

echo"<div class='col-sm-2'>

```
<img src='images/buy/".$redHyundai['src']."'
alt="".$redHyundai['alt'].""width=120 height=70/>
                        <b>".$redHyundai['nameCars']."</b>
".$redHyundai['modelsName']."
                               ".$redHyundai['year']."
                               ".$redHyundai['price']."$";
               echo "></div>";
             ?>
```

```
</div>
              </div>
            </div>
            <div class="panel panel-default">
              <div class="panel-heading">
                <h4 class="panel-title">
                   <a class="accordion-toggle" data-toggle="collapse" data-
parent="#accordion1" href="#collapseTwo1">
                     Kia
                   </a>
                </h4>
```

```
</div>
              <div id="collapseTwo1" class="panel-collapse collapse">
                <div class="panel-body">
                   <?php
                   include('conection.php');
                   $upitHyundai="select c.name as nameCars,m.name as
modelsName,src,alt,year,price from cars c inner join models m ON c.id=m.cars_id inner join
picture p ON m.picture_id=p.id WHERE c.name='Kia'";
                   $rezulatHyundai=mysqli_query($conn,$upitHyundai) or die("error :select
hyundai".mysqli_error);
```

while(\$redHyundai=mysqli_fetch_array(\$rezulatHyundai)){

```
echo"<div class='col-sm-2'>

<img src='images/buy/".$redHyundai['src']."'
alt="".$redHyundai['alt']."'width=120 height=70/>

<b>".$redHyundai['nameCars']."</b>

".$redHyundai['modelsName']."

".$redHyundai['year']."

".$redHyundai['year']."

".$redHyundai['price']."$
```

echo "</div>";

```
?>
                </div>
              </div>
            </div>
            <div class="panel panel-default">
              <div class="panel-heading">
                <h4 class="panel-title">
                   <a class="accordion-toggle" data-toggle="collapse" data-
parent="#accordion1" href="#collapseThree1">
```

```
Range Rover
```

```
</a>
</hd>
</div>
</div>
<div id="collapseThree1" class="panel-collapse collapse">
<div class="panel-body">
<?php
include('conection.php');
```

\$upitHyundai="select c.name as nameCars,m.name as modelsName,src,alt,year,price from cars c inner join models m ON c.id=m.cars_id inner join picture p ON m.picture_id=p.id WHERE c.name='Range Rover'";

\$rezulatHyundai=mysqli_query(\$conn,\$upitHyundai) or die("error :select hyundai".mysqli_error);

while(\$redHyundai=mysqli_fetch_array(\$rezulatHyundai)){

echo"<div class='col-sm-2'>

\simg src='images/buy/".\\$redHyundai['src'].\"'

alt="".\$redHyundai['alt'].""width=120 height=70/>

".\$redHyundai['nameCars']."

".\$redHyundai['modelsName']."

```
".$redHyundai['year']."
                    ".$redHyundai['price']."$";
      echo "</div>";
    ?>
   </div>
 </div>
</div>
```

```
<div class="panel panel-default">
              <div class="panel-heading">
                <h4 class="panel-title">
                   <a class="accordion-toggle" data-toggle="collapse" data-
parent="#accordion1" href="#collapseFour1">
                     Bmw
                   </a>
                </h4>
              </div>
              <div id="collapseFour1" class="panel-collapse collapse">
                <div class="panel-body">
```

<?php

include('conection.php');

\$upitHyundai="select c.name as nameCars,m.name as modelsName,src,alt,year,price from cars c inner join models m ON c.id=m.cars_id inner join picture p ON m.picture_id=p.id WHERE c.name='Bmw'";

 $\label{thm:conn} $$\operatorname{rezulatHyundai=mysqli_query(\$conn,\$upitHyundai)} \ or \ die("error : select hyundai".mysqli_error);$

 $while (\$redHyundai=mysqli_fetch_array (\$rezulatHyundai)) \{$

echo"<div class='col-sm-2'>

```
<img src='images/buy/".$redHyundai['src']."'
alt="".$redHyundai['alt'].""width=120 height=70/>
                        <b>".$redHyundai['nameCars']."</b>
".$redHyundai['modelsName']."
                               ".$redHyundai['year']."
                               ".$redHyundai['price']."$";
               echo "></div>";
             ?>
```

```
</div>
           </div>
         </div>
       </div><!--/#accordion1-->
    </div><!--/.col-sm-4-->
  </div>
</section>
<!-- /Career -->
```

```
<?php
include('pages/bottomData.php');
include('pages/footer.php');
?>
Contact-us.php
<?php @session_start();?>
  <!DOCTYPE html>
```

```
<html lang="en">
<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <meta name="description" content="">
  <meta name="author" content="">
  <title>Contact Us | First</title>
  <link href="css/bootstrap.min.css" rel="stylesheet">
  k href="css/font-awesome.min.css" rel="stylesheet">
  <link href="css/prettyPhoto.css" rel="stylesheet">
  <link href="css/animate.css" rel="stylesheet">
```

```
<link href="css/main.css" rel="stylesheet">
<script src="js/ajaxObj.js"></script>
<!--[if lt IE 9]>
<script src="js/html5shiv.js"></script>
<script src="js/respond.min.js"></script>
<![endif]-->
<style>
  .error {color: #FF0000;}
</style>
k rel="shortcut icon" href="images/ico/favicon.ico">
```

 $<\!\!link\ rel="apple-touch-icon-precomposed"\ sizes="144x144"\ href="images/ico/apple-touch-icon-144-precomposed.png">$

k rel="apple-touch-icon-precomposed" sizes="114x114" href="images/ico/apple-touch-icon-114-precomposed.png">

k rel="apple-touch-icon-precomposed" sizes="72x72" href="images/ico/apple-touch-icon-72-precomposed.png">

k rel="apple-touch-icon-precomposed" href="images/ico/apple-touch-icon-57precomposed.png">

</head><!--/head-->

<body>

<?php include('pages/header.php');?>

```
<section id="title" class="emerald">
 <div class="container">
   <div class="row">
     <div class="col-sm-6">
       <h1>Contact Us</h1>
       Pellentesque habitant morbi tristique senectus et netus et malesuada
     </div>
     <div class="col-sm-6">
       <a href="index.php">Home</a>
         Contact Us
```

```
</div>
    </div>
  </div>
</section><!--/#title-->
<section id="contact-page" class="container">
  <div class="row">
    <div class="col-sm-6">
      <h4>Contact Form</h4>
```

```
<form action="<?php echo $_SERVER['PHP_SELF'];?>" method="POST" >
           Name <input type="text" name="name" class="form-control">
           Email <input type="text" name="email" class="form-control">
          Message<textarea name="message" rows="6" cols="25" class="form-
control"></textarea><br/>
          <input type="submit" class="btn btn-primary btn-lg" value="Send"</pre>
name="btnSend"> <input type="reset" class="btn btn-primary btn-lg" value="Clear">
        </form>
         <div class="status alert " id="errorContact" >
           <?php
          if(isset($ POST['btnSend'])){
```

```
$name = $_POST['name'];
$email = $_POST['email'];
$message = $_POST['message'];
if(!preg_match("/^[a-zA-Z]*$/", $name)) {
  echo "Only letters and white space allowed";
if(!filter_var($email, FILTER_VALIDATE_EMAIL)) {
  echo "Invalid email format";}
```

```
$formcontent="From: $name \n Message: $message";
       $recipient = "dusicacakic@gmail.com";
       $subject = "Contact Form";
       $mailheader = "From: $email \r\n";
       @mail($recipient, $subject, $formcontent, $mailheader) or die("Error!");
      echo "Thank You!";}
    ?>
  </div>
</div><!--/.col-sm-8-->
<div class="col-sm-6">
  <h4>Our Location</h4>
```

```
<iframe width="100%" height="215" frameborder="0" scrolling="no"
marginheight="0" marginwidth="0"
src="https://maps.google.com.au/maps?f=q&amp;source=s_q&amp;hl=en&amp;geocode=&amp;q=Dhaka,+Dhaka+Division,+Bangladesh&amp;aq=0&amp;oq=dhaka+ban&amp;sll=40.714353
,-
74.005973&amp;sspn=0.836898,1.815491&amp;ie=UTF8&amp;hq=&amp;hnear=Dhaka+Division,+Bangladesh&amp;t=m&amp;ll=24.542126,90.293884&amp;spn=0.124922,0.411301&amp;z=8&amp;output=embed"></firame>
</div><!--/.col-sm-4-->
</div></div></div></div>
```

</section><!--/#contact-page-->

<?php

```
include('pages/bottomData.php');
include('pages/footer.php');
?>
Forum.php
<?@session_start();
?>
  <!--menjamo zeleno i belo polje,ovo sve drugo je isto-->
  <!DOCTYPE html>
```

```
<html lang="en">
<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <meta name="description" content="">
  <meta name="author" content="">
  <title>Forum | First</title>
  <link href="css/bootstrap.min.css" rel="stylesheet">
  <link href="css/font-awesome.min.css" rel="stylesheet">
  <link href="css/prettyPhoto.css" rel="stylesheet">
  <link href="css/animate.css" rel="stylesheet">
```

```
k href="css/main.css" rel="stylesheet">
<!--[if lt IE 9]>
<script src="js/html5shiv.js"></script>
<script src="js/respond.min.js"></script>
<![endif]-->
k rel="shortcut icon" href="images/ico/favicon.ico">
```

k rel="apple-touch-icon-precomposed" sizes="144x144" href="images/ico/apple-touch-icon-144-precomposed.png">

rel="apple-touch-icon-precomposed" sizes="114x114" href="images/ico/apple-touch-icon-114-precomposed.png">

 $< link\ rel="apple-touch-icon-precomposed"\ sizes="72x72"\ href="images/ico/apple-touch-icon-72-precomposed.png">$

```
link rel="apple-touch-icon-precomposed" href="images/ico/apple-touch-icon-57-
precomposed.png">
  </head><!--/head-->
<body>
<?php include('pages/header.php');?>
  <section id="title" class="emerald">
    <div class="container">
       <div class="row">
         <div class="col-sm-6">
           <h1>Forum</h1>
```

```
Pellentesque habitant morbi tristique senectus et netus et malesuada
     </div>
     <div class="col-sm-6">
      <a href="index.php">Home</a>
        Forum
      </div>
   </div>
 </div>
</section><!--/#title-->
```

```
<!-- stranicenje-->
<section id="services">
  <div class="container">
    <div class="row">
       <div class="col-lg-12">
         <div class="center gap">
            <h2>Only registered users can leave comments</h2>
         </div>
         <div class="center">
```

```
<h2>What our clients say about us</h2>
             <?php
             if(isset($_SESSION['id_role'])){
               ?>
               Enter your comment here:
               <!--samo registrovani mogu da vide formu -->
               <form class="center" action="<?php print $_SERVER['PHP_SELF'];?>"
method="POST">
                                       <textarea rows="4" cols="50" id="comment"
name="comment">
```

```
</textarea><br/>
                 <button type="submit" name="btnComment" class="btn btn-primary btn-
lg">Comment</button>
               </form>
             <?php }?>
           </div>
           <div class="row">
             <?php
             include("conection.php");
             if(isset($_REQUEST['btnComment'])){
```

```
$comment=$_REQUEST['comment'];
$insertComment="INSERT INTO comments(text, user_id)
VALUES('$comment',5)";

$rez_Comm = mysqli_query($conn,$insertComment)or die("Error ".mysqli_error());

if($rez_Comm){
    echo("You have successfully created a comment!");
}
```

```
?>
<?php
include("conection.php");
$upitC="select * from comments c inner join users u on c.user_id=u.id";
$rezC=mysqli_query($conn,$upitC)or die("Error ".mysqli_error());
while($redC=mysqli_fetch_array($rezC)){
  ?>
  <div class="col-md-6">
    <div class="gap">
       <blook<br/>quote>
```

```
<?php echo $redC['text']?>
                       <small>Comment left by <cite title="Source Title"><?php echo</pre>
$redC['username']?></cite></small>
                     </blockquote>
                  </div>
                </div>
              <?php } mysqli_close($conn);?>
           </div>
         </div>
       </div>
    </div>
```

```
</section><!--/#services-->
<?php include('pages/bottomData.php');</pre>
include('pages/footer.php'); ?>
gallery.php
<?php @session_start();?>
  <!DOCTYPE html>
  <html lang="en">
  <head>
```

```
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<meta name="description" content="">
<meta name="author" content="">
<title>Gallery | First</title>
<link href="css/bootstrap.min.css" rel="stylesheet">
k href="css/font-awesome.min.css" rel="stylesheet">
<link href="css/prettyPhoto.css" rel="stylesheet">
<link href="css/animate.css" rel="stylesheet">
<link href="css/main.css" rel="stylesheet">
<script src="js/ajaxObj.js" ></script><!-- tab links-->
```

```
<!--[if lt IE 9]>
<script src="js/html5shiv.js"></script>
<script src="js/respond.min.js"></script>
<![endif]-->
link rel="shortcut icon" href="images/ico/favicon.ico">
```

k rel="apple-touch-icon-precomposed" sizes="144x144" href="images/ico/apple-touch-icon-144-precomposed.png">

k rel="apple-touch-icon-precomposed" sizes="114x114" href="images/ico/apple-touch-icon-114-precomposed.png">

 $< link\ rel="apple-touch-icon-precomposed"\ sizes="72x72"\ href="images/ico/apple-touch-icon-72-precomposed.png">$

```
link rel="apple-touch-icon-precomposed" href="images/ico/apple-touch-icon-57-
precomposed.png">
  </head><!--/head-->
<body>
<?php include('pages/header.php');?>
  <section id="title" class="emerald">
    <div class="container">
       <div class="row">
         <div class="col-sm-6">
```

```
<h1>Gallery</h1>
    Pellentesque habitant morbi tristique senectus et netus et malesuada
   </div>
   <div class="col-sm-6">
    <a href="index.html">Home</a>
      Gallery
    </div>
 </div>
</div>
```

```
</section><!--/#title-->
  <section id="portfolio" class="container">
    <!-- ajax galerija-->
      <a class="btn btn-default active" href="gallery.php" >All</a>
      <?php
      include ('conection.php');
      $upitC="select * from cars";
      $rezC=mysqli_query($conn,$upitC) or die ("Nije dobar upit za tab
galeriju".mysqli_error());
```

```
while($cars=mysqli_fetch_array($rezC)){ ?>
         <a id="<?php echo $cars['id'];?>" class="btn btn-default"
href="gallery.php?id=<?php echo $cars['id'];?>" name="tablinks" onclick="prikazi(id)"><?php
echo $cars['name'];?></a>
       <?php }
      mysqli_close($conn);
       ?>
       <br/>br/>
    <!--/#portfolio-filter-->
```

```
<?php
      include ('conection.php');
      if($id=$_GET['id']){
        $upit="select p.name as pn, p.src, p.alt, c.id from picture p inner join models m on
p.id=m.picture_id inner join cars c on m.cars_id=c.id where c.id=".$id;
        $rez=mysqli_query($conn,$upit) or die ("Nije dobar upit za galeriju
slika".mysqli_error());
        while($red=mysqli_fetch_array($rez)){ ?>
          <div class="item-inner" >
```

```
<img src = "images/buy/<?php echo $red['src'];?>" alt = "<?php echo</pre>
$red['alt'];?>" height=160 >
                <h5><?php echo $red['pn'];?></h5>
                <div class="overlay">
                   <a class="preview btn btn-danger" href = "images/buy/large/<?php echo
$red['src'];?>" rel = "prettyPhoto" ><i class="icon-eye-open" ></i ></a >
                </div >
              </div >
            <?php }}
       else{
```

\$upit="select p.name as pn, p.src, p.alt from picture p inner join models m on p.id=m.picture_id inner join cars c on m.cars_id=c.id";

\$rez=mysqli_query(\$conn,\$upit) or die ("Nije dobar upit za galeriju slika".mysqli_error());

```
while($red=mysqli_fetch_array($rez)){ ?>
```

```
cli class="portfolio-item apps" >
```

```
<div class="item-inner" >
```

```
<h5><?php echo $red['pn'];?></h5>
```

```
<div class="overlay">
```

```
<a class="preview btn btn-danger" href = "images/buy/large/<?php echo</pre>
$red['src'];?>" rel = "prettyPhoto" ><i class="icon-eye-open" ></i ></a >
                </div >
              </div >
           <?php }}
       mysqli_close($conn);
       ?>
```

```
</section><!--/#portfolio-->
<?php
include('pages/bottomData.php');
include('pages/footer.php');
?>
Login.php
<?@session_start(); ?>
  <!DOCTYPE html>
```

```
<html lang="en">
<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <meta name="description" content="">
  <meta name="author" content="">
  <title>Login page | First</title>
  <link href="css/bootstrap.min.css" rel="stylesheet">
  k href="css/font-awesome.min.css" rel="stylesheet">
  <link href="css/prettyPhoto.css" rel="stylesheet">
  <link href="css/animate.css" rel="stylesheet">
```

```
k href="css/main.css" rel="stylesheet">
<!--[if lt IE 9]>
<script src="js/html5shiv.js"></script>
<script src="js/respond.min.js"></script>
<![endif]-->
k rel="shortcut icon" href="images/ico/favicon.ico">
```

k rel="apple-touch-icon-precomposed" sizes="144x144" href="images/ico/apple-touch-icon-144-precomposed.png">

rel="apple-touch-icon-precomposed" sizes="114x114" href="images/ico/apple-touch-icon-114-precomposed.png">

 $< link\ rel="apple-touch-icon-precomposed"\ sizes="72x72"\ href="images/ico/apple-touch-icon-72-precomposed.png">$

```
link rel="apple-touch-icon-precomposed" href="images/ico/apple-touch-icon-57-
precomposed.png">
  </head><!--/head-->
<body>
<div id="fb-root"></div>
<script>(function(d, s, id) {
    var js, fjs = d.getElementsByTagName(s)[0];
    if (d.getElementById(id)) return;
    js = d.createElement(s); js.id = id;
    js.src = "//connect.facebook.net/en_US/all.js#xfbml=1&appId=144716315690681";
    fjs.parentNode.insertBefore(js, fjs);
```

```
}(document, 'script', 'facebook-jssdk'));</script>
<?php include('pages/header.php');?>
<section id="title" class="emerald">
  <div class="container">
    <div class="row">
       <div class="col-sm-6">
         <h1>Login</h1>
         Pellentesque habitant morbi tristique senectus et netus et malesuada
       </div>
       <div class="col-sm-6">
```

```
<a href="index.html">Home</a>
       Login page
     </div>
   </div>
 </div>
</section><!--/#title-->
<?php
if(isset($_POST['btnLogin']))
```

```
$email=$_POST['email'];
$pass=md5($_POST['password']);
//promeni u ovom upitu tvoje podatke iz baze
$upit="
    SELECT * FROM users u
    JOIN roles r
    ON u.id_role=r.id_role
    WHERE u.email="".$email.""
    AND u.password="".$pass.""
    ۳,
include("conection.php");
```

```
$rezultat=mysqli_query($conn,$upit) or die ("query was not executed!".mysqli_error());
if(mysqli_num_rows($rezultat)==1)
  $red=mysqli_fetch_array($rezultat);
  $_SESSION['id_role']=$red['id_role'];
  $_SESSION['nameRole']=$red['name'];
  $_SESSION['id']=$red['id'];
  $_SESSION['username']=$red['username'];
```

//redirekcija zavisno od uloge

```
if($_SESSION['id_role']==1){
     echo '<script> location.replace("admin.php"); </script>';
  else{
     echo' <script> location.replace("index.php"); </script>';
  //kraj redirekcije
else
```

```
echo 'There is no user with this email and password.';
}?>
<section id="login" class="container">
  <form class="center" role="form" method="POST" action="<?php print
$_SERVER['PHP_SELF'];?>">
    <fieldset class="registration-form">
       <div class="form-group">
```

```
<input type="text" id="email" name="email" placeholder="E-mail" class="form-</pre>
control">
       </div>
       <div class="form-group">
         <input type="password" id="password" name="password" placeholder="Password"
class="form-control">
       </div>
       <div class="form-group">
         <button type="submit" id="btnLogin" name="btnLogin" class="btn btn-success btn-
md btn-block">Login</button>
       </div>
    </fieldset>
```

```
</form>
</section><!--/#login-->
<?php
include('pages/bottomData.php');
include('pages/footer.php');?>
news.php
<?php @session_start();?>
  <!DOCTYPE html>
  <html lang="en">
```

```
<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <meta name="description" content="">
  <meta name="author" content="">
  <title>News | First</title>
  <link href="css/bootstrap.min.css" rel="stylesheet">
  <link href="css/font-awesome.min.css" rel="stylesheet">
  <link href="css/prettyPhoto.css" rel="stylesheet">
  <link href="css/animate.css" rel="stylesheet">
  <link href="css/main.css" rel="stylesheet">
```

```
<script src="js/ajaxObj.js" ></script><!--pagination-->
<!--[if lt IE 9]>
<script src="js/html5shiv.js"></script>
<script src="js/respond.min.js"></script>
<![endif]-->
link rel="shortcut icon" href="images/ico/favicon.ico">
```

k rel="apple-touch-icon-precomposed" sizes="144x144" href="images/ico/apple-touch-icon-144-precomposed.png">

k rel="apple-touch-icon-precomposed" sizes="114x114" href="images/ico/apple-touch-icon-114-precomposed.png">

k rel="apple-touch-icon-precomposed" sizes="72x72" href="images/ico/apple-touch-icon-72-precomposed.png">

```
link rel="apple-touch-icon-precomposed" href="images/ico/apple-touch-icon-57-
precomposed.png">
  </head><!--/head-->
<body>
<?php include('pages/header.php');?>
  <section id="title" class="emerald">
    <div class="container">
       <div class="row">
         <div class="col-sm-6">
           <h1>News</h1>
```

```
The latest news in the car world
  </div>
  <div class="col-sm-6">
    <a href="index.html">Home</a>
     <a href="#">Pages</a>
     News
    </div>
 </div>
</div>
```

```
</section><!--/#title-->
<section id="privacy-policy" class="container" id="demo"><!--stranicenje-->
  <?php
  include("conection.php");
  if(isset($_GET['page'])){
    $start = $_GET['page'];
  }else{
    \$start = 0;
```

```
pps = 2;
    $rezN = mysqli_query($conn,"SELECT *
FROM news order by date_created DESC
LIMIT $start, $pps") or die("Error with news ".mysqli_error());
    while($redN=mysqli_fetch_array($rezN)){
      echo "<h3>". $redN['title']."</h3>
                    <h6>".$redN['date_created']."</h6>
    ".$redN['text']."
     ";
```

```
echo '';
    $br = mysqli_num_rows(mysqli_query($conn,"SELECT * FROM news"));
    if($start!=0){
      $nstart = $start - $pps;
      echo "<div class='tablinks'><a href='news.php?page=$nstart' name='tablinks'
onclick='prikaziVesti(number)'>Previus</a> &nbsp;&nbsp;";
```

```
start + pps;
    echo "<strong>".$start." - ".$zbir."/".$br."</strong>";
    if($start<($br-$pps)){</pre>
      nstart = start + pps;
      echo "  <a href='news.php?page=$nstart' name='tablinks'
onclick='prikaziVesti(number)'>Next </a></div> ";
    mysqli_close($conn);
    ?>
```

```
include('pages/bottomData.php');
include('pages/footer.php');
?>
```

Registration.php

<?php @session_start();?>

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <meta name="description" content="">
  <meta name="author" content="">
  <title>Registration | First</title>
  <link href="css/bootstrap.min.css" rel="stylesheet">
  <link href="css/font-awesome.min.css" rel="stylesheet">
  <link href="css/prettyPhoto.css" rel="stylesheet">
```

```
k href="css/animate.css" rel="stylesheet">
link href="css/main.css" rel="stylesheet">
<!--[if lt IE 9]>
<script src="js/html5shiv.js"></script>
<script src="js/respond.min.js"></script>
<![endif]-->
link rel="shortcut icon" href="images/ico/favicon.ico">
link rel="apple-touch-icon-precomposed" sizes="144x144" href="images/ico/apple-touch-icon-precomposed"
```

link rel="apple-touch-icon-precomposed" sizes="114x114" href="images/ico/apple-touch-

icon-144-precomposed.png">

icon-114-precomposed.png">

```
rel="apple-touch-icon-precomposed" sizes="72x72" href="images/ico/apple-touch-
icon-72-precomposed.png">
    link rel="apple-touch-icon-precomposed" href="images/ico/apple-touch-icon-57-
precomposed.png">
  </head><!--/head-->
<body>
<?php include('pages/header.php');?>
  <section id="title" class="emerald">
    <div class="container">
       <div class="row">
```

```
<h1>Registration</h1>
</div>
<div class="col-sm-6">
 <a href="index.html">Home</a>
  <a href="#">Pages</a>
  Registration
 </div>
```

<div class="col-sm-6">

```
</div>
    </div>
  </section><!--/#title-->
  <!-- php kod za registraciju--POCETAK-->
<?php
include('conection.php');
if($conn)
  if(isset($_REQUEST["btnRegister"]))
    $username = $_REQUEST['username'];
```

```
$email = $_REQUEST['email'];
 $pass = md5($_REQUEST['password']);
 $password_confirm = md5($_REQUEST['password_confirm']);
 $regUsername="/^[A-z0-9]{3,}$/";
\text{SregEmail} = \frac{(-+.)}{w+} @ w+([-.])w+ *. w+([-.])w+ *
if(!preg_match($regUsername,$username))
                echo "<div style='color:red'>Username is in wrong format</div>";
```

```
else if(!preg_match($regEmail,$email))
  echo "<div style='color:red'>E-Mail is in wrong format</div>";
else if($pass != $password_confirm)
  echo "<div style='color:red'>Password is must be equals with confirm password</div>";
else{
  $upit_mail = "SELECT * FROM users WHERE email="".$email.""";
  $rez_mail = mysqli_query($conn,$upit_mail)or die("Error ".mysqli_error());
```

```
if(mysqli_num_rows($rez_mail) != 0)
         echo("User is exist already");
       else
         $upit_dodaj = "INSERT INTO users(id,username, email, password,id_role)
VALUES(",'$username','$email','$pass',2) ";
         $rez_dodaj = mysqli_query($conn,$upit_dodaj)or die("Error ".mysqli_error());
         if($rez_dodaj)
```

```
echo("You have successfully created an account!");
            echo '</br><a href="login.php"style="color:red" >Login in</a> ';
//ispisuje korisniku da se uspesno registrovao i prikazuje mu link za logovanje u meniju
  }}
unset($conn);
?>
```

```
<!-- php kod za registraciju-KRAJ-->
  <section id="registration" class="container">
    <form class="center" role="form" method="POST" action="<?php print
$_SERVER['PHP_SELF'];?>">
       <fieldset class="registration-form">
         <div class="form-group">
            <input type="text" id="username" name="username" placeholder="Username"</pre>
class="form-control">
         </div>
         <div class="form-group">
           <input type="text" id="email" name="email" placeholder="E-mail" class="form-</pre>
control">
```

```
</div>
         <div class="form-group">
           <input type="password" id="password" name="password" placeholder="Password"
class="form-control">
         </div>
         <div class="form-group">
           <input type="password" id="password_confirm" name="password_confirm"</pre>
placeholder="Password (Confirm)" class="form-control">
         </div>
         <div class="form-group">
           <button type="submit" id="btnRegister" name="btnRegister" class="btn btn-success"
btn-md btn-block">Register</button>
```

```
</div>
       </fieldset>
     </form>
  </section><!--/#registration-->
<?php
include('pages/bottomData.php');
include('pages/footer.php');
?>
```

Search.php

```
<?php
       include('conection.php');
       q = \text{REQUEST["q"]};
       $upitSearch2="select * from cars c inner join models m ON c.id=m.cars_id INNER JOIN
picture p ON m.picture_id=p.id
       WHERE c.id='$q' OR m.id='$q' OR
       m.year='$q'";
       $rezultatSearch2=mysqli_query($conn,$upitSearch2)or die("error:search
".mysqli_error());
       while( $redSearch2=mysqli_fetch_array($rezultatSearch2)){
```

```
echo"<div class='col-sm-2'>
                     <img src='images/buy/".$redSearch2['src']."'
alt="".$redSearch2['alt'].""width=120 height=70/>
                        <b>".$redSearch2['nameCars']."</b>
                               ".$redSearch2['modelsName']."
                               ".$redSearch2['year']."
                               ".$redSearch2['price']."$";
                      echo "</div>";
```

?>

menuAdmin.php

```
<form method="post" action="<?php echo $_SERVER['php_self'];?>" >

    ime

    link

    roditelj
```

```
obrisi
  izmeni
<?php
include('conection.php');
/*brisanje menija*/
if(isset($_REQUEST['btnBrisiMeni']))
  $za_brisanje = $_REQUEST['zabrisanje'];
  $upit_br = "DELETE FROM menu WHERE idMenu=".$za_brisanje;
```

```
$delete=mysqli_query($conn,$upit_br)or die("greska u upitu".mysqli_error());
  if($delete){
    echo"<script>window.open('admin.php','_self');</script>";
/*izmena menija*/
if(isset($_POST['btnEdit']))
  $zaEditovanje=$_POST['zaeditovanje'];
```

\$naziv1=\$_POST['ime'];

\$putanja1=\$_POST['link'];

```
$roditeli1=$_POST['roditeli'];
       if($naziv1=="||$putanja1=="||$roditelj1=="){
         echo"<script>alert('nesto nije dobro');</script>";
         exit();}
       else{
         $updateMeni="UPDATE menu SET
ime='$naziv1',link='$putanja1',roditelj='$roditelj1' where idMenu=".$zaEditovanje;
         if(mysqli_query($conn,$updateMeni)){
            echo"<script>alert('Uspesno je izmenjen podatak');</script>";
```

```
echo"<script>window.open('admin.php','_self');</script>";
       exit();
    }}
/*prikaz menija*/
$rezMenu=mysqli_query($conn,"select * from menu");
while($redmenu=mysqli_fetch_array($rezMenu)){
```

echo '

```
<input type="text" name="ime" value="'.$redmenu['ime']."'/>
      <input type="text" name="link" value="'.$redmenu['link']."'/>
      <input type="text" name="roditelj" value="'.$redmenu['roditelj']."'/>
      >
      <input type="hidden" name="zabrisanje" value='.$redmenu['idMenu'].'>
      <input type="submit" name="btnBrisiMeni" value="Obrisi"
onclick="alertDelete()">
      <input type="hidden" name="zaeditovanje" value='.$redmenu['idMenu'].'>
      <button type="submit" name="btnEdit">Izmeni</button>';
    } echo "";
```

```
echo '<button type="submit" name="addMenu">Add
Menu</button>
';
  /*dodavanje menija*/
  ?>
 </form>
```

NewsAdmin.php

```
<form action="admin.php?table=news" method="POST" >
 <?php
 echo "";
 echo "Title
            <input type='text' name='tbTitleNews'>
           Text
                 <textarea rows='3' cols='22' name='txtTextNews'
></textarea>
```

```
";
 echo "<input type='submit' value='Add news' class='button'
name='addNews'>";
 echo "";
 ?>
</form>
<span id="rezultatUnosaVesti">
                <?php
     /*dodavanje vesti*/
     if(isset($_REQUEST['addNews'])){
```

```
$nazivVesti=$_REQUEST['tbTitleNews'];
$vest=$_REQUEST['txtTextNews'];
include('conection.php');
$upit="INSERT INTO news(title,text) VALUES("".$nazivVesti."',"".$vest."')";
$rez3=mysqli_query($conn,$upit);
if($rez3){echo "Successfully added news.";}
else{echo "Error while adding news";}
```

```
/*kraj dodavanje vesti*/?>
              </span>
<?php
include('conection.php');
if(isset($_REQUEST['btnBrisi']))
  $za_brisanje = $_REQUEST['brisanje'];
  foreach($za_brisanje as $id)
```

```
$upit_br = "DELETE FROM news WHERE id=".$id;
    mysqli_query($conn,$upit_br)or die("greska u upitu".mysqli_error());
$upit = "SELECT *
      FROM news ORDER BY date_created";
```

\$rez = mysqli_query(\$conn,\$upit);

if(mysqli_num_rows(\$rez) == 0)

```
echo "Trenutno nema zapisa u bazi!";
else
?>
<form method="post" action="admin.php?table=news">
 Naziv
```

```
Vest
<?php
while($r = mysqli_fetch_array($rez))
 echo "
       ".$r['title']."
       ".$r['text']."
       <input type='checkbox' name='brisanje[]' value='".$r['id']."'>
```

```
";
echo "
     <input type='submit' name='btnBrisi' value='Delete'/>
     </form>";
```

```
<!--prikaz vesti za izmenu-->
<form method="post" action="admin.php?table=news&edit=<?php echo $id;?>">
 Title news
    Text news
   <?php
   include('conection.php');
   $upit = "SELECT *
```

FROM news ORDER BY id";

```
$run=mysqli_query($conn,$upit)or die("greska".mysqli_error());
while($red=mysqli_fetch_array($run)){
$id=$red['id'];
$title=$red['title'];
$news=$red['text'];
?>
<?php echo $title?>
```

```
<?php echo $news?>
         <button type="submit" name="btnedit" value="<?php echo
$id?>">Edit</button>
         <?php }
         mysqli_close($conn);
         ?>
                 </form>
   <!--prikaz vesti za izmenu kraj-->
```

```
<?php
include("conection.php");
if(isset($_POST['btnedit'])){
  $edit_id=$_POST['btnedit'];
  $upit="SELECT * FROM news WHERE id=".$edit_id;
  $run=mysqli_query($conn,$upit);
  $red=mysqli_fetch_array($run);
  $id=$red['id'];
```

```
$post=$red['text'];
$nazivPosta=$red['title'];
?>
<form action="admin.php?table=news&edit=<?php echo $id;?>" method='post' >
 <h2>Edit</h2>
  News:
    <input type='text' name='post'value="<?php echo $post?>"/>
```

```
Title of news:
          <input type='text' name='nazivPosta' value="<?php echo
$nazivPosta?>"/>
        <input type='hidden' name='update_id' value='<?php echo $id ?>'/>
            <input type='submit' name='update' value='promeni'/>
```

```
</form>
<?php }
include("conection.php");
if (isset($_POST['update']))
  $update_id=$_GET['edit'];
  $post1=$_POST['post'];
  $nazivPosta=$_POST['nazivPosta'];
```

```
if($post1=="||$nazivPosta1=="){
         echo"<script>alert('nesto nije dobro');</script>";
         exit();
       else
         $upit_update="UPDATE news SET text='$post1', title='$nazivPosta1' where
id=".$update_id;
         if(mysqli_query($conn,$upit_update)){
            echo"<script>alert('Uspesno je izmenjen podatak');</script>";
            echo"<script>window.open('admin.php','_self');</script>";
```

```
exit();
}

}
mysqli_close($conn);
?>
```

PictureAdmin.php

<form action="admin.php?table=picture" method="POST" enctype="multipart/form-data">

```
<?php
 echo "";
 echo "Name:
          <input type='text' name='nameP'>
         Alt:
               <textarea rows='3' cols='22' name='alt'
></textarea>
            Picture
               <input type='file' name='fSlika' />
          ";
```

```
echo "<input type='submit' value='Add picture' name='unesi'>";
echo "";
```

?> </form>

<?php

```
if(isset($_REQUEST['unesi'])){
  $name=$_REQUEST['nameP'];
  $alt=$_REQUEST['alt'];
  $fname = $_FILES['fSlika']['name'];
  $ftmp = $_FILES['fSlika']['tmp_name'];
  $fsize = $_FILES['fSlika']['size'];
  $ftype = $_FILES['fSlika']['type'];
  $putanjaF="images/buy/";
```

```
$pF=$putanjaF.$fname;
$greske=array();
if(empty($name)){$greske[] = "add title!";}
if(empty($alt)){$greske[] = "enter alt!";}
if(count(\$greske) == 0)
  include("conection.php");
  if($ftype=="image/jpg" || $ftype=="image/jpeg")
```

```
if( move_uploaded_file($ftmp,$pF))
  $upit="INSERT INTO picture VALUES(",'$name','$pf','$alt')";
  $rez3=mysqli_query($conn,$upit);
  if($rez3){echo "Successfully added picture :)";}
  else{echo "error :P";}
else
{echo "error :P";}
```

```
else
    {echo "Support JPG ili JPEG format picture :P";}
  else
    foreach ($greske as $greska){
      echo $greska."<br/>";
}?>
```

pollAdmin.php

```
<?php
include('conection.php');
if(isset($_REQUEST['btnEdit'])){

$editID=$_REQUEST['edit_id'];
$question=$_POST['tbquestion'];
$active=$_POST['tbactive'];
$upitD="update poll set question=$question, active=$active where poll.id=".$editID;</pre>
```

```
$rezD=mysqli_query($conn,$upitD);
if($rezD){
  echo'';
  $upit22="select * from poll";
  $rez2=mysqli_query($conn,$upit22);
  while($red2=mysqli_fetch_array($rez2)){
    echo'
    '.$red2['question'].'
    '.$red2['active'].'';
```

```
echo'';
  }}
if(isset($_POST['delete'])){
  $deleteID=$_POST['chbDelete'];
  foreach($deleteID as $id)
    $upit_br = "DELETE FROM poll WHERE id=".$id;
    mysqli_query($conn,$upit_br)or die("greska u upitu".mysqli_error());
```

```
?>
<form method="post">
 Question:
   Active:
```

```
Delete:
<?php
include('conection.php');
$upit="select * from poll";
$rez=mysqli_query($conn,$upit);
while($red=mysqli_fetch_array($rez)){
  ?>
```

Edit:

```
<input type="text" name="tbquestion" value="<?php echo
$red['question'];?>">
        <input type="text" name="tbactive" value="<?php echo $red['active'];?>">
        <button type="submit" name="btnEdit" value="<?php echo
$red['id'];?>">Edit</button>
          <input type="hidden" name="edit_id" value="<?php echo $red['id'];?>">
        <input type="checkbox" name="chbDelete[]" value="<?php echo $red['id'];?>">
```

usersAdmin.php

```
<?php
include ("conection.php");
$upit = "SELECT * FROM users";
$rezultat = mysqli_query($conn,$upit);
mysqli_close($conn);
echo("<div class='tableusers'>");
echo("<form>");
echo ("");
echo("
```

```
Username
Email
Role
db_id
Manage
Delete
");
while($red = mysqli_fetch_array($rezultat)){
 $iduser = $red['id'];
 $username = $red['username'];
```

```
$email = $red['email'];
$usermod = $red['id_role'];
$password = $red['password'];
if($usermod=='1'){
  $usermod="admin";
}else{
  $usermod="user";
echo("
```

\$username

```
$email
$usermod
$iduser
<a href='admin.php?table=users&id=$iduser'>&#9997;</a>
<a href='admin.php?table=users&delete=$iduser'>&#10006;</a>
");
echo("</form>");
echo("</div>");
/*brisanje korisnika*/
if(isset($_REQUEST['delete'])){
```

```
$upit2 = "DELETE FROM users WHERE id="".$_REQUEST['delete'].""";
  include("conection.php");
  $rezultat2 = mysqli_query($conn,$upit2)or die("error with delete users".mysqli_error());
  mysqli_close($conn);
/*editovanje korisnika*/
if (isset($_GET['id'])) {
  $id1 = $_GET['id'];
  $username1 = $_GET['username'];
  = GET['email'];
```

```
$password1 = $_GET['password'];
$id_role1 = $_GET['id_role'];
include("conection.php");
$query = "SELECT * FROM users WHERE id=".$id1;
$run = mysqli_query($conn,$query)or die("error with select users".mysqli_error());
$red=mysqli_fetch_array($run);
?>
<form method="GET" action="<?php echo $_SERVER['PHP_SELF'];?>">
  <input type="text" name="id" value="<?php echo $red['id']; ?>" />
  <input type="text" name="username" value="<?php echo $red['username']; ?>" />
```

```
<input type="text" name="email" value="<?php echo $red['email']; ?>" />
  <input type="text" name="password" value="<?php echo $red['password']; ?>" />
  <input type="text" name="id_role" value="<?php echo $red['id_role']; ?>" />
  <input type="submit" name="submit" />
</form>
<?php
if(isset($_REQUEST['submit'])){
  $sql = "UPDATE users SET id=".$id1.",username=".$username1.",email=".$email1.",
  password=".$password1.",id_role=".$id_role1."
```

```
WHERE id=".$id1;
  if (mysqli_query($conn, $sql)) {
    echo "success updating record: ";
    //header("location: admin.php");
  } else {
    echo "Error updating record: " . mysqli_error($conn);
mysqli_close($conn);
```

```
echo ("<div class='adduser save2'><a href='admin.php?table=users&add='>Add new
user</a></div>");
?>
bottomData.php
```

<section id="bottom" class="wet-asphalt">

<div class="container">

```
<div class="row">
         <div class="col-md-4 col-sm-6">
          <div class="center gap">
             <h3 style="color:black">Poll</h3>
             <form name="pollForm" action="<?php print $_SERVER['PHP_SELF'];?>"
method="post" >
                                   <?php
                                  include("conection.php");
                                   $pitanje1="select * from poll where active=1";
```

not executed!".mysqli_error());

\$rez1=mysqli_query(\$conn,\$pitanje1)or die ("query was \$niz1=mysqli_fetch_array(\$rez1); ?> <h4><?php echo \$niz1['question']; ?></h4> <?php include("conection.php");

```
$pitanje2="select * from poll_answer pa inner join poll p
on pa.poll_id=p.id where p.active=1";
                                    $rez2=mysqli_query($conn,$pitanje2)or die ("query was
not executed!".mysqli_error());
                                  while($niz2=mysqli_fetch_array($rez2)){?>
                                   <input class="table" id="<?php echo $niz2['id']; ?>"
type="radio" name="answer" value="<?php echo $niz2['id']; ?>"><?php echo $niz2['answer'];
?>
```

```
<?php }
                          ?>
                          <button type="submit" class="btn btn-info"
name="vote">Vote</button>
                          </form>
```

```
</div>
<div class="col-md-4 col-sm-6" id="results">
<div class="center gap">
<?php
 if(isset($_POST['vote'])){
       $id=$_REQUEST['answer'];
      include("conection.php");
       $unosPoll="UPDATE poll_results SET counter=counter+1 where
poll_answer_id=".$id;
```

```
$izvrsi_upis_odgovora=mysqli_query($conn,$unosPoll) or die("Error with poll!".mysqli_error());
```

```
if($izvrsi_upis_odgovora){
    echo "<br/>';
    echo "You vote!<br/>";
```

\$upitProgress="select pa.answer as answer, pr.counter as counter from poll_results pr inner join poll_answer pa on pr.poll_answer_id=pa.id inner join poll p on p.id=pa.poll_id where p.active=1 ";

\$rezProgress=mysqli_query(\$conn,\$upitProgress)or die("Error with
progress!".mysqli_error());

 $while (\$redProgress=mysqli_fetch_array (\$rezProgress)) \{$

```
echo '<div class="progress">

<div class="progress-bar progress-bar-success" aria-
valuenow="'.$redProgress['counter'].'" aria-valuemin="0" aria-valuemax="100"
style="width:'.$redProgress['counter'].'%">

<span>'.$redProgress['answer'].'</span>

</div>
</div>
;}
}else{

echo "Error".mysqli_error();
```

```
?>
</div>
        <div class="col-md-4 col-sm-6">
          <h4>Address</h4>
          <address>
            <strong>First</strong><br>
            street without number<br>
```

```
San Francisco, C94107<br>
              <abbr title="Phone">P:</abbr> (123) 456-7890
           </address><br/>
           <h4>Newsletter</h4>
           <form role="form" action="<?php print $_SERVER['PHP_SELF'];?>"
method="post" >
              <div class="input-group">
                <input type="text" class="form-control" autocomplete="off"</pre>
name="meilNews" placeholder="Enter your email">
                <span class="input-group-btn">
                  <button class="btn btn-danger" type="button" name="go">Go!</button>
```

```
</span>
                                                 <?php if(isset($_POST['go'])){</pre>
                                                        $meilTo=$_POST['meilNews'];
                                                 $success =
       @mail($meilTo,"dusicacakic@gmail.com", "You have successfully applied for
newsletter! ");
                                                 if($success){ echo "You have successfully
applied for newsletter!";}
                                                  }?>
              </div>
            </form>
```

Header.php

<header class="navbar navbar-inverse navbar-fixed-top wet-asphalt" role="banner">

div class="container">

```
<div class="navbar-header">
         <!--<button type="button" class="navbar-toggle" data-toggle="collapse" data-
target=".navbar-collapse">
            <span class="sr-only">Toggle navigation</span>
            <span class="icon-bar"></span>
            <span class="icon-bar"></span>
            <span class="icon-bar"></span>
         </button>-->
                     <a class="navbar-brand" href="index.php">
                     <img src="images/2logo.png" alt="logo" width=170 height=70>
                           </a>
```

```
</div>
                    <div>
                    <?php
                    if(isset($_SESSION['id_role'])){
                    print
"Dobrodošli:".$_SESSION['nameRole']."['".$_SESSION['username']."']";
                    ?>
                    </div>
```

```
<!--include menu-->
<div class="collapse navbar-collapse">

<?php include('pages/menu.php'); ?>
</div>
<!--include menu-->
</div>
</header><!--/header-->
```

Menu.php


```
<?php
@session_start();
?>
 <?php
include('conection.php');
$upitMeni="select * from menu where roditelj=0 AND x=0";
$rezMeni=mysqli_query($conn,$upitMeni) or die("error meni".mysqli_error());
while($redMeni=mysqli_fetch_array($rezMeni)){
```


```
echo "<a href=".$redMeni['link'].">".$redMeni['ime']."</a>";}
                                    ?>
            cli class="dropdown">
                                    <?php
include('conection.php');
\sup P = \text{"select * from menu where x} > 0";
$rezP=mysqli_query($conn,$upitP) or die("error meniNeutral".mysqli_error());
$redP=mysqli_fetch_array($rezP);
echo "<a href='#' class='dropdown-toggle' data-toggle='dropdown'>".$redP['ime']."<i
class='icon-angle-down'></i></a>";
                                    ?>
```

```
echo "<a href=".$redPodMeni['link'].">".$redPodMeni['ime']."</a>";}
```

?>

4.Baza podataka





projects

| | # | Name | Туре | Collation | Attributes | Null | Default | Extra |
|--|---|------|-------------|-----------|------------|------|---------|----------------|
| | 1 | id 🔑 | int(11) | | | No | None | AUTO_INCREMENT |
| | 2 | name | varchar(11) | | | No | None | |

cars

| | # | Na | me | Туре | e Colla | ition Attr | ibutes | Null | Default | | Extra | |
|---|---|------|---------------------|--------------|-----------|------------|--------|-------|---------|-----------|----------------|----------|
| | 1 | id | ₽ | int(1 | 1) | | | No | None | | AUTO_INCREMENT | |
| | 2 | tex | t | text | | | | No | None | | | |
| | 3 | us | er_id | int(1 | 1) | | | No | None | | | |
| | 4 | da | te_of_publ | ication date | time | | | No | CURRE | NT_TIMEST | ramp . | |
| | | | | | | | | | | | | comments |
| | # | ŧ | Name | Type | Co | ollation | Attri | bute | s Null | Default | Extra | |
| | 1 | | idMenu ₍ | int(50) | | | | | No | None | AUTO_INCREMENT | |
| | 2 | 2 | ime | varcha | r(50) | | | | No | None | | |
| | 3 | } | x | int(15) | | | | | No | None | | |
| | 4 | 1 | link | varcha | r(50) | | | | No | None | | |
| | 5 | ; | roditelj | int(50) | | | | | No | None | | |
| | | | | | | | | | | | | menu |
| | i | # | Name | Туре | Co | llation | Attrib | outes | s Null | Default | Extra | |
| | | 1 | id 🔑 | int(11) | | | | | No | None | AUTO_INCREMENT | |
| | á | 2 | name | varcha | r(50) | | | | No | None | | |
| | | 3 | price | int(11) | | | | | No | None | | |
| | 4 | 4 | year | year(4) | | | | | No | None | | |
| | į | 5 | picture_ | id int(11) | | | | | No | None | | |
| | (| 6 | cars_id | int(11) | | | | | No | None | | |
| | | | | | | | - | | | | | models |
| # | | Nam | e | Туре | Collation | n Attribu | ites N | ull D | efault | | Extra | 1 |
| 1 | į | d 🔑 | | int(11) | | | | o N | | | AUTO_INCREMEN | |
| 2 | t | itle | | varchar(50) | | | No | o N | one | | | é |
| 3 | t | ext | | text | | | No | o N | one | | | 4 |
| 4 | d | late | _created | datetime | | | No | o C | URREN | T_TIMEST | AMP | é |
| | | | | | | | | | | | | news |
| | | # | Name | Туре | Col | lation | Attrib | utes | s Null | Default | Extra | |
| |) | 1 | id 🔑 | int(11) | | | | | No | None | AUTO_INCREMENT | Г |
| |) | 2 | name | varchar(5 | 0) | | | | No | None | | |
| |) | 3 | src | varchar(1 | 00) | | | | No | None | | |
| |) | 4 | alt | varchar(1 | 00) | | | | No | None | | |
| | | | | | | | | | | | | |

picture

