

# Unit 5: Thermodynamics, Radiation, Oscillations and Cosmology

## 5.3 Thermodynamics

This topic covers specific heat capacity, specific latent heat, internal energy and the gas equation.

This topic may be studied using applications that relate, for example, to space technology.

This unit includes many opportunities for developing experimental skills and techniques by carrying out more than just the core practical experiments.

**Candidates will be assessed on their ability to:**

|     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 125 | be able to use the equations $\Delta E = mc\Delta\theta$ and $\Delta E = L\Delta m$                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|     | <p>The <b>specific heat capacity (c)</b> is:<br/> <b>"The amount of energy required to increase the temperature of 1 kg of a substance by 1°C (or) by 1K, without changing its state"</b></p> <p>You can measure the amount of energy required to change the temperature of a substance using the following formula: <math>\Delta E = mc\Delta\theta</math></p> <p>The <b>specific latent heat (L)</b> is:<br/> <b>"The amount of energy required to change the state of 1 kg of material, without changing its temperature"</b></p> <p>You can measure the amount of energy required to change the state of a substance using the following formula: <math>\Delta E = L\Delta m</math></p> <p>There are two types of specific latent heat:</p> <ol style="list-style-type: none"> <li>1. Specific latent heat of <i>fusion</i> (when solid changes to liquid) (melting)</li> <li>2. Specific latent heat of <i>vaporization</i> (when liquid changes to gas) (boiling)</li> </ol>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| 126 | <b>CORE PRACTICAL 12: Calibrate a thermistor in a potential divider circuit as a thermostat</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| 127 | <b>CORE PRACTICAL 13: Determine the specific latent heat of a phase change</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| 128 | understand the concept of <i>internal energy</i> as the random distribution of potential and kinetic energy amongst molecules                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|     | <p>The <b>internal energy (U)</b> of a substance is defined as:<br/> <b>"The sum of the randomly distributed kinetic and potential energies of all its particles within a given mass of a substance"</b></p> <p>Particles are <i>randomly distributed</i>, meaning they have different <i>speeds</i> and <i>separations</i> (meaning the <i>kinetic</i> and <i>potential</i> energies of a body are randomly distributed)</p> <p>The <i>internal energy</i> of a system is determined by:</p> <ol style="list-style-type: none"> <li>1. <b>Temperature</b> (higher temperature, higher kinetic energy and vice versa)</li> <li>2. <b>Random motion</b> of molecules</li> <li>3. <b>Phase of matter</b> (gases have the highest internal energy, solids have the lowest)</li> <li>4. <b>Intermolecular forces</b> between the particles (greater intermolecular forces, higher potential energy and vice versa) - this is linked to the phase (solid, liquid, gas) that the matter is in</li> </ol> <p>The internal energy of a system can increase by:</p> <ul style="list-style-type: none"> <li>- <b>Doing work</b> on it</li> <li>- <b>Adding heat</b> to it</li> </ul> <p>The internal energy of a system can decrease by:</p> <ul style="list-style-type: none"> <li>- <b>Losing heat</b> to its surroundings</li> <li>- <b>Changing state</b> from a gas to a liquid or a liquid to a solid (because potential energy decreases while kinetic energy is kept constant)</li> </ul> |

*c* is the specific heat capacity  
*L* is the specific latent heat

*KE* is due to speed of molecules and gives the material its temperature  
*PE* is due to separation between molecules and their position within the structure

|     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 129 | understand the concept of <i>absolute zero</i> and how the average kinetic energy of molecules is related to the absolute temperature                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|     | <p><b>Absolute zero</b> (<math>-273^{\circ}\text{C}</math> or <math>0\text{ K}</math>) is the lowest possible temperature, and is <b>“The temperature at which particles have no kinetic energy and the volume and pressure of a gas are zero”</b></p> <ul style="list-style-type: none"> <li>- The absolute scale of temperature is the kelvin scale</li> <li>- A change of <math>1\text{ K}</math> is equal to a change of <math>1^{\circ}\text{C}</math></li> <li>- To convert between the two you can use the formula: <math>K = C + 273</math></li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|     | <p>The average kinetic energy of molecules and their absolute temperature are related by the following equation:</p> $\text{Average kinetic energy of one molecule of gas} = \frac{1}{2} m\langle c^2 \rangle = \frac{3}{2} kT$ <p>Where <math>T</math> is temperature in Kelvin and <math>k</math> is the Boltzmann constant</p> <p>From this equation, we can see that the average kinetic energy of molecules is directly proportional to temperature (in Kelvin)</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| 130 | be able to use the equation $pV = NkT$ for an ideal gas                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|     | <p>Boltzmann constant <math>k</math> is defined as:</p> $k = \frac{R}{N_A}$ <p>Where <math>R</math> = molar gas constant and <math>N_A</math> = Avogadro's constant</p> <p>In an ideal gas, there is no other interaction other than perfectly elastic collisions between the gas molecules, which shows that no intermolecular forces act between molecules</p> <p>As potential energy is associated with intermolecular forces, an ideal gas has no potential energy, therefore:</p> <p><b>“An ideal gas's internal energy is equal to sum of the kinetic energies of all of its particles”</b></p> <p><b>The Gas Laws</b></p> <p><b>1. Boyle's Law</b><br/>(pressure is inversely proportional to the volume of a gas, where temperature is constant)</p> $p_1 V_1 = p_2 V_2$ <p><b>2. Charles's Law</b><br/>(volume is proportional to the temperature of a gas, where pressure is constant)</p> $\frac{V_1}{T_1} = \frac{V_2}{T_2}$ <p><b>3. Pressure Law</b><br/>(pressure is proportional to the temperature, where volume is constant)</p> $\frac{p_1}{T_1} = \frac{p_2}{T_2}$ <p>These three laws combine to form the ideal gas equation: <math>pV = NkT</math></p> <p>Where pressure (<math>p</math>), volume of ideal gas (<math>V</math>), number of molecules (<math>N</math>) and absolute temperature (<math>T</math>)</p> |
| 131 | <b>CORE PRACTICAL 14: Investigate the relationship between pressure and volume of a gas at fixed temperature</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |


In Boyle's law, since temperature is constant, the mean KE of the molecules is also constant

|     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 132 | be able to derive and use the equation $\frac{1}{2} m \langle c^2 \rangle = \frac{3}{2} kT$                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|     | <p>The kinetic theory model equation relates several features of a fixed mass of gas, including its pressure, volume and mean kinetic energy with assumptions made:</p> <ul style="list-style-type: none"> <li>• No intermolecular forces act on the molecules</li> <li>• The duration of collisions is negligible in comparison to time between collisions</li> <li>• The motion of molecules is random, and they experience perfectly elastic collisions</li> <li>• The motion of the molecules follows Newton's laws</li> <li>• The molecules move in straight lines between collisions</li> </ul> <p>Derivation: <math>\frac{1}{2} m \langle c^2 \rangle = \frac{3}{2} kT</math><br/> <i>Where <math>c</math> is avg speed of a molecule</i></p> <p>By using the kinetic theory model equation and the ideal gas equation (from above), you can <b>derive</b> the equation for the average kinetic energy of a molecule (mentioned in 5.3.148).</p> $pV = \frac{1}{3} Nm \langle c^2 \rangle \qquad pV = NkT$ <p>First, set the above equations equal to each other and simplify.</p> $\frac{1}{3} Nm \langle c^2 \rangle = NkT$ $\frac{1}{3} m \langle c^2 \rangle = kT$ <p>Finally, make the left hand side of the equation resemble the equation for the kinetic energy of an object (<math>E_k = \frac{1}{2} mv^2</math>), by multiplying both sides by <math>\frac{3}{2}</math>.</p> $\frac{3}{2} \times \frac{1}{3} m \langle c^2 \rangle = \frac{3}{2} kT$ $\frac{1}{2} m \langle c^2 \rangle = \frac{3}{2} kT$ |

## Remarks

- Disclaimer: This Self-Study Booklet series are NOT intended as a textbook replacement but instead are meant to be used alongside it
- This booklet is primarily exam-based and has been produced to remove unnecessary information from the book to make it into a simpler and more compact form factor
- You are encouraged to regularly check the google drive for updated versions of this booklet (This means if you have downloaded it at a certain point in time, you should check the drive 3 or 4 months later to see if it has been updated with a new one or not)
- Thank you all for using this Self-Study Booklet and if you would like to find more resources like this one, do check out this google drive:  
[https://drive.google.com/drive/folders/1qpY-sGR9iinJbnquB53hx8pLk49pyxd1?usp=drive\\_link](https://drive.google.com/drive/folders/1qpY-sGR9iinJbnquB53hx8pLk49pyxd1?usp=drive_link)
- You will be redirected here:

(Note that there are only Self-Study Booklets and CAQs for Physics and Chemistry, NOT Biology)



- Do keep in mind that this is still a work-in-progress and you are welcome to add more resources to it- just drop a text at @aeth\_en on discord!

## Importance notice regarding Usage Rights

- There are certain images and illustrations used in this document that have been sourced from many different sources. The ownership of these images and/or illustrations belong to their rightful owners
- I do not own these images and/or illustrations
- Reprinting or Copying of this document and Selling/ Profiting will NOT be tolerated
- This Self-Study Booklet is intended for students worldwide studying for the Edexcel International A-Levels and will remain free of charge indefinitely

## Help us improve

- This booklet is in its first edition so it may contain mistakes here and there
- Please let us know of any room for improvement so that we can make it better!
- Contact: [mth.2021education@gmail.com](mailto:mth.2021education@gmail.com) or @aeth\_en on discord
- Best of luck in your A-Levels journey!!