

Progress Note

Visit Date: 2024-02-17 | Encounter Type: Office Visit | Patient: patient_006 | Provider: provider_005

Chief Complaint

Blood pressure follow-up

History

Synthetic patient reports blood pressure follow-up with onset noted during routine follow-up. No real person is represented.
Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

essential hypertension
Visit details differ: home readings average 128/76.

Plan

Plan differs: adjust lifestyle goal number 1; no duplicate of other visits.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-02-28 | Encounter Type: Office Visit | Patient: patient_006 | Provider: provider_006

Chief Complaint

Blood pressure follow-up

History

Synthetic patient reports blood pressure follow-up with onset noted during routine follow-up. No real person is represented.
Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

essential hypertension
Visit details differ: home readings average 129/77.

Plan

Plan differs: adjust lifestyle goal number 2; no duplicate of other visits.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-03-10 | Encounter Type: Office Visit | Patient: patient_006 | Provider: provider_007

Chief Complaint

Blood pressure follow-up

History

Synthetic patient reports blood pressure follow-up with onset noted during routine follow-up. No real person is represented.
Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

essential hypertension
Visit details differ: home readings average 130/78.

Plan

Plan differs: adjust lifestyle goal number 3; no duplicate of other visits.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-03-21 | Encounter Type: Office Visit | Patient: patient_006 | Provider: provider_001

Chief Complaint

Blood pressure follow-up

History

Synthetic patient reports blood pressure follow-up with onset noted during routine follow-up. No real person is represented.
Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

essential hypertension
Visit details differ: home readings average 131/79.

Plan

Plan differs: adjust lifestyle goal number 4; no duplicate of other visits.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-04-01 | Encounter Type: Office Visit | Patient: patient_006 | Provider: provider_002

Chief Complaint

Blood pressure follow-up

History

Synthetic patient reports blood pressure follow-up with onset noted during routine follow-up. No real person is represented.
Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

essential hypertension
Visit details differ: home readings average 132/80.

Plan

Plan differs: adjust lifestyle goal number 5; no duplicate of other visits.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-04-12 | Encounter Type: Office Visit | Patient: patient_006 | Provider: provider_003

Chief Complaint

Blood pressure follow-up

History

Synthetic patient reports blood pressure follow-up with onset noted during routine follow-up. No real person is represented.
Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

essential hypertension
Visit details differ: home readings average 133/81.

Plan

Plan differs: adjust lifestyle goal number 6; no duplicate of other visits.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-04-23 | Encounter Type: Office Visit | Patient: patient_006 | Provider: provider_004

Chief Complaint

Blood pressure follow-up

History

Synthetic patient reports blood pressure follow-up with onset noted during routine follow-up. No real person is represented.
Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

essential hypertension
Visit details differ: home readings average 134/76.

Plan

Plan differs: adjust lifestyle goal number 7; no duplicate of other visits.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-02-24 | Encounter Type: Office Visit | Patient: patient_007 | Provider: provider_007

Chief Complaint

Follow-up for type 2 diabetes mellitus

History

Synthetic patient reports follow-up for type 2 diabetes mellitus with onset noted during routine follow-up. No real person is represented.
Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

type 2 diabetes mellitus
Assessment text unique to record 1; no duplicated page content.

Plan

Plan text unique to record 1; follow-up interval differs.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-03-22 | Encounter Type: Office Visit | Patient: patient_010 | Provider: provider_003

Chief Complaint

Follow-up for major depressive disorder

History

Synthetic patient reports follow-up for major depressive disorder with onset noted during routine follow-up. No real person is represented.
Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

major depressive disorder
Assessment text unique to record 4; no duplicated page content.

Plan

Plan text unique to record 4; follow-up interval differs.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-04-18 | Encounter Type: Office Visit | Patient: patient_009 | Provider: provider_006

Chief Complaint

Follow-up for essential hypertension

History

Synthetic patient reports follow-up for essential hypertension with onset noted during routine follow-up. No real person is represented.
Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

essential hypertension
Assessment text unique to record 7; no duplicated page content.

Plan

Plan text unique to record 7; follow-up interval differs.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-05-15 | Encounter Type: Office Visit | Patient: patient_008 | Provider: provider_002

Chief Complaint

Follow-up for COPD

History

Synthetic patient reports follow-up for copd with onset noted during routine follow-up. No real person is represented. Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

COPD
Assessment text unique to record 10; no duplicated page content.

Plan

Plan text unique to record 10; follow-up interval differs.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-06-11 | Encounter Type: Office Visit | Patient: patient_007 | Provider: provider_005

Chief Complaint

Follow-up for chronic low back pain

History

Synthetic patient reports follow-up for chronic low back pain with onset noted during routine follow-up. No real person is represented.
Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

chronic low back pain
Assessment text unique to record 13; no duplicated page content.

Plan

Plan text unique to record 13; follow-up interval differs.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-03-13 | Encounter Type: Office Visit | Patient: patient_008 | Provider: provider_002

Chief Complaint

Routine follow-up 1

History

Synthetic patient reports routine follow-up 1 with onset noted during routine follow-up. No real person is represented. Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

type 2 diabetes mellitus
Meaningful assessment is unique for medication-list trap page 1.

Plan

Plan contains unique counseling item 1; shared medication list should not dominate.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-04-22 | Encounter Type: Office Visit | Patient: patient_008 | Provider: provider_006

Chief Complaint

Routine follow-up 5

History

Synthetic patient reports routine follow-up 5 with onset noted during routine follow-up. No real person is represented. Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

chronic obstructive pulmonary disease
Meaningful assessment is unique for medication-list trap page 5.

Plan

Plan contains unique counseling item 5; shared medication list should not dominate.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-06-01 | Encounter Type: Office Visit | Patient: patient_008 | Provider: provider_003

Chief Complaint

Routine follow-up 9

History

Synthetic patient reports routine follow-up 9 with onset noted during routine follow-up. No real person is represented. Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

essential hypertension
Meaningful assessment is unique for medication-list trap page 9.

Plan

Plan contains unique counseling item 9; shared medication list should not dominate.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-07-11 | Encounter Type: Office Visit | Patient: patient_008 | Provider: provider_007

Chief Complaint

Routine follow-up 13

History

Synthetic patient reports routine follow-up 13 with onset noted during routine follow-up. No real person is represented. Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

lumbar radiculopathy
Meaningful assessment is unique for medication-list trap page 13.

Plan

Plan contains unique counseling item 13; shared medication list should not dominate.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-08-20 | Encounter Type: Office Visit | Patient: patient_008 | Provider: provider_004

Chief Complaint

Routine follow-up 17

History

Synthetic patient reports routine follow-up 17 with onset noted during routine follow-up. No real person is represented. Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

chronic low back pain
Meaningful assessment is unique for medication-list trap page 17.

Plan

Plan contains unique counseling item 17; shared medication list should not dominate.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Discharge Summary

Discharge Date: 2024-02-18 | Facility: Cedar Valley Hospital | Patient: patient_013 | Provider: provider_005

Admission

Admitted 2024-02-15 for synthetic shortness of breath observation.

Hospital Course

Symptoms improved with supportive care. No real patient is represented.

Discharge Diagnoses

COPD exacerbation
hypertension
type 2 diabetes mellitus

Prior Diagnoses Repeated

type 2 diabetes mellitus; essential hypertension; chronic low back pain; hyperlipidemia
type 2 diabetes mellitus; essential hypertension; chronic low back pain; hyperlipidemia

Follow Up

Follow up with primary care in 7 to 10 days.

Discharge Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active

Progress Note

Visit Date: 2024-05-20 | Encounter Type: Office Visit | Patient: patient_013 | Provider: provider_007

Chief Complaint

Mood follow-up

History

Synthetic patient reports mood follow-up with onset noted during routine follow-up. No real person is represented. Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

major depressive disorder
Mood symptoms improved with counseling and stable sleep.

Plan

Continue counseling and follow up in six weeks.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Batch Cover Sheet

Transmission Date: 2024-05-22 | Page Count: 5 | Patient: patient_007 | Provider: provider_002

To

ERE Intake

From

North River Imaging

Subject

Synthetic records transmission for duplicate-detection testing.

Confidentiality Notice

This fabricated cover page contains no real patient information.

Progress Note

Visit Date: 2024-05-23 | Encounter Type: Office Visit | Patient: patient_014 | Provider: provider_003

Chief Complaint

Back pain follow-up

History

Synthetic patient reports back pain follow-up with onset noted during routine follow-up. No real person is represented. Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

chronic low back pain
Pain pattern stable without new neurologic deficit.

Plan

Continue physical therapy and home exercise program.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Laboratory Results - CBC Panel

Collection Date: 2025-06-25 | Accession: SYN-LAB-1403 | Patient: patient_014 | Provider: provider_003

Specimen

Blood specimen received and processed in the synthetic laboratory workflow.

CBC Components

Component	Result	Units	Reference Range
WBC	6.5	10^3/uL	4.0-11.0
RBC	4.8	10^6/uL	4.2-5.8
Hemoglobin	14.4	g/dL	12.0-16.0
Hematocrit	42.0	%	36-46
Platelets	268	10^3/uL	150-400

This record was electronically signed by the rendering provider.
Result values are synthetic and are not valid for clinical use.

MRI Lumbar Spine Report

Exam Date: 2024-12-10 | Exam ID: SYN-MRI-1404 | Patient: patient_014 | Provider: provider_002

Indication

Synthetic report for low back pain with intermittent leg symptoms.

Technique

Multiplanar multisequence MRI of the lumbar spine without contrast.

Findings

No acute fracture. Alignment is preserved. Small disc bulge at L5-S1.

Impression

Small L5-S1 disc bulge. No high-grade stenosis.

Patient Instructions

Instruction Date: 2025-01-07 | Patient: patient_014 | Provider: provider_001

Activity

Resume routine activity as tolerated. Stop and seek care for worsening synthetic symptoms.

Medication

Take medications only as directed in this fabricated example.

When to Call

Call the clinic for fever, severe pain, or other urgent concerns in this synthetic page.

Progress Note

Visit Date: 2024-07-01 | Encounter Type: Office Visit | Patient: patient_018 | Provider: provider_005

Chief Complaint

Shortness of breath follow-up

History

Synthetic patient reports shortness of breath follow-up with onset noted during routine follow-up. No real person is represented.
Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

COPD
Symptoms stable; inhaler technique reviewed.

Plan

Continue inhaler and pulmonary follow-up.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note - Continuation

Visit Date: 2024-06-30 | Page 2 of 2 | Patient: patient_018 | Provider: provider_006

Pulmonary Function Review

Synthetic spirometry narrative appears on page 2 and is not a duplicate of page 1.

Education

Reviewed inhaler timing, symptom diary, and emergency plan.

Follow Up

Return in 3 months or sooner for worsening synthetic symptoms.

Progress Note

Visit Date: 2024-07-31 | Encounter Type: Office Visit | Patient: patient_030 | Provider: provider_006

Chief Complaint

Template follow-up 1

History

Synthetic patient reports template follow-up 1 with onset noted during routine follow-up. No real person is represented. Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

type 2 diabetes mellitus
Assessment sentence number 1 is unique and contains source-specific facts.

Plan

Plan sentence number 1 differs; schedule interval 2 weeks.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-08-18 | Encounter Type: Office Visit | Patient: patient_030 | Provider: provider_005

Chief Complaint

Template follow-up 7

History

Synthetic patient reports template follow-up 7 with onset noted during routine follow-up. No real person is represented. Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

hyperlipidemia
Assessment sentence number 7 is unique and contains source-specific facts.

Plan

Plan sentence number 7 differs; schedule interval 2 weeks.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-09-05 | Encounter Type: Office Visit | Patient: patient_030 | Provider: provider_004

Chief Complaint

Template follow-up 13

History

Synthetic patient reports template follow-up 13 with onset noted during routine follow-up. No real person is represented.
Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

lumbar radiculopathy
Assessment sentence number 13 is unique and contains source-specific facts.

Plan

Plan sentence number 13 differs; schedule interval 2 weeks.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-09-23 | Encounter Type: Office Visit | Patient: patient_030 | Provider: provider_003

Chief Complaint

Template follow-up 19

History

Synthetic patient reports template follow-up 19 with onset noted during routine follow-up. No real person is represented.
Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

chronic obstructive pulmonary disease
Assessment sentence number 19 is unique and contains source-specific facts.

Plan

Plan sentence number 19 differs; schedule interval 2 weeks.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-10-11 | Encounter Type: Office Visit | Patient: patient_030 | Provider: provider_002

Chief Complaint

Template follow-up 25

History

Synthetic patient reports template follow-up 25 with onset noted during routine follow-up. No real person is represented.
Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

major depressive disorder
Assessment sentence number 25 is unique and contains source-specific facts.

Plan

Plan sentence number 25 differs; schedule interval 2 weeks.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-10-29 | Encounter Type: Office Visit | Patient: patient_030 | Provider: provider_001

Chief Complaint

Template follow-up 31

History

Synthetic patient reports template follow-up 31 with onset noted during routine follow-up. No real person is represented.
Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

chronic low back pain
Assessment sentence number 31 is unique and contains source-specific facts.

Plan

Plan sentence number 31 differs; schedule interval 2 weeks.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-11-16 | Encounter Type: Office Visit | Patient: patient_030 | Provider: provider_007

Chief Complaint

Template follow-up 37

History

Synthetic patient reports template follow-up 37 with onset noted during routine follow-up. No real person is represented.
Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

essential hypertension
Assessment sentence number 37 is unique and contains source-specific facts.

Plan

Plan sentence number 37 differs; schedule interval 2 weeks.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-12-04 | Encounter Type: Office Visit | Patient: patient_030 | Provider: provider_006

Chief Complaint

Template follow-up 43

History

Synthetic patient reports template follow-up 43 with onset noted during routine follow-up. No real person is represented.
Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

type 2 diabetes mellitus
Assessment sentence number 43 is unique and contains source-specific facts.

Plan

Plan sentence number 43 differs; schedule interval 2 weeks.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-12-22 | Encounter Type: Office Visit | Patient: patient_030 | Provider: provider_005

Chief Complaint

Template follow-up 49

History

Synthetic patient reports template follow-up 49 with onset noted during routine follow-up. No real person is represented.
Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

hyperlipidemia
Assessment sentence number 49 is unique and contains source-specific facts.

Plan

Plan sentence number 49 differs; schedule interval 2 weeks.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2025-01-09 | Encounter Type: Office Visit | Patient: patient_030 | Provider: provider_004

Chief Complaint

Template follow-up 55

History

Synthetic patient reports template follow-up 55 with onset noted during routine follow-up. No real person is represented.
Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

lumbar radiculopathy
Assessment sentence number 55 is unique and contains source-specific facts.

Plan

Plan sentence number 55 differs; schedule interval 2 weeks.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2025-01-27 | Encounter Type: Office Visit | Patient: patient_030 | Provider: provider_003

Chief Complaint

Template follow-up 61

History

Synthetic patient reports template follow-up 61 with onset noted during routine follow-up. No real person is represented.
Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

chronic obstructive pulmonary disease
Assessment sentence number 61 is unique and contains source-specific facts.

Plan

Plan sentence number 61 differs; schedule interval 2 weeks.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2025-02-14 | Encounter Type: Office Visit | Patient: patient_030 | Provider: provider_002

Chief Complaint

Template follow-up 67

History

Synthetic patient reports template follow-up 67 with onset noted during routine follow-up. No real person is represented.
Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

major depressive disorder
Assessment sentence number 67 is unique and contains source-specific facts.

Plan

Plan sentence number 67 differs; schedule interval 2 weeks.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Laboratory Results - CBC Panel

Collection Date: 2024-01-27 | Accession: SYN-LAB-4000 | Patient: patient_050 | Provider: provider_003

Specimen

Blood specimen received and processed in the synthetic laboratory workflow.

CBC Components

Component	Result	Units	Reference Range
WBC	10.1	10^3/uL	4.0-11.0
RBC	6.6	10^6/uL	4.2-5.8
Hemoglobin	19.8	g/dL	12.0-16.0
Hematocrit	49.2	%	36-46
Platelets	430	10^3/uL	150-400

This record was electronically signed by the rendering provider.
Result values are synthetic and are not valid for clinical use.

Laboratory Results - CBC Panel

Collection Date: 2024-02-16 | Accession: SYN-LAB-4004 | Patient: patient_054 | Provider: provider_003

Specimen

Blood specimen received and processed in the synthetic laboratory workflow.

CBC Components

Component	Result	Units	Reference Range
WBC	10.9	10^3/uL	4.0-11.0
RBC	7.0	10^6/uL	4.2-5.8
Hemoglobin	21.0	g/dL	12.0-16.0
Hematocrit	50.8	%	36-46
Platelets	466	10^3/uL	150-400

This record was electronically signed by the rendering provider.
Result values are synthetic and are not valid for clinical use.

Laboratory Results - CBC Panel

Collection Date: 2024-03-07 | Accession: SYN-LAB-4008 | Patient: patient_053 | Provider: provider_003

Specimen

Blood specimen received and processed in the synthetic laboratory workflow.

CBC Components

Component	Result	Units	Reference Range
WBC	11.7	10^3/uL	4.0-11.0
RBC	7.4	10^6/uL	4.2-5.8
Hemoglobin	22.2	g/dL	12.0-16.0
Hematocrit	52.4	%	36-46
Platelets	502	10^3/uL	150-400

This record was electronically signed by the rendering provider.
Result values are synthetic and are not valid for clinical use.

Laboratory Results - CBC Panel

Collection Date: 2024-03-27 | Accession: SYN-LAB-4012 | Patient: patient_052 | Provider: provider_003

Specimen

Blood specimen received and processed in the synthetic laboratory workflow.

CBC Components

Component	Result	Units	Reference Range
WBC	12.5	10^3/uL	4.0-11.0
RBC	7.8	10^6/uL	4.2-5.8
Hemoglobin	23.4	g/dL	12.0-16.0
Hematocrit	54.0	%	36-46
Platelets	538	10^3/uL	150-400

This record was electronically signed by the rendering provider.
Result values are synthetic and are not valid for clinical use.

Laboratory Results - CBC Panel

Collection Date: 2024-04-16 | Accession: SYN-LAB-4016 | Patient: patient_051 | Provider: provider_003

Specimen

Blood specimen received and processed in the synthetic laboratory workflow.

CBC Components

Component	Result	Units	Reference Range
WBC	13.3	10^3/uL	4.0-11.0
RBC	8.2	10^6/uL	4.2-5.8
Hemoglobin	24.6	g/dL	12.0-16.0
Hematocrit	55.6	%	36-46
Platelets	574	10^3/uL	150-400

This record was electronically signed by the rendering provider.
Result values are synthetic and are not valid for clinical use.

Laboratory Results - CBC Panel

Collection Date: 2024-05-06 | Accession: SYN-LAB-4020 | Patient: patient_050 | Provider: provider_003

Specimen

Blood specimen received and processed in the synthetic laboratory workflow.

CBC Components

Component	Result	Units	Reference Range
WBC	14.1	10^3/uL	4.0-11.0
RBC	8.6	10^6/uL	4.2-5.8
Hemoglobin	25.8	g/dL	12.0-16.0
Hematocrit	57.2	%	36-46
Platelets	610	10^3/uL	150-400

This record was electronically signed by the rendering provider.
Result values are synthetic and are not valid for clinical use.

Laboratory Results - CBC Panel

Collection Date: 2024-05-26 | Accession: SYN-LAB-4024 | Patient: patient_054 | Provider: provider_003

Specimen

Blood specimen received and processed in the synthetic laboratory workflow.

CBC Components

Component	Result	Units	Reference Range
WBC	14.9	10^3/uL	4.0-11.0
RBC	9.0	10^6/uL	4.2-5.8
Hemoglobin	27.0	g/dL	12.0-16.0
Hematocrit	58.8	%	36-46
Platelets	646	10^3/uL	150-400

This record was electronically signed by the rendering provider.
Result values are synthetic and are not valid for clinical use.

Laboratory Results - CBC Panel

Collection Date: 2024-06-15 | Accession: SYN-LAB-4028 | Patient: patient_053 | Provider: provider_003

Specimen

Blood specimen received and processed in the synthetic laboratory workflow.

CBC Components

Component	Result	Units	Reference Range
WBC	15.7	10^3/uL	4.0-11.0
RBC	9.4	10^6/uL	4.2-5.8
Hemoglobin	28.2	g/dL	12.0-16.0
Hematocrit	60.4	%	36-46
Platelets	682	10^3/uL	150-400