

Progress Note

Visit Date: 2024-03-23 | Encounter Type: Office Visit | Patient: patient_008 | Provider: provider_003

Chief Complaint

Routine follow-up 2

History

Synthetic patient reports routine follow-up 2 with onset noted during routine follow-up. No real person is represented. Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

essential hypertension
Meaningful assessment is unique for medication-list trap page 2.

Plan

Plan contains unique counseling item 2; shared medication list should not dominate.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-05-02 | Encounter Type: Office Visit | Patient: patient_008 | Provider: provider_007

Chief Complaint

Routine follow-up 6

History

Synthetic patient reports routine follow-up 6 with onset noted during routine follow-up. No real person is represented. Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

lumbar radiculopathy
Meaningful assessment is unique for medication-list trap page 6.

Plan

Plan contains unique counseling item 6; shared medication list should not dominate.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-06-11 | Encounter Type: Office Visit | Patient: patient_008 | Provider: provider_004

Chief Complaint

Routine follow-up 10

History

Synthetic patient reports routine follow-up 10 with onset noted during routine follow-up. No real person is represented. Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

chronic low back pain
Meaningful assessment is unique for medication-list trap page 10.

Plan

Plan contains unique counseling item 10; shared medication list should not dominate.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-07-21 | Encounter Type: Office Visit | Patient: patient_008 | Provider: provider_001

Chief Complaint

Routine follow-up 14

History

Synthetic patient reports routine follow-up 14 with onset noted during routine follow-up. No real person is represented. Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

hyperlipidemia
Meaningful assessment is unique for medication-list trap page 14.

Plan

Plan contains unique counseling item 14; shared medication list should not dominate.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-08-30 | Encounter Type: Office Visit | Patient: patient_008 | Provider: provider_005

Chief Complaint

Routine follow-up 18

History

Synthetic patient reports routine follow-up 18 with onset noted during routine follow-up. No real person is represented. Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

major depressive disorder
Meaningful assessment is unique for medication-list trap page 18.

Plan

Plan contains unique counseling item 18; shared medication list should not dominate.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Laboratory Results - CBC Panel

Collection Date: 2025-04-11 | Accession: SYN-LAB-0200 | Patient: patient_010 | Provider: provider_003

Specimen

Blood specimen received and processed in the synthetic laboratory workflow.

CBC Components

Component	Result	Units	Reference Range
WBC	6.1	10^3/uL	4.0-11.0
RBC	4.6	10^6/uL	4.2-5.8
Hemoglobin	13.8	g/dL	12.0-16.0
Hematocrit	41.2	%	36-46
Platelets	250	10^3/uL	150-400

Laboratory Results - CBC Panel

Collection Date: 2025-05-01 | Accession: SYN-LAB-0204 | Patient: patient_010 | Provider: provider_003

Specimen

Blood specimen received and processed in the synthetic laboratory workflow.

CBC Components

Component	Result	Units	Reference Range
WBC	6.9	10^3/uL	4.0-11.0
RBC	5.0	10^6/uL	4.2-5.8
Hemoglobin	15.0	g/dL	12.0-16.0
Hematocrit	42.8	%	36-46
Platelets	286	10^3/uL	150-400

Laboratory Results - CBC Panel

Collection Date: 2025-05-21 | Accession: SYN-LAB-0208 | Patient: patient_010 | Provider: provider_003

Specimen

Blood specimen received and processed in the synthetic laboratory workflow.

CBC Components

Component	Result	Units	Reference Range
WBC	7.7	10^3/uL	4.0-11.0
RBC	5.4	10^6/uL	4.2-5.8
Hemoglobin	16.2	g/dL	12.0-16.0
Hematocrit	44.4	%	36-46
Platelets	322	10^3/uL	150-400

Laboratory Results - CBC Panel

Collection Date: 2025-06-10 | Accession: SYN-LAB-0212 | Patient: patient_010 | Provider: provider_003

Specimen

Blood specimen received and processed in the synthetic laboratory workflow.

CBC Components

Component	Result	Units	Reference Range
WBC	8.5	10^3/uL	4.0-11.0
RBC	5.8	10^6/uL	4.2-5.8
Hemoglobin	17.4	g/dL	12.0-16.0
Hematocrit	46.0	%	36-46
Platelets	358	10^3/uL	150-400

This record was electronically signed by the rendering provider.
Result values are synthetic and are not valid for clinical use.

Laboratory Results - CBC Panel

Collection Date: 2024-01-07 | Accession: SYN-LAB-0216 | Patient: patient_010 | Provider: provider_003

Specimen

Blood specimen received and processed in the synthetic laboratory workflow.

CBC Components

Component	Result	Units	Reference Range
WBC	9.3	10^3/uL	4.0-11.0
RBC	6.2	10^6/uL	4.2-5.8
Hemoglobin	18.6	g/dL	12.0-16.0
Hematocrit	47.6	%	36-46
Platelets	394	10^3/uL	150-400

This record was electronically signed by the rendering provider.
Result values are synthetic and are not valid for clinical use.

MRI Lumbar Spine Report

Exam Date: 2025-03-16 | Exam ID: SYN-MRI-0250 | Patient: patient_011 | Provider: provider_002

Indication

Synthetic report for low back pain with intermittent leg symptoms.

Technique

Multiplanar multisequence MRI of the lumbar spine without contrast.

Findings

Mild multilevel degenerative disc change without high-grade canal stenosis.

Impression

Mild degenerative lumbar spondylosis. No acute abnormality.

MRI Lumbar Spine Report

Exam Date: 2025-04-09 | Exam ID: SYN-MRI-0254 | Patient: patient_011 | Provider: provider_002

Indication

Synthetic report for low back pain with intermittent leg symptoms.

Technique

Multiplanar multisequence MRI of the lumbar spine without contrast.

Findings

Mild multilevel degenerative disc change without high-grade canal stenosis.

Impression

Mild degenerative lumbar spondylosis. No acute abnormality.

MRI Lumbar Spine Report

Exam Date: 2025-05-03 | Exam ID: SYN-MRI-0258 | Patient: patient_011 | Provider: provider_002

Indication

Synthetic report for low back pain with intermittent leg symptoms.

Technique

Multiplanar multisequence MRI of the lumbar spine without contrast.

Findings

Mild multilevel degenerative disc change without high-grade canal stenosis.

Impression

Mild degenerative lumbar spondylosis. No acute abnormality.

MRI Lumbar Spine Report

Exam Date: 2025-05-27 | Exam ID: SYN-MRI-0262 | Patient: patient_011 | Provider: provider_002

Indication

Synthetic report for low back pain with intermittent leg symptoms.

Technique

Multiplanar multisequence MRI of the lumbar spine without contrast.

Findings

Mild multilevel degenerative disc change without high-grade canal stenosis.

Impression

Mild degenerative lumbar spondylosis. No acute abnormality.

Patient Instructions

Instruction Date: 2024-10-10 | Patient: patient_013 | Provider: provider_001

Activity

Resume routine activity as tolerated. Stop and seek care for worsening synthetic symptoms.

Medication

Take medications only as directed in this fabricated example.

When to Call

Call the clinic for fever, severe pain, or other urgent concerns in this synthetic page.

This page intentionally left blank

Electronic Signature Page

Signed: 2024-02-17 | Patient: patient_006 | Provider: provider_003

Signature

/s/ Synthetic Provider

Electronically signed. Identity intentionally fabricated.

SYNTHETIC RECORDS SEPARATOR

Records continue after this page.

Electronic Signature Page

Signed: 2024-03-03 | Patient: patient_005 | Provider: provider_004

Signature

/s/ Synthetic Provider

Electronically signed. Identity intentionally fabricated.

Procedure Note

Procedure Date: 2024-02-11 | Procedure: Lumbar Injection | Patient: patient_017 | Provider: provider_004

Indication

Synthetic chronic low back pain with radicular symptoms.

Procedure

Timeout performed. Sterile preparation completed. Synthetic medication administered under imaging guidance.

Findings

No immediate complication observed in this fabricated record.

Disposition

Discharged with routine synthetic post-procedure instructions.

Progress Note

Visit Date: 2024-07-11 | Encounter Type: Office Visit | Patient: patient_019 | Provider: provider_006

Chief Complaint

Back discomfort recheck

History

The synthetic patient describes back discomfort recheck during a scheduled follow-up; this is not a real clinical record. No fever, new trauma, or acute neurologic symptoms are reported. Appetite and sleep remain stable.

Exam

Patient is awake, oriented, and comfortable. Breathing is unlabored and gait is stable.

Assessment

chronic low back pain
No chest pain reported and no falls are described.

Plan

Maintain home exercises; return in about two months.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-07-21 | Encounter Type: Office Visit | Patient: patient_020 | Provider: provider_007

Chief Complaint

Chest pain follow-up

History

Synthetic patient reports chest pain follow-up with onset noted during routine follow-up. No real person is represented. Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

essential hypertension
Chest pain resolved and blood pressure is normal today.

Plan

Continue lisinopril and call for recurrent chest pain.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-08-03 | Encounter Type: Office Visit | Patient: patient_031 | Provider: provider_007

Chief Complaint

Template follow-up 2

History

Synthetic patient reports template follow-up 2 with onset noted during routine follow-up. No real person is represented. Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

essential hypertension
Assessment sentence number 2 is unique and contains source-specific facts.

Plan

Plan sentence number 2 differs; schedule interval 3 weeks.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-08-21 | Encounter Type: Office Visit | Patient: patient_031 | Provider: provider_006

Chief Complaint

Template follow-up 8

History

Synthetic patient reports template follow-up 8 with onset noted during routine follow-up. No real person is represented. Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

type 2 diabetes mellitus
Assessment sentence number 8 is unique and contains source-specific facts.

Plan

Plan sentence number 8 differs; schedule interval 3 weeks.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-09-08 | Encounter Type: Office Visit | Patient: patient_031 | Provider: provider_005

Chief Complaint

Template follow-up 14

History

Synthetic patient reports template follow-up 14 with onset noted during routine follow-up. No real person is represented.
Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

hyperlipidemia
Assessment sentence number 14 is unique and contains source-specific facts.

Plan

Plan sentence number 14 differs; schedule interval 3 weeks.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-09-26 | Encounter Type: Office Visit | Patient: patient_031 | Provider: provider_004

Chief Complaint

Template follow-up 20

History

Synthetic patient reports template follow-up 20 with onset noted during routine follow-up. No real person is represented.
Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

lumbar radiculopathy
Assessment sentence number 20 is unique and contains source-specific facts.

Plan

Plan sentence number 20 differs; schedule interval 3 weeks.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-10-14 | Encounter Type: Office Visit | Patient: patient_031 | Provider: provider_003

Chief Complaint

Template follow-up 26

History

Synthetic patient reports template follow-up 26 with onset noted during routine follow-up. No real person is represented.
Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

chronic obstructive pulmonary disease
Assessment sentence number 26 is unique and contains source-specific facts.

Plan

Plan sentence number 26 differs; schedule interval 3 weeks.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-11-01 | Encounter Type: Office Visit | Patient: patient_031 | Provider: provider_002

Chief Complaint

Template follow-up 32

History

Synthetic patient reports template follow-up 32 with onset noted during routine follow-up. No real person is represented.
Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

major depressive disorder
Assessment sentence number 32 is unique and contains source-specific facts.

Plan

Plan sentence number 32 differs; schedule interval 3 weeks.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-11-19 | Encounter Type: Office Visit | Patient: patient_031 | Provider: provider_001

Chief Complaint

Template follow-up 38

History

Synthetic patient reports template follow-up 38 with onset noted during routine follow-up. No real person is represented.
Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

chronic low back pain
Assessment sentence number 38 is unique and contains source-specific facts.

Plan

Plan sentence number 38 differs; schedule interval 3 weeks.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-12-07 | Encounter Type: Office Visit | Patient: patient_031 | Provider: provider_007

Chief Complaint

Template follow-up 44

History

Synthetic patient reports template follow-up 44 with onset noted during routine follow-up. No real person is represented.
Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

essential hypertension
Assessment sentence number 44 is unique and contains source-specific facts.

Plan

Plan sentence number 44 differs; schedule interval 3 weeks.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-12-25 | Encounter Type: Office Visit | Patient: patient_031 | Provider: provider_006

Chief Complaint

Template follow-up 50

History

Synthetic patient reports template follow-up 50 with onset noted during routine follow-up. No real person is represented.
Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

type 2 diabetes mellitus
Assessment sentence number 50 is unique and contains source-specific facts.

Plan

Plan sentence number 50 differs; schedule interval 3 weeks.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2025-01-12 | Encounter Type: Office Visit | Patient: patient_031 | Provider: provider_005

Chief Complaint

Template follow-up 56

History

Synthetic patient reports template follow-up 56 with onset noted during routine follow-up. No real person is represented.
Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

hyperlipidemia
Assessment sentence number 56 is unique and contains source-specific facts.

Plan

Plan sentence number 56 differs; schedule interval 3 weeks.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2025-01-30 | Encounter Type: Office Visit | Patient: patient_031 | Provider: provider_004

Chief Complaint

Template follow-up 62

History

Synthetic patient reports template follow-up 62 with onset noted during routine follow-up. No real person is represented.
Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

lumbar radiculopathy
Assessment sentence number 62 is unique and contains source-specific facts.

Plan

Plan sentence number 62 differs; schedule interval 3 weeks.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2025-02-17 | Encounter Type: Office Visit | Patient: patient_031 | Provider: provider_003

Chief Complaint

Template follow-up 68

History

Synthetic patient reports template follow-up 68 with onset noted during routine follow-up. No real person is represented.
Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

chronic obstructive pulmonary disease
Assessment sentence number 68 is unique and contains source-specific facts.

Plan

Plan sentence number 68 differs; schedule interval 3 weeks.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

MRI Lumbar Spine Report

Exam Date: 2024-11-16 | Exam ID: SYN-MRI-5000 | Patient: patient_055 | Provider: provider_002

Indication

Synthetic report for low back pain with intermittent leg symptoms.

Technique

Multiplanar multisequence MRI of the lumbar spine without contrast.

Findings

Moderate left foraminal narrowing at L4-L5 with mild facet arthropathy.

Impression

Moderate left L4-L5 foraminal narrowing. Correlate clinically.

MRI Lumbar Spine Report

Exam Date: 2024-12-10 | Exam ID: SYN-MRI-5004 | Patient: patient_055 | Provider: provider_002

Indication

Synthetic report for low back pain with intermittent leg symptoms.

Technique

Multiplanar multisequence MRI of the lumbar spine without contrast.

Findings

Moderate left foraminal narrowing at L4-L5 with mild facet arthropathy.

Impression

Moderate left L4-L5 foraminal narrowing. Correlate clinically.

MRI Lumbar Spine Report

Exam Date: 2025-01-03 | Exam ID: SYN-MRI-5008 | Patient: patient_055 | Provider: provider_002

Indication

Synthetic report for low back pain with intermittent leg symptoms.

Technique

Multiplanar multisequence MRI of the lumbar spine without contrast.

Findings

Moderate left foraminal narrowing at L4-L5 with mild facet arthropathy.

Impression

Moderate left L4-L5 foraminal narrowing. Correlate clinically.

MRI Lumbar Spine Report

Exam Date: 2025-01-27 | Exam ID: SYN-MRI-5012 | Patient: patient_055 | Provider: provider_002

Indication

Synthetic report for low back pain with intermittent leg symptoms.

Technique

Multiplanar multisequence MRI of the lumbar spine without contrast.

Findings

Moderate left foraminal narrowing at L4-L5 with mild facet arthropathy.

Impression

Moderate left L4-L5 foraminal narrowing. Correlate clinically.

MRI Lumbar Spine Report

Exam Date: 2025-02-20 | Exam ID: SYN-MRI-5016 | Patient: patient_055 | Provider: provider_002

Indication

Synthetic report for low back pain with intermittent leg symptoms.

Technique

Multiplanar multisequence MRI of the lumbar spine without contrast.

Findings

Moderate left foraminal narrowing at L4-L5 with mild facet arthropathy.

Impression

Moderate left L4-L5 foraminal narrowing. Correlate clinically.

MRI Lumbar Spine Report

Exam Date: 2025-03-16 | Exam ID: SYN-MRI-5020 | Patient: patient_055 | Provider: provider_002

Indication

Synthetic report for low back pain with intermittent leg symptoms.

Technique

Multiplanar multisequence MRI of the lumbar spine without contrast.

Findings

Moderate left foraminal narrowing at L4-L5 with mild facet arthropathy.

Impression

Moderate left L4-L5 foraminal narrowing. Correlate clinically.