



Progress Note

Visit Date: 2024-01-23 | Encounter Type: Office Visit | Patient: patient_002 | Provider: provider_003

Chief Complaint

Diabetes follow-up

History

Synthetic patient reports diabetes follow-up with onset noted during routine follow-up. No real person is represented. Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

type 2 diabetes mellitus
Glycemic control is acceptable in this synthetic record.

Plan

- Continue metformin and repeat synthetic A1c in 3 months.
- Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active



Progress Note Extract

Visit Date: 2024-05-20 | Extracted Sections | Patient: patient_013 | Provider: provider_007

Assessment

major depressive disorder

Mood symptoms improved with counseling and stable sleep.

Plan

Continue counseling and follow up in six weeks.

Continue medication reconciliation and safety counseling.



SYNTHETIC RECORDS SEPARATOR

Records continue after this page.



This page intentionally left blank



Electronic Signature Page

Signed: 2024-02-23 | Patient: patient_004 | Provider: provider_002

Signature

/s/ Synthetic Provider

Electronically signed. Identity intentionally fabricated.



SYNTHETIC RECORDS SEPARATOR

Records continue after this page.

ERE BATCH COPY - SYNTHETIC

Batch: ERE-001 | Source page stamp added





Procedure Note

Procedure Date: 2024-02-11 | Procedure: Lumbar Injection | Patient: patient_017 | Provider: provider_004

Indication

Synthetic chronic low back pain with radicular symptoms.

Procedure

Timeout performed. Sterile preparation completed. Synthetic medication administered under imaging guidance.

Findings

No immediate complication observed in this fabricated record.

Disposition

Discharged with routine synthetic post-procedure instructions.



Progress Note

Visit Date: 2024-08-06 | Encounter Type: Office Visit | Patient: patient_032 | Provider: provider_001

Chief Complaint

Template follow-up 3

History

Synthetic patient reports template follow-up 3 with onset noted during routine follow-up. No real person is represented. Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

chronic low back pain
Assessment sentence number 3 is unique and contains source-specific facts.

Plan

Plan sentence number 3 differs; schedule interval 4 weeks.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active



Progress Note

Visit Date: 2024-08-24 | Encounter Type: Office Visit | Patient: patient_032 | Provider: provider_007

Chief Complaint

Template follow-up 9

History

Synthetic patient reports template follow-up 9 with onset noted during routine follow-up. No real person is represented. Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

essential hypertension
Assessment sentence number 9 is unique and contains source-specific facts.

Plan

Plan sentence number 9 differs; schedule interval 4 weeks.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active



Progress Note

Visit Date: 2024-09-11 | Encounter Type: Office Visit | Patient: patient_032 | Provider: provider_006

Chief Complaint

Template follow-up 15

History

Synthetic patient reports template follow-up 15 with onset noted during routine follow-up. No real person is represented.
Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

type 2 diabetes mellitus
Assessment sentence number 15 is unique and contains source-specific facts.

Plan

Plan sentence number 15 differs; schedule interval 4 weeks.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active



Progress Note

Visit Date: 2024-09-29 | Encounter Type: Office Visit | Patient: patient_032 | Provider: provider_005

Chief Complaint

Template follow-up 21

History

Synthetic patient reports template follow-up 21 with onset noted during routine follow-up. No real person is represented.
Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

hyperlipidemia
Assessment sentence number 21 is unique and contains source-specific facts.

Plan

Plan sentence number 21 differs; schedule interval 4 weeks.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active



Progress Note

Visit Date: 2024-10-17 | Encounter Type: Office Visit | Patient: patient_032 | Provider: provider_004

Chief Complaint

Template follow-up 27

History

Synthetic patient reports template follow-up 27 with onset noted during routine follow-up. No real person is represented.
Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

lumbar radiculopathy
Assessment sentence number 27 is unique and contains source-specific facts.

Plan

Plan sentence number 27 differs; schedule interval 4 weeks.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active



Progress Note

Visit Date: 2024-11-04 | Encounter Type: Office Visit | Patient: patient_032 | Provider: provider_003

Chief Complaint

Template follow-up 33

History

Synthetic patient reports template follow-up 33 with onset noted during routine follow-up. No real person is represented.
Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

chronic obstructive pulmonary disease
Assessment sentence number 33 is unique and contains source-specific facts.

Plan

Plan sentence number 33 differs; schedule interval 4 weeks.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active



Progress Note

Visit Date: 2024-11-22 | Encounter Type: Office Visit | Patient: patient_032 | Provider: provider_002

Chief Complaint

Template follow-up 39

History

Synthetic patient reports template follow-up 39 with onset noted during routine follow-up. No real person is represented.
Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

major depressive disorder
Assessment sentence number 39 is unique and contains source-specific facts.

Plan

Plan sentence number 39 differs; schedule interval 4 weeks.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active



Progress Note

Visit Date: 2024-12-10 | Encounter Type: Office Visit | Patient: patient_032 | Provider: provider_001

Chief Complaint

Template follow-up 45

History

Synthetic patient reports template follow-up 45 with onset noted during routine follow-up. No real person is represented.
Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

chronic low back pain
Assessment sentence number 45 is unique and contains source-specific facts.

Plan

Plan sentence number 45 differs; schedule interval 4 weeks.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active



Progress Note

Visit Date: 2024-12-28 | Encounter Type: Office Visit | Patient: patient_032 | Provider: provider_007

Chief Complaint

Template follow-up 51

History

Synthetic patient reports template follow-up 51 with onset noted during routine follow-up. No real person is represented.
Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

essential hypertension
Assessment sentence number 51 is unique and contains source-specific facts.

Plan

Plan sentence number 51 differs; schedule interval 4 weeks.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active



Progress Note

Visit Date: 2025-01-15 | Encounter Type: Office Visit | Patient: patient_032 | Provider: provider_006

Chief Complaint

Template follow-up 57

History

Synthetic patient reports template follow-up 57 with onset noted during routine follow-up. No real person is represented.

Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

type 2 diabetes mellitus

Assessment sentence number 57 is unique and contains source-specific facts.

Plan

Plan sentence number 57 differs; schedule interval 4 weeks.

Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active



Progress Note

Visit Date: 2025-02-02 | Encounter Type: Office Visit | Patient: patient_032 | Provider: provider_005

Chief Complaint

Template follow-up 63

History

Synthetic patient reports template follow-up 63 with onset noted during routine follow-up. No real person is represented.

Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

hyperlipidemia

Assessment sentence number 63 is unique and contains source-specific facts.

Plan

Plan sentence number 63 differs; schedule interval 4 weeks.

Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active



Progress Note

Visit Date: 2025-02-20 | Encounter Type: Office Visit | Patient: patient_032 | Provider: provider_004

Chief Complaint

Template follow-up 69

History

Synthetic patient reports template follow-up 69 with onset noted during routine follow-up. No real person is represented.
Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

lumbar radiculopathy
Assessment sentence number 69 is unique and contains source-specific facts.

Plan

Plan sentence number 69 differs; schedule interval 4 weeks.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active



Medication List

Medication Review Date: 2024-11-09 | Patient: patient_041 | Provider: provider_001

Medication Reconciliation

The medication list below is synthetic and used only for duplicate-detection testing.

Context

Medication review context differs for standalone med list page 2.

Active Medications

Medication	Dose	Frequency	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active



Medication List

Medication Review Date: 2024-11-13 | Patient: patient_041 | Provider: provider_001

Medication Reconciliation

The medication list below is synthetic and used only for duplicate-detection testing.

Context

Medication review context differs for standalone med list page 6.

Active Medications

Medication	Dose	Frequency	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active
gabapentin	150 mg	nightly	active

Medication List

Medication Review Date: 2024-11-17 | Patient: patient_041 | Provider: provider_001

Medication Reconciliation

The medication list below is synthetic and used only for duplicate-detection testing.

Context

Medication review context differs for standalone med list page 10.

Active Medications

Medication	Dose	Frequency	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active



Medication List

Medication Review Date: 2024-11-21 | Patient: patient_041 | Provider: provider_001

Medication Reconciliation

The medication list below is synthetic and used only for duplicate-detection testing.

Context

Medication review context differs for standalone med list page 14.

Active Medications

Medication	Dose	Frequency	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active



Medication List

Medication Review Date: 2024-11-25 | Patient: patient_041 | Provider: provider_001

Medication Reconciliation

The medication list below is synthetic and used only for duplicate-detection testing.

Context

Medication review context differs for standalone med list page 18.

Active Medications

Medication	Dose	Frequency	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active



Medication List

Medication Review Date: 2024-11-29 | Patient: patient_041 | Provider: provider_001

Medication Reconciliation

The medication list below is synthetic and used only for duplicate-detection testing.

Context

Medication review context differs for standalone med list page 22.

Active Medications

Medication	Dose	Frequency	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active



MRI Lumbar Spine Report

Exam Date: 2024-11-22 | Exam ID: SYN-MRI-5001 | Patient: patient_056 | Provider: provider_002

Indication

Synthetic report for low back pain with intermittent leg symptoms.

Technique

Multiplanar multisequence MRI of the lumbar spine without contrast.

Findings

No acute fracture. Alignment is preserved. Small disc bulge at L5-S1.

Impression

Small L5-S1 disc bulge. No high-grade stenosis.



MRI Lumbar Spine Report

Exam Date: 2024-12-16 | Exam ID: SYN-MRI-5005 | Patient: patient_056 | Provider: provider_002

Indication

Synthetic report for low back pain with intermittent leg symptoms.

Technique

Multiplanar multisequence MRI of the lumbar spine without contrast.

Findings

No acute fracture. Alignment is preserved. Small disc bulge at L5-S1.

Impression

Small L5-S1 disc bulge. No high-grade stenosis.



MRI Lumbar Spine Report

Exam Date: 2025-01-09 | Exam ID: SYN-MRI-5009 | Patient: patient_056 | Provider: provider_002

Indication

Synthetic report for low back pain with intermittent leg symptoms.

Technique

Multiplanar multisequence MRI of the lumbar spine without contrast.

Findings

No acute fracture. Alignment is preserved. Small disc bulge at L5-S1.

Impression

Small L5-S1 disc bulge. No high-grade stenosis.



MRI Lumbar Spine Report

Exam Date: 2025-02-02 | Exam ID: SYN-MRI-5013 | Patient: patient_056 | Provider: provider_002

Indication

Synthetic report for low back pain with intermittent leg symptoms.

Technique

Multiplanar multisequence MRI of the lumbar spine without contrast.

Findings

No acute fracture. Alignment is preserved. Small disc bulge at L5-S1.

Impression

Small L5-S1 disc bulge. No high-grade stenosis.



MRI Lumbar Spine Report

Exam Date: 2025-02-26 | Exam ID: SYN-MRI-5017 | Patient: patient_056 | Provider: provider_002

Indication

Synthetic report for low back pain with intermittent leg symptoms.

Technique

Multiplanar multisequence MRI of the lumbar spine without contrast.

Findings

No acute fracture. Alignment is preserved. Small disc bulge at L5-S1.

Impression

Small L5-S1 disc bulge. No high-grade stenosis.



MRI Lumbar Spine Report

Exam Date: 2025-03-22 | Exam ID: SYN-MRI-5021 | Patient: patient_056 | Provider: provider_002

Indication

Synthetic report for low back pain with intermittent leg symptoms.

Technique

Multiplanar multisequence MRI of the lumbar spine without contrast.

Findings

No acute fracture. Alignment is preserved. Small disc bulge at L5-S1.

Impression

Small L5-S1 disc bulge. No high-grade stenosis.