

Electronic Signature Page

Signed: 2024-02-20 | Patient: patient_001 | Provider: provider_006

Signature

/s/ Synthetic Provider

Electronically signed. Identity intentionally fabricated.

SYNTHETIC RECORDS SEPARATOR

Records continue after this page.

This page intentionally left blank

Progress Note

Visit Date: 2024-07-21 | Encounter Type: Office Visit | Patient: patient_020 | Provider: provider_007

Chief Complaint

Chest pain follow-up

History

Synthetic patient reports chest pain follow-up with onset noted during routine follow-up. No real person is represented.
Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

essential hypertension
Chest pain resolved and blood pressure is normal today.

Plan

Continue lisinopril and call for recurrent chest pain.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

MRI Lumbar Spine Report

Exam Date: 2024-12-04 | Exam ID: SYN-MRI-5003 | Patient: patient_058 | Provider: provider_002

Indication

Synthetic report for low back pain with intermittent leg symptoms.

Technique

Multiplanar multisequence MRI of the lumbar spine without contrast.

Findings

Mild multilevel degenerative disc change without high-grade canal stenosis.

Impression

Mild degenerative lumbar spondylosis. No acute abnormality.

MRI Lumbar Spine Report

Exam Date: 2024-12-28 | Exam ID: SYN-MRI-5007 | Patient: patient_058 | Provider: provider_002

Indication

Synthetic report for low back pain with intermittent leg symptoms.

Technique

Multiplanar multisequence MRI of the lumbar spine without contrast.

Findings

Mild multilevel degenerative disc change without high-grade canal stenosis.

Impression

Mild degenerative lumbar spondylosis. No acute abnormality.

MRI Lumbar Spine Report

Exam Date: 2025-01-21 | Exam ID: SYN-MRI-5011 | Patient: patient_058 | Provider: provider_002

Indication

Synthetic report for low back pain with intermittent leg symptoms.

Technique

Multiplanar multisequence MRI of the lumbar spine without contrast.

Findings

Mild multilevel degenerative disc change without high-grade canal stenosis.

Impression

Mild degenerative lumbar spondylosis. No acute abnormality.

MRI Lumbar Spine Report

Exam Date: 2025-02-14 | Exam ID: SYN-MRI-5015 | Patient: patient_058 | Provider: provider_002

Indication

Synthetic report for low back pain with intermittent leg symptoms.

Technique

Multiplanar multisequence MRI of the lumbar spine without contrast.

Findings

Mild multilevel degenerative disc change without high-grade canal stenosis.

Impression

Mild degenerative lumbar spondylosis. No acute abnormality.

MRI Lumbar Spine Report

Exam Date: 2025-03-10 | Exam ID: SYN-MRI-5019 | Patient: patient_058 | Provider: provider_002

Indication

Synthetic report for low back pain with intermittent leg symptoms.

Technique

Multiplanar multisequence MRI of the lumbar spine without contrast.

Findings

Mild multilevel degenerative disc change without high-grade canal stenosis.

Impression

Mild degenerative lumbar spondylosis. No acute abnormality.

MRI Lumbar Spine Report

Exam Date: 2025-04-03 | Exam ID: SYN-MRI-5023 | Patient: patient_058 | Provider: provider_002

Indication

Synthetic report for low back pain with intermittent leg symptoms.

Technique

Multiplanar multisequence MRI of the lumbar spine without contrast.

Findings

Mild multilevel degenerative disc change without high-grade canal stenosis.

Impression

Mild degenerative lumbar spondylosis. No acute abnormality.

Progress Note

Visit Date: 2024-10-29 | Encounter Type: Office Visit | Patient: patient_070 | Provider: provider_001

Chief Complaint

OCR stress note 1

History

Synthetic patient reports ocr stress note 1 with onset noted during routine follow-up. No real person is represented.

Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

type 2 diabetes mellitus

OCR stress assessment for easy sample 1.

Plan

OCR stress plan sample 1; content differs from other OCR pages.

Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-10-31 | Encounter Type: Office Visit | Patient: patient_072 | Provider: provider_003

Chief Complaint

OCR stress note 3

History

Synthetic patient reports ocr stress note 3 with onset noted during routine follow-up. No real person is represented. Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

chronic low back pain
OCR stress assessment for hard sample 3.

Plan

OCR stress plan sample 3; content differs from other OCR pages.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-11-02 | Encounter Type: Office Visit | Patient: patient_071 | Provider: provider_005

Chief Complaint

OCR stress note 5

History

Synthetic patient reports ocr stress note 5 with onset noted during routine follow-up. No real person is represented.

Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

chronic obstructive pulmonary disease
OCR stress assessment for easy sample 5.

Plan

OCR stress plan sample 5; content differs from other OCR pages.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-11-04 | Encounter Type: Office Visit | Patient: patient_070 | Provider: provider_007

Chief Complaint

OCR stress note 7

History

Synthetic patient reports ocr stress note 7 with onset noted during routine follow-up. No real person is represented.

Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

hyperlipidemia

OCR stress assessment for hard sample 7.

Plan

OCR stress plan sample 7; content differs from other OCR pages.

Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-11-06 | Encounter Type: Office Visit | Patient: patient_072 | Provider: provider_002

Chief Complaint

OCR stress note 9

History

Synthetic patient reports ocr stress note 9 with onset noted during routine follow-up. No real person is represented.

Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

essential hypertension

OCR stress assessment for easy sample 9.

Plan

OCR stress plan sample 9; content differs from other OCR pages.

Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-11-08 | Encounter Type: Office Visit | Patient: patient_071 | Provider: provider_004

Chief Complaint

OCR stress note 11

History

Synthetic patient reports ocr stress note 11 with onset noted during routine follow-up. No real person is represented. Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

major depressive disorder
OCR stress assessment for hard sample 11.

Plan

OCR stress plan sample 11; content differs from other OCR pages.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-11-10 | Encounter Type: Office Visit | Patient: patient_070 | Provider: provider_006

Chief Complaint

OCR stress note 13

History

Synthetic patient reports ocr stress note 13 with onset noted during routine follow-up. No real person is represented. Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

lumbar radiculopathy
OCR stress assessment for easy sample 13.

Plan

OCR stress plan sample 13; content differs from other OCR pages.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-11-12 | Encounter Type: Office Visit | Patient: patient_072 | Provider: provider_001

Chief Complaint

OCR stress note 15

History

Synthetic patient reports ocr stress note 15 with onset noted during routine follow-up. No real person is represented. Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

type 2 diabetes mellitus
OCR stress assessment for hard sample 15.

Plan

OCR stress plan sample 15; content differs from other OCR pages.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-11-14 | Encounter Type: Office Visit | Patient: patient_071 | Provider: provider_003

Chief Complaint

OCR stress note 17

History

Synthetic patient reports ocr stress note 17 with onset noted during routine follow-up. No real person is represented.

Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

chronic low back pain

OCR stress assessment for easy sample 17.

Plan

OCR stress plan sample 17; content differs from other OCR pages.

Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-11-16 | Encounter Type: Office Visit | Patient: patient_070 | Provider: provider_005

Chief Complaint

OCR stress note 19

History

Synthetic patient reports ocr stress note 19 with onset noted during routine follow-up. No real person is represented.

Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

chronic obstructive pulmonary disease
OCR stress assessment for hard sample 19.

Plan

OCR stress plan sample 19; content differs from other OCR pages.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active